

NEW

TOOLSHOP

WHAT'S NEW IN THIS CATALOGUE**Milwaukee**Page
4

M12™ Heated AXIS™ Sleeveless Vests

- Washer & dryer safe
- Heated chest and back
- Adjustable waist to improve fit and comfort
- AXIS™ Ripstop polyester
- Abrasion, water & wind resistant
- M12™ REDLITHIUM™ CP2.0 battery: 8 hrs Low, 4 hrs Medium, 2 hrs High

Includes M12™
Battery Holder,
Battery, Charger**-21 Series****\$258.45****\$258.45**

Size	MEN	WOMEN
S	MLW-305B-21S	MLW-334B-21S
M	MLW-305B-21M	MLW-334B-21M
L	MLW-305B-21L	MLW-334B-21L
XL	MLW-305B-21XL	MLW-334B-21XL
2XL	MLW-305B-212X	MLW-334B-212X



305B



334B

Working SMARTER, Not HARDER

NEW

Ford 6.7L Power Stroke Repair Tools

- Immediate return on your tool investment by successfully repairing in a fraction of the time
- On-the-truck repair: no need to remove the intake, turbo, and exhaust manifold



\$520⁸⁵

PMX-PWP200PRO

Fuel Injector Removal Kit



\$795⁸⁵

PMX-O200PRO

Broken Fuel Injector Hold-Down Bolt Repair Kit



\$723⁵⁵

PMX-N200PRO

Broken EGR (Exhaust Gas Recirculation) Bolt Repair Kit



\$578⁷⁵

PMX-P200PRO

Broken Exhaust Manifold Bolt Repair Kit

PMX-TOM450PROP **\$1494²⁵**

Combo Ford + Subaru Wheel Bearing Puller Kit

- Pull the most stubborn wheel bearings on Ford and Subaru models
- Directly mounts to the bearing
- Individual kits also available separately



PMX-UISX310PP **\$1354⁵⁵**

Universal In-Line Pattern Broken Bolt Repair Kit

- Unmatched versatility and applications: kit conforms to any in-line bolt pattern for 8mm, 10mm, 3/8", 12mm, and Cummins ISX
- Unmatched precision: Movable bushing carriages lining up dead center every time
- Work on exhaust manifolds, oil pans, water pumps, intake manifolds, and more

PMX-TRK200MSTR **\$341⁴⁵**

Thread Repair Kit

- Restores the diameter and depth of damaged exhaust manifold threads for all 8mm x 1.25mm threads



PMX-BEKMSTR **\$204⁸⁵**

Broken Extractor Emergency Kit

- 100% carbide, machine-grade drills and mills to chew through the hardest of materials: extractors, drill bits, and welds



\$136⁵⁵

PMX-PDT250A

1/4" Drive Adapter

- Delivers highest stability versus a chuck



PMX-PDT266ACC **\$257⁹⁵**

Threaded Drill Bit Accessory Kit

- Premium machine shop-grade threaded drill bits achieving peak precision in the tightest spaces



Break the Plague of Broken Bolts with PowerTech Sets for Exhaust Manifold Bolt Repair for Ford, GM & CDJR

A guaranteed solution in removing broken exhaust manifold bolts
anywhere on the cylinder head.



Item #	Broken Bolt Repair Kits	
PMX-PWT220PRO	Master Kit – Covers 20 Engines: <ul style="list-style-type: none"> • Ford 4.6/5.4/6.8L Gas & 6.0/6.4L Diesel • GM LS 1999 - Current 4.8/5.3/6.0/6.2L • Dodge 5.7/6.1L 	\$1117.15
PMX-RII200PRO	FORD 4.6/5.4/6.8L Gas and 6.0/6.4L Diesel	\$549.85
PMX-MII200PRO	GM LS 1999 to Current – 4.8/5.3/6.0/6.2L	\$723.55
PMX-A200PRO	DODGE 5.7/6.1L	\$506.45

Additional exhaust manifold repair plates available for many more engine applications.



Air/Hydraulic Jacks

Item #	Capacity	Lift Height Low	Lift Height High	Weight	
TBQ-TAJ40200	40/20-Ton	5.9"	16.1"	79.4 lbs	\$1651.85
TBQ-TAJ53150	50/30/15-Ton	5.9"	17"	123.5 lbs	\$2268.75
TBQ-TAJ60000	60-Ton	16.5"	40.6"	278 lbs	\$3411.35


12 Raised Panel
Combination
Wrench Sets

Item #	Piece Count	Size Range		
STANDARD Size				
TBQ-5116M	16-Piece	10mm – 32mm	In a Roll Pouch	\$72.05
TBQ-6014	14-Piece	3/8" – 1-1/4"	In a Roll Pouch	\$70.95
JUMBO Size				
TBQ-5110MJ	10-Piece	30mm – 42mm		\$141.65
TBQ-6010J	10-Piece	1-5/16" – 2"		\$200.65
TBQ-6004J	4-Piece	2-1/8" – 2-1/2"		\$206.65

TBQ-17392 **\$97²⁵**
**9-Pc Ball Joint
Service Kit**

- Kit includes installation and removing adapters for 1967 to current 1/2-Ton and 3/4-Ton 4WD vehicles having the Dana 44 front axle (found on Ford, GM, Dodge, IHC and Jeep vehicles)


TBQ-17398 **\$170⁴⁵**
**21-Pc Master
Ball Joint Service Kit**

- Heavy duty tool set removes and installs ball joints, U-joints and brake anchor pins
- Includes a C-frame press and forcing screw, as well as all of the receiver tubes and adapters necessary to work on press-fit upper and lower ball joints on most Dodge, GM, Ford and other 2WD and 4WD cars, pickups, vans and SUVs through 2006



PROFESSIONAL TOOLS & EQUIPMENT

TBQ-17244 **\$44³⁵**
**10-Pc Bearing Race &
Seal Driver Set**

- Sizes: 1.555" (39.5mm) to 3.189" (81mm)


TBQ-12370 **\$204⁰⁵**
**7-Pc Truck Hub
Seal Installer Kit**

- Fits the most popular sizes for Class 7 & 8 over the road trucks and trailers as well as some medium duty trucks
- Includes (5) drivers: 4-13/16" to 6"-5/16"


TBQ-10330 **\$33³⁵**
**18-Pc Disc Brake
Caliper Tool Kit**

- Applicable to a wide variety of 2WD & 4WD vehicles
- Includes 15 adapter discs as well as left-hand & right hand thrust bolt assemblies to work on front or rear brakes


TBQ-11332 **\$55⁵⁵**
**7-Pc Sensor and
Sending Unit Socket Set**

- A variety of sockets to replace O2 sensors, oil pressure switches, oil sender units, vacuum switches and thermal sensor switches


TBQ-34700 **\$125⁵⁵**
**7-Pc Exhaust Pipe
Stretcher Kit**

- Use with an impact wrench to quickly stretch all pipes, including stainless steel
- Stretch pipes from 1-5/8" to 4-1/4"



NEW PRODUCTS NOW AVAILABLE

Page
8

\$708.95

M18 FUEL™ 1/2" High Torque Impact Wrench w/ Friction Ring Kit (2967-21F)



\$503.45

M18™ REDLITHIUM™ XC5.0 Resistant Battery Starter Kit (48-59-1852R)



\$279.95

M18™ REDLITHIUM™ FORGE™ XC6.0 Battery (48-11-1861)



\$339.95

M18™ Dual Bay Simultaneous Super Charger (48-59-1815)



A BETTER SOUND IN YOUR GARAGE

\$248.95

REDLITHIUM™ USB Bluetooth® Jobsite Ear Buds (2191-21)



\$248.95

M18™/M12™ Wireless Jobsite Speaker (2891-20)



\$399.95

M18™ PACKOUT™ Radio + Charger (2950-20)



\$198.95

M12™ Radio + Charger (2951-20)



HAND TOOLS AND ACCESSORIES CATEGORIES

\$80.85

9PC SHOCKWAVE IMPACT DUTY™ 1/2" Drive Metric Deep 6 Point Socket Set (49-66-7032)



\$30.55

6PC SHOCKWAVE IMPACT DUTY™ 3/8" Drive SAE Standard Socket Set (49-66-7035)



\$30.55

6PC SHOCKWAVE IMPACT DUTY™ 3/8" Drive Metric Standard Socket Set (49-66-7036)



\$276.15

PACKOUT™ 4 Drawer Tool Box (48-22-8444)




\$254.95

PACKOUT™ Multi-Depth 3-Drawer Tool Box (48-22-8447)



\$37.15

Low-Profile Customizable Foam Insert for PACKOUT™ Drawer Tool Boxes (48-22-8453)



\$351.65

7PC SHOCKWAVE IMPACT DUTY™ 1" Drive MM & SAE Wheel Service Socket PACKOUT™ Set (49-66-7840)



\$256.05

38PC SAE Tap & Die PACKOUT™ Set w/ Hex-LOK™ 2-in-1 Handle (49-22-5604)



\$256.05

38PC Metric Tap & Die PACKOUT™ Set w/ Hex-LOK™ 2-in-1 Handle (49-22-5603)



IDENTIFY → CUT → PROGRAM

Page
47



NIT-20426059



Complete Key Making System (Without Programmer)

- Includes the hardware necessary to cut car keys, but also contains keys and remotes for the most common vehicle types you are likely to encounter on the road.
- These OEM-like keys can be programmed by any programmer. (Programmer sold separately).
- Includes: 1 x #20201002; 1 x #27301238; 1 x #27801294




NIT-27301238 **\$4129⁶⁵**

Remote & Smart Key Bundle

Includes 172 of the most popular and profitable remotes and keys found in North America:

- 21-Pc **Ford Remotes** (#27301231)
- 26-Pc **Chrysler Remotes** (#27301232)
- 27-Pc **GM Remotes** (#27301233)
- 27-Pc **Toyota/Lexus Remotes** (#27301234)
- 28-Pc **Honda/Acura Remotes** (#27301235)
- 23-Pc **Nissan Remotes** (#27301236)
- 20-Pc **Hyundai/Kia/Mazda/Mitsubishi Remotes** (#27301237)



NIT-27801294 **\$909¹⁵**

Transponder Key Set (Heads, Blades and Chips)

- Assemble hundreds of automotive transponder keys with this single set.
- Use as **TEST KEYS**: Using the reusable, blue universal head, cut these inexpensive blades and test in the lock before duplicating onto a more expensive transponder key or remote head key
- Use as **PLASTIC-HEADED KEYS**: Combine these blades with the appropriate key heads to give your customer a permanent, high quality mechanical key
- Use as **TRANSPONDER KEYS**: The same key heads also work as a transponder key. Just insert the right chip and program it

The kit includes:

- **Key Blades** (240 blades)
- **Transponder Key Heads** (77 heads, 16 types)
- **Transponder Chips** (80 chips)

NIT-20201002



Triton PLUS Key Cutting Machine – Automotive Edition

- Cuts 99% of automotive, commercial and residential keys
- Easily duplicate keys with interactive, on-screen illustrated instructions
- Automated cutting for quick and accurate key making every time
- 7" touchscreen with crisp graphics and an intuitive menu
- Contains a comprehensive database
- Custom search functions include the ability to search by vehicle model, keyway, or IC card number
- Unlimited, free updates for the life of your machine via Wi-Fi
- 3-year warranty



www.tritonkeymachine.com

Page
49AUL-ATS100 **\$1311⁵⁵****CV ADAS Radar Sensor –
Blind Spot/Turn Assist System for Commercial Vehicles**

- Helps improve vehicle safety by alerting drivers to potential collisions in their vehicle's blind spot
- Complete solution with Sensor & Display
- Compatibility with 99.5% of commercial vehicles, buses, trucks, trailers, and tractors
- 180° field of view
- 120 ft. (37m) pedestrian & cyclists detection
- Up to 260 ft. (80m) detection range
- Low false warning rate
- Distinguishes between moving and non-moving vehicles
- **Two sensing modes:**
Low Speed for turn assist and pedestrian & cyclist detection;
High Speed for lane change assist, active vehicle warning
- Plug & Play, no vehicle signal input needed, only power supply
- Auto-calibration

**AUTEL**Page
54**AUTEL**
HEAVY-DUTY

AUL-MS908CVII

**MaxiSYS –
Commercial Vehicle Diagnostic
and Service Tablet**


- Tablet equipped with Wi-Fi access



	Powerful Commercial Vehicle Diagnostics
HARDWARE	
J2534 PASS THRU Programming Device	J2534 MaxiFash ELITE with internal Bluetooth VCI
Connection	Wireless Bluetooth
Colour LED Touchscreen	9.7" / 1536 x 2048 DPI
Processor	2.2 GHz + 1.8 GHz Octa-Core
Memory	4GB RAM + 128GB SSD
Internal Battery	15,000 mAh
Accessory Ports	HDMI / USB
OBDII Connectors	DEUTSCH 6 Pin & 9 Pin & Complete Probe Set
Print Data	Wi-Fi to PC
SOFTWARE	
Operating System	ANDROID 10.0
Software Updates (Internet)	1 Year FREE
Repair & Test Data	Access All Records
Automatic Detection	Auto-VIN/Auto-SCAN/SCAN VIN
FEATURES	
Vehicle Diagnostics	Class 3 - Class 9
Basic & Special Functions	All Makes & All Models
HD Vehicle Features/Protocols	J1939 / J1708
Service Resets	25 Service Features
Diesel PM (CLASS 1-9)	Reset Diesel Emissions
System Diagnostics	Access All Modules In All Systems On Select Vehicles
Component Activations	Bi-Directional Controls
Enhanced Functions	Advanced Coding + Adaptations

Page
71MUK-702 503 **\$121⁸⁵****3-Pc 16" Long Flexible
Magnetic Pick-Up Tool Set**

- Capacity: 1/2 lb, 1 lb, 4 lb

**MUELLER KUEPS**MUK-702 270 **\$19⁹⁵****16" Long Flexible Magnetic Pick-Up Tool**

- 1/2 lb capacity

Page
74**IR** Ingersoll Rand.**\$598²⁵**

IRC-W3131-K22

**IQV20 20V 3/8" Drive Compact
Impact Wrench Kit**

- Loosening: up to 400 ft-lb
- Fastening: up to 300 ft-lb
- 0-2,800 RPM
- Three speed modes
- 360° LED light ring
- (1) 5.6 Ah battery and (1) 2.5 Ah battery
- (1) Charger





2236OPTIMAX



2236QTIMAX-2



2236QTIMAX




Ingersoll Rand® 2236 Max

Industry's most compact high torque 1/2" drive impact wrench with an interchangeable anvil system.











The patented Drive Xchange System™ lets you switch out anvils without clunky adapters that can drain your tool's power.

- 1,500 ft-lbs of nut busting torque
- 7,500 RPM
- Lightweight (4.4 & 4.6 lbs)
- Quiet at 94.2 dBA



Item #	Available Configurations	
IRC-2236QTIMAX	1/2" Standard Friction Ring Anvil	\$559.95
IRC-2236QTIMAX-2	1/2" x 2" Extended Friction Ring Anvil	\$589.95
IRC-2236OPTIMAX	1/2" Standard Pin Anvil	\$569.95



A31H	3/8" Standard Friction Ring	
A41H	1/2" Standard Friction Ring	
AP41H	1/2" Standard Pin Style	
EA42H	1/2" x 2" Friction Ring	
EA44H	1/2" x 4" Friction Ring	
EA46H	1/2" x 6" Friction Ring	
EA48H	1/2" x 8" Friction Ring	
EA410H	1/2" x 10" Friction Ring	
A61H	3/4" Standard Friction Ring	
EA66H	3/4" x 6" Friction Ring	



Interchangeable Anvil Sets

- Available drive sizes: 3/8", 1/2", 3/4"
- Compatible with all DXS2™ tools

Item #	Anvil Sizes Included in Set	Model No. References	
IRC-AK32H	3/8", 1/2"	A31H, A41H	\$78.75
IRC-AK33H	3/8", 1/2", 3/4"	A31H, A41H, A61H	\$97.55
IRC-AK42H	1/2" x 2", 3/4"	EA42H, A61H	\$83.45
IRC-AK43H	1/2" x 2", 1/2" x 4", 3/4"	EA42H, EA44H, A61H	\$117.55
IRC-AK62H	1/2", 3/4"	A41H, A61H	\$78.75
IRC-EAK62H	3/4", 3/4" x 6"	A61H, EA66H	\$117.55
IRC-EAK44H	1/2" x 4", 1/2" x 6", 1/2" x 8", 1/2" x 10"	EA44H, EA46H, EA48H, EA410H	\$218.25

NEW**IN THIS CATALOGUE**

January - March 2024

Page
94**1/4" Composite Die Grinders**

- 2-year warranty

Item #	Head	Features	Motor	RPM	
ACA-6205	Straight	Mini	1/3 HP	25,000	\$135.05
ACA-6250	90° Angle	Mini	1/3 HP	18,000	\$164.45

Page
96ACA-6220 **\$239²⁵****2" Angle Grinder**

- 2-year warranty
- Motor: 0.5 HP
- 15,000 RPM

Page
101MUK-297 003 **\$223⁸⁵****2" Mini Angle Disc Cutter**

- For use in hard to reach areas
- Works with 2" cutting and grinding wheels
- Center bore: 0.4"
- Adjustable spark protector

Page
103ACA-6325 **\$287⁵⁵****1/2" x 18" Belt Sander**


- 0.6 HP
- 18,000 RPM
- 360° sanding arm adjustments

Page
106CAL-40500CV **\$83⁹⁵****8-Pc Air Blow Gun Set**

- Includes 7 interchangeable tips
- Ideal for cleaning debris, drying off wet surfaces, inflating pool toys and balloons
- 160 PSI working air pressure

Page
107SGT-99680 **\$44⁰⁵****Turbo Tornado Blow Gun**

- Unique, tapered tip for a strong flow
- Lightweight and durable aluminum body
- Includes a 3/8" M NPT Industrial style fitting with a 1/4" body
- 42 SCFM at 125 PSI
- 25-230 PSI min/max

Page
109**Portable Air Tanks**

- Heavy gauge steel with rust-free finish
- Automatic pressure bypass with manual override
- Dual scale gauge: PSI and Mpa
- 85-125 PSI

Item #	Capacity	
TIT-19914	5 Gallon	\$112.95
TIT-19916	11 Gallon	\$171.65

Page
119TIT-41308 **\$13²⁵****8-1/4" Curved Utility Brush**

- 24 rows of carbon steel bristles
- Brush length: 1-1/4"





Page
130



GE8ASMHSRPT



GE11ASSHSRPT



GE7BSMHSRPT



GE7BSSHRSPT



GE9ASTSRPT



GE14ASTSRPT

RPT™ (Rounding Prevention Technology™) Hex and Torx® Bit Socket Sets

- Completely replaces your standard Hex or Torx® tools
- Patented unique bi-directional design enables loosening & tightening of new and damaged fasteners
- RPT™ Technology **prevents rounding** of NEW and compromised fasteners
- RPT™ Technology provides up to **50% more torque on NEW fasteners**
- RPT™ Technology provides up to **400% more torque on DAMAGED fasteners**
- S2 steel for increased strength and durability




RPT™ HEX

Item #	Drive	Set	Range	
GPE-GE8ASMHSRPT	1/4"	8-Pc	1.5mm – 7mm	\$111.75
GPE-GE11ASSHSRPT	1/4"	11-Pc	1/16" – 9/32"	\$124.15
GPE-GE7BSMHSRPT	3/8"	7-Pc	4mm – 10mm	\$124.15
GPE-GE7BSSHRSPT	3/8"	7-Pc	1/8" – 3/8"	\$124.15

RPT™ TORX®

Item #	Drive	Set	Range	
GPE-GE9ASTSRPT	1/4"	9-Pc	T6 – T40	\$120.45
GPE-GE14TSRPT	1/4", 3/8", 1/2"	14-Pc	T6 – T60	\$211.15



G-FORS™ EXTRACTORS

\$329.15

GPE-GE14FORSERPT

14-Pc G-FORS™ (Foreign Object Removal System) Extractor Set

- #1 to #7 extractors with 3/32" to 23/64" left hand drill bits
- Extractor is designed to be hammered and provides quick and easy removal of extracted object
- Designed to **grip up to 100% rounded fasteners**
- G-FORS™ extractor design **PREVENTS** fastener expansion and thread binding vs. standard tapered extractors that CAUSE fastener expansion leading to thread binding
- Unique non tapered geometry enables increased **GRIP** with the fastener sidewall
- Unique bi-directional design for loosening & tightening damaged fasteners
- S2 steel for increased strength and durability



GE9AMSESPT



GE9ASSESPT



GE10BMSESPT



GE7BSSESPT

RPT™ SOCKET EXTRACTORS

- RPT™ Socket Extractors replace multiple sets of extractors
- Unique non tapered geometry enables **EXTREME GRIP** on up to **100% damaged fasteners**
- Unique bi-directional design for loosening & tightening damaged fasteners
- G-FORS™ pusher rod provides quick and easy removal of extracted object

Item #	Drive	Set	Range	
GPE-GE9AMSESPT	1/4"	9-Pc	4mm – 12mm	\$211.15
GPE-GE9ASSESPT	1/4"	9-Pc	3/16" – 1/2"	\$211.15
GPE-GE10BMSESPT	3/8"	10-Pc	10mm – 19mm	\$300.55
GPE-GE7BSSESPT	3/8"	7-Pc	3/8" – 3/4"	\$226.05



Page
133**MUELLER KUEPS**Made in
Germany**Extra Short Rethreading
Taps for Sensors**

- Super short taps with integrated guide pin
- Rethreads the damaged and burned threads especially of NOx sensors and particle filters at exhaust systems

Item #	Size	Ideal For	
MUK-506 512	M12x1.25	Temperature Sensors	\$157.45
MUK-506 514	M14x1.5	Temperature Sensors	\$157.45
MUK-506 518	M18x1.5	Oxygen Sensors	\$157.45
MUK-506 520	M20x1.5	NOx Sensors	\$174.55
MUK-506 522	M22x1.5	Particle Filters	\$174.55
MUK-506 021/KIT	2-Pc Kit: M20x1.5 + M22x1.5	NOx Sensors Particle Filters	\$327.15

Page
134**Lisle**LIS-52480 **\$13⁹⁵****4-1/4" Long Retractable
Razor Blade Scraper**

- Includes 1.5" steel razor blade

Page
134**TITAN****11" Long Carbide Scrapers**

Item #	Blade Width	
TIT-17020	5/8"	\$32.75
TIT-17021	1-1/4"	\$44.25

Page
138**TITAN****TIT-17237 \$39³⁵
7-Pc Insulated Screwdriver Set
with Magnetic Tips**

- Slotted: 1/8" x 3", 5/32" x 4", 7/32" x 5", 1/4" x 6"
- Phillips: #0 x 3", #1 x 4", #2 x 4"

Page
141**KLEIN TOOLS**KLE-58000 **\$20⁵⁵****CAUTION Tape, Barricade**

- 3" x 200 feet (76mm x 61m)
- Made of tough, durable (2.5 mil) polyethylene
- Highly resistant to acids, alkalis and other components

Page
147**VIM**VIM-HDR34K **\$433²⁵****3/4" Drive Heavy-Duty Extendable
Ratchet and Breaker Bar Kit**

- Extends from 29" to 40"
- Includes a handle, ratchet head and breaker bar head

Page
171**MUELLER KUEPS****Flex Head Flare Nut
Line Wrench Kits**

Item #	Piece Count	Size Range	
MUK-457 705	5-Piece	8mm - 12mm	\$160.55
MUK-457 705/SAE	5-Piece	5/16" - 1/2"	\$160.55

Page
174

VIM-TWE26 **\$158³⁵**
Telescopic Wrench Extender, 18"-26"

Page
174

#745 099 is shown in use with an Allen key.



MUK-745 099 **\$64⁴⁵**
Mini Uni Wrench Extender
 • Length: 9"
 • Maximum Width: 1/2"
 • Helps loosen tight connections in hard to reach areas
 • Fits Hex, TX and XZN wrenches

Page
183

MUK-706 400 **\$114⁸⁵**
4-Pc 12" XL Hex Tip Screwdriver Set
 • 3mm, 4mm, 5mm 6mm

Page
189

KNI-9K 00 80 156 US **\$219⁴⁵**
3-Pc Top Selling Pliers Set
 • 87 01 180: 7-1/4" Cobra® water pump pliers
 • 86 01 180: 7-1/4" Pliers wrench
 • 82 01 200: 8" TwinGrip slip joint pliers

Page
189

KNI-9K 00 80 157 US **\$210⁹⁵**

3-Pc Professional Pliers Set

- #74 01 200: 8" High leverage diagonal cutter
- #09 01 240: 9-1/2" High leverage lineman's pliers
- #87 01 250: 10" Cobra® water pump pliers

Page
191

KNI-00 20 72 V04 XS **\$184²⁵**

2-Pc Mini Pliers Set in Belt Pouch

Includes:

- #87 00 100: 4" Cobra® XS Water Pump Pliers, 1" gripping capacity
- #86 04 100: 4" Pliers Wrench XS, 3/4" gripping capacity

Page
191

KNI-9K 00 80 149 US **\$810³⁵**

8-Pc Cobra® Water Pump Pliers Set

Includes:

- #87 00 100 (4")
- #87 01 125 (5")
- #87 01 150 (6")
- #87 01 180 (7-1/4")
- #87 01 250 (10")
- #87 01 300 (12")
- #87 01 400 US (16")
- #87 01 560 US (22")

Page
199

KNI-9K 00 80 158 US **\$263⁶⁵**

3-Pc Electrical Pliers Set

- 9 1/2" Lineman's pliers
- 8" Forged wire stripper
- 10" High leverage diagonal cutters

Page
219**KNI-00 21 50 LE \$606⁵⁵**
**Modular X18 Tool Backpack,
33 Lbs Capacity**


- Removable tool board, • Padding for your back
- Two separate inner compartments for tools, measuring instruments, notebook or tablet
- Durable fabric, splash-proof and easy to clean
- Waterproof, impact-resistant molded bottom for a secure upright position
- A total of 21 retaining loops and 37 pockets, some with zips
- Luggage strap for fixing to telescopic handles of tool cases
- 20-7/8" x 13-3/8" x 8-1/4" • **Tools not included**

Page
245**GAI-GTRP-01 \$124³⁵**
TRAC Roller Plate Accessory


- For use with the TRAC Tire Jack
- Allows for an easier alignment of the holes of the wheel to the studs of the hub
- Heavy-duty welded steel construction

Page
246**GAI-Y471106 \$766⁹⁵**
SAFERGO - Truck Tire Dolly

- The easiest way to install and remove truck wheels without having to manually lift wheel sets
- Simply slide the rollers underneath the tire and use the jack handle to raise it to the desired height
- Use the included Gaither O-LINE-ER® to perfectly position the wheel for easy installation
- Lifting capacity: 350 lbs
- Collapsible handle frame

Page
246**GAI-Y471147HD3**
**Smart Cart -
Truck Wheel & Tire Cart**

- When the Smart Cart is pushed toward the stack of tires, the spring-action arms grasp the tires without the need for cumbersome pedals, levers, or gas springs
- Use the push/pull handle to remove the cart from the tire stack
- Accommodates 25" to 33" tires
- Load capacity: 441 lbs

Page
251**6L/1.5 Gallon
Fluid Extractor Sets**

- For use with: motor oil, gear oil, transmission fluid, coolant, brake fluid, power steering fluid, water, etc.
- The #65861 kit comes with a brake bleeder valve adapter for fast brake fluid extraction



Item #	Operation	
9CL-65860	Manual	\$177.15
9CL-65861	Pneumatic	\$218.55

Page
256**FILL-RITE**

A GORMAN-RUPP COMPANY

FIL-FR8-PX **\$368⁴⁵****12V DC Heavy Duty Fuel Transfer Pump (Pump Only)**

- Compatible with: Gasoline, Diesel, B20, E15 (E10 for #FR8-PX) and Kerosene
- Flow: 8 GPM (30 LPM)
- Motor: 1/12 HP
- Inlet/Outlet: 1" / 3/4"
- Cast iron housing
- UL/cUL certified motor

Page
256**FILL-RITE**

A GORMAN-RUPP COMPANY

FIL-FR8 **\$546⁹⁵****12V DC Heavy Duty Fuel Transfer Pump Kit**

- Compatible with: Gasoline, Diesel, B20, E15 (E10 for #FR8) Kerosene
- Flow GPM / LPM: 8 / 30
- Inlet/Outlet
- Motor: 1/12 HP
- Nozzle: Manual - 3/4"
- House: 3/4" x 12 ft.
- Telescoping Suction Pipe: 13-13/16" to 37"
- Cast iron housing construction
- UL/cUL certified motor



FR8 Series

Page
258**MUELLER KUMPS**MUK-515 007/V2 **\$332⁹⁵****Universal Diesel Filter Filler**

- For all diesel vehicle filter changing as well as removing air from the system
- Can also be used in diesel injection engines in European cars

Page
266**9CIRCLE**9CL-62731 **\$50¹⁵****Oil Funnel for BMW & Mercedes-Benz**

- **Black adapter with two tabs:**
Fits most models of BMW and Mercedes-Benz
- **Blue adapter with 1/4 turn fits:**
 - BMW B37, B47, B58 engines from 2017 with cap (OEM #11 12 8 654 637);
 - Mercedes-Benz M256 Hybrid, OM654 and OM656 engines from 2017 with cap (OEM #A0000180200)

Page
267**Cal Van Tools**CAL-99710 **\$38⁴⁵****24mm & 36mm, 3/8" Dr. 6 Pt. Oil Filter Wrench Flip Socket**

- Works with a variety of domestic and foreign vehicles

Page
268**9CIRCLE****Oil Filter Wrenches**

Item #	Size	Flutes	Applications	
9CL-61641	64.5mm	14	Toyota/Lexus & Honda/Acura • Provides high torque: 264 ft-lb	\$42.45
9CL-61662	93mm	36	Ford • Made of forged steel	\$53.45

NEW**IN THIS CATALOGUE**

January - March 2024

Page
270**Heavy-Duty Truck Oil Filter Wrenches**

- Two sets of dimples have been added to create a non-slip surface on the band

Item #	Band	Diameter	
LIS-53030	3"	3-3/4" to 4-1/2"	\$63.45
LIS-53050	3"	4-1/4" to 5-1/4"	\$64.75
LIS-53090	3"	5-1/4" to 5-3/4"	\$65.95

Page
281**BE****COMMERCIAL**

BE3800



BE4800



BE7000



BE9000



BE11000



BE12500T

**Receptacles Guide**

A		DC 12V 8A
B		120V 20A
C		120V 30A
D		120V/240V 30A
E		120V/240V 50A

Generators

- Easy access, weather-protected outlets
- LED floodlight • Sub-zero technology • Automatic CO detector
- Warranty: - Engine: 2 years Basic / 5 years Registered
- Electronics: 1 year

Item #	BEP-BE3800	BEP-BE4800	BEP-BE7000	BEP-BE9000	BEP-BE11000	BEP-BE12500T
Max. Watt Output	3,800 Watt	4,800 Watt	7,000 Watt	9,000 Watt	11,000 Watt	12,500/11,000/9,000 W (Gas/LPG/NG)
Running Watt Output	3,000 Watt	3,800 Watt	5,500 Watt	6,500 Watt	7,500 Watt	9,500/8,500/7,500 W (Gas/LPG/NG)
Engine	212cc, Powerease	323cc, Powerease	312cc, Powerease	389cc, Powerease	420cc, Powerease	458cc, Powerease
Fuel Type	Gas	Gas	Gas	Gas	Gas	Gas / Liquid Propane / Natural Gas
Fuel Capacity	15L (3.9 Gal)	15L (3.9 Gal)	20L (5.3 Gal)	25L (6.6 Gal)	25L (6.6 Gal)	25L (6.6 Gal)
Approximate Run Time @ 1/2 Load	13.8 hours	11 hours	13.3 hours	8 hours	14.4 hours	8 hours
Start Type	Recoil	Recoil	Recoil	Recoil	Electric / Recoil	Electric / Recoil
Receptacle Types	B 4x 120V 20A C 1x 120V 30A	B 4x 120V 20A D 1x 120V/240V 30A	A 1x DC 12V 8A B 6x 120V 20A D 1x 120V/240V 30A	A 1x DC 12V 8A B 6x 120V 20A D 1x 120V/240V 30A	A 1x DC 12V 8A B 6x 120V 20A D 1x 120V/240V 30A	A 1x DC 12V 8A B 4x 120V 20A D 1x 120V/240V 30A E 1x 120V/240V 50A
Li-Ion Battery	✗	✗	✗	✗	✓	✓
dBA Rating	71 dBA	70 dBA	69 dBA	67 dBA	73 dBA	73 dBA
Ship Weight	105 lbs	116 lbs	150 lbs	193 lbs	202 lbs	207 lbs



BE7500ID



BE10500IT



BE2800i




BE4000i



BE4700ID



Receptacles Guide



Inverter Generators

- Produces clean energy that is needed for sensitive electronics
- Sound dampening shell • Easy access, weather-protected outlets
- LED floodlight • Sub-zero technology • Automatic CO detector
- Warranty: Engine Basic 2 years / Engine Registered 5 years / Electronics 1 year

Item #	BEP-BE2800I	BEP-BE4000I	BEP-BE4700ID	BEP-BE7500ID	BEP-BE10500IT
Max. Watt Output	2,800 Watt	4,000 Watt	4,700 / 4,100 W (Gas / LPG)	7,500 / 6,000 W (Gas / LPG)	10,500 / 9,500 / 8,400 W (Gas / LPG / NG)
Running Watt Output	2,500 Watt	3,200 Watt	3,600 / 3,200 W (Gas / LPG)	6,000 / 5,500 W (Gas / LPG)	8,500 / 8,000 / 6,800 W (Gas / LPG / NG)
Engine	145cc, Powerease	145cc, Powerease	160cc, Powerease	312cc, Powerease	458cc, Powerease
Fuel Type	Gas	Gas	Gas / LP	Gas / LP	Gas / LP / NG
Fuel Capacity	3.6L (1 Gal)	3.6L (1 Gal)	5.8L (1.5 Gal)	12.5L (3.3 Gal)	26L (6.8 Gal)
Approx. Run Time @ 1/2 Load	3 hours	3 hours	3.8 hours	7.2 hours	9 hours
Start Type	Recoil	Recoil	Electric / Recoil	Electric / Recoil	Electric / Recoil
Receptacle Types	B 4x 120V 20A A 1x DC 12V 8A	B 4x 120V 20A A 1x DC 12V 8A	A 1x DC 12V 8A B 4x 120V 20A C 1x 120V 30A	A 1x DC 12V 8A B 4x 120V 20A D 1x 120V/240V 30A U 1x USB A & C	A 1x DC 12V 8A B 4x 120V 20A D 1x 120V/240V 30A E 1x 120V/240V 50A
Li-Ion Battery	X	X	✓	X	X
dBA Rating	63 dBA	63 dBA	63 dBA	65 dBA	67 dBA
Ship Weight	52 lbs	56 lbs	69 lbs	136 lbs	297 lbs



4-Pc Mini Rubber-Coated Magnetic Holder Set

- 49mm diam. x 51mm long


Item #	Colour	
MUK-905 143/BLUE	Blue	\$70.35
MUK-905 143/NEON	Neon Green	\$70.35
MUK-905 143/ORANGE	Orange	\$70.35

Page
315**TITAN****TIT-19462 \$53²⁵**
Undercoating Spray Gun with 750ml Cup

- 2.5mm nozzle

**TIT-19463 \$48⁷⁵**
Undercoating Spray Gun

- Handles a wide range viscosity of water or oil based material
- Spray tip opening: 5/16" (7.9mm)
- 1.5" threaded bottle attachment

Page
316**Astro****AST-51SL \$71⁰⁵**
Rechargeable Lightweight Spray Gun Color Match Light

- Compact, lightweight and universal design affixes to most spray gun nozzle sizes
- 500/250 lumens, 95+ CRI rating and 4000K color temperature
- 90° tilt, 360° rotation
- Hand motion On/Off
- Adjustable light mount tilts to direct light where needed
- USB-C rechargeable

Page
318**9CIRCLE®****9CL-81910 \$45¹⁵**
2-Pc Double-Sided Trim Removal Pry Lever & Clip Lifter Tool Set

- For removing exterior and interior trim, molding, dashboards, door panels, and clips
- Metallic material is more durable than plastic panel removal tools

Page
321**Air Hydraulic Riveters**

- Designed to handle structural rivets in aluminum, stainless steel and Monobolt
- On/Off switch for mandrel vacuum collection system

ACA-6410 \$943⁰⁵
3/16" Capacity

- Pull force: 2,000 lbs
- Nosepieces: 5/32", 3/16", and 3/16" Monobolt
- Stroke length: 7/8"

ACA-6420 \$1461¹⁵
1/4" Capacity

- Pull force: 3,700 lbs
- Nosepieces: 3/16", 1/4", and 3/16", 1/4" Monobolt
- Stroke length: 63/64"

Page
323**Installs:**

Blind Rivets

MRN
Rivet NutsMQN
Jack NutsMET Rivet
Bolts/Studs**HP-4x4™ Multiplex Hand Tool Kits**

- New, patented design that allows this single tool to set in a variety of sizes of both aluminum and steel material rivets and rivet nuts

MAR-M39410 \$149²⁵**HP-4x4™ Inch Size****Installs:**

- Blind rivets up to 3/16" diameter
- Rivet nuts up to 1/4-20 size
- MET series external thread stud rivet bolts up to 1/4-20
- Jack nuts (MQN)

Includes:

- 4 nosepieces: #6, #8, #10, 1/4
- 5 threaded mandrels: 6-32, 8-32, 10-24, 10-32, 1/4-20
- 3 threaded sockets: 8-32, 10-24, 10-32

MAR-M39411 \$149²⁵**HP-4x4™ Metric Size****Includes:**

- 4 nosepieces for blind rivets: 2.4mm, 3.0/3.2mm, 4.0mm, 4.8/5.0mm
- 4 threaded rivet nut mandrels: M3, M4, M5, M6
- 2 threaded sockets for rivet studs: M4, M5

Page
331

VICTOR

VCT-0384-0944 **\$987⁸⁵****G150 - Light Duty Cutting & Welding Portable Tote Outfit**

- Cuts up to 1/4" (6.4mm) or up to 5" (127mm) with optional tips
- Welds up to 5/64" (2mm) or up to 1" (25.4mm) with optional nozzles
- Tanks are delivered empty



VICTOR

VCT-0384-2580 **\$696³⁵****Medalist® 250 CLASSIC - Medium Duty Cutting & Welding Outfit**

- Cuts up to 1/2" (12.7mm) or up to 5" (127mm) with optional tips
- Welds up to 5/64" (2mm) or up to 1.25" (31.8mm) with optional nozzles



VICTOR

VCT-0384-2698 **\$745⁹⁵****Medalist® 350 CLASSIC - Heavy Duty Cutting & Welding Outfit**

- Cuts up to 3/4" (19.1mm) or up to 6" (152.4mm) with optional tips
- Welds up to 1/8" (3.2mm) or up to 3" (76.2mm) with optional nozzles

Page
339

Cal-Van Tools

CAL-24630 **\$123⁰⁵****Universal Brake Bleeder Adapter**

- Universal design fits plastic master cylinders on nearly any application
- Fits 1" to 2.76" O.D.
- Use with M-style or universal quick-connect couplers only

Page
341

9CIRCLE®

9CL-30460 **\$44⁹⁵****10.6" Long Four-Sided Brake Caliper File**

- Coarse teeth for removing rust or coarse residue
- Fine teeth for detailed cleaning or final polishing

Page
343

Cal-Van Tools

CAL-70100 **\$278⁹⁵****10-Ton Capacity Brake Anchor Pin & Bushing Press**

- Remove brake anchor pins and bushings on 16-1/2" S-cam brakes and other quick-change setups on semi-trucks and trailers
- For use with a 1/2" drive impact

Page
347

COATS

MAXX 70 Rim/Clamp® Tire Changer

- For high volume tire dealers or general repair shops
- Wider, more robust chassis with more power, more features and improved speed and reliability
- **Wheels handled:** alloy and steel for car and light/medium truck
- Features a polymer Duckhead and Robo Arm to make changing tires a breeze
- Hand operated bead loosener
- Dual nozzle bead sealer
- No-index tabletop saves time
- **Rim diameter:** 6" - 24" external - up to 30" with optional clamps
- **Max. tire diameter:** 50"
- **Max. rim width:** 16"
- **Warranty:** 3 years parts, 6 months labor
- Footprint: 74" W x 86" H x 44" D
- Additional accessories available upon request

Made in
USAInstallation
& Training
Included

Item #	Motor	
HEN-800MAXX70	110V	
HEN-800MAXX70220	220V 2HP, 60Hz	
HEN-800MAXX70A	Air 4HP	



Page
356

6

CAL-96120 **\$56⁷⁵****4-Pc 1/2" Drive 6 Point Metric Half-Size Impact Flip Socket Set for Damaged Lug Nut**

- Increased width to accommodate damaged and swollen capped lug nuts
- Sizes: 17.5mm, 18.5mm, 19.5mm, 20.5mm, 21.5mm and 22.5mm
- Includes a 3" impact extension

Page
356**Torque Multiplying Lug Nut Impact Sockets with Hollow Drum Design**

- Hollow drum design increases the torque output of 1/2" impact wrenches more than flywheel or weighted socket designs


Item #	Size	
AST-71017L	17mm	\$46.85
AST-71019L	19mm (3/4")	\$46.85
AST-71021L	21mm (13/16") Thin Wall	\$48.75
AST-71022L	22mm (7/8") Thin Wall	\$48.75

Page
357SGT-65180 **\$220⁶⁵****10-Pc Wheel Stud Pin Hanger Set**

- Includes 2 each of:
M12 x 1.25, M12 x 1.5,
M14 x 1.25, M14 x 1.5, M16 x 1.5

Page
359GAI-GTF-01 **\$131⁶⁵****GT Force 2-In-1 Wheel Weight Removal and Application Tool**

- Save time, save your fingers, lose the hammer!
- This double ended tool has one magnetic end for application and another hook end for removal

Page
384LIS-12030 **\$267⁴⁵****10-Pc Sensor Socket Set**

- Allows access to difficult wired temperature sensors, thermo switches and other components
- Works on ABS, master cylinder, coolant, and diesel injection sensors
- Includes 10mm-19mm, 3/8" drive sockets

Page
388ASM-BY15S **\$61⁵⁵**
3/8" Drive 15mm 12 Pt. Bypass Wrench for Heavy-Duty Trucks

- Used to assist in removal and re-installation of Turbo nuts and bolts
- Application: Cummins 5.9, 8.9, X15

Page
391LIS-12090 **\$180³⁵****5-Pc Fuel Line Socket Set**

- Sizes: 17, 19, 21, 22, 24mm
- **17mm:** works on Audi A1, A3, A4, A6, A8, VW Passat, BMW N54, N63, S63, and Ford Power Stroke engines
- **19mm:** works on 2011 and older diesel engines plus Cummins ISB engines
- **21mm:** works on Paccar MX 11 and MX 13 engines
- **22mm:** works on the newest ISX Cummins motors
- **24mm:** used on NOx and soot sensors

January - March 2024

Page
50**AUTEL****\$321¹⁵**

AUL-700010

**Advanced TPMS
Service Tool
with Wi-Fi**Page
72**Milwaukee**

MLW-2463-20

**M12™ 3/8" Drive
Impact Wrench (Bare Tool)**

- 100 ft-lb/1,200 in-lb
- 0-2,500 RPM
- 0-3,300 IPM
- Clutch settings: 15+1
- Trigger lock

\$127⁹⁵Page
112**REELCRAFT**Made in
USARFT-82100 OLP **\$1151⁰⁵****Low Pressure Spring Retractable
Air/Water Hose Reel**

- Features: Dual Pedestal Base
- Hose I.D. x Length: 1/2" x 100 ft.
- Max. Work Pressure: 300 psi
- Max. Temp.: 150°F (65°C)
- NPT(M) Hose Outlet: 1/2"
- NPT(F) Reel Inlet: 1/2"
- NPT(F) Reel Outlet: 1/2"

Page
113**REELCRAFT**Made in
USA**Low Pressure
Spring
Retractable
Hose Reels for
Air/Water**

- Hose not included

	RFT-7800 OLP	RFT-83000 OLP
Duty	Premium Duty	Ultimate Duty • Dual Pedestal Base
Hose Length	50 ft.	50 ft.
Hose I.D.	1/2"	3/4"
Hose O.D.	0.75"	1.075"
Max. Pressure	500 psi	500 psi
Max. Temp.	210°F (99°C)	210°F (99°C)
Reel Inlet NPT(F)	1/2"	3/4"
Reel Outlet NPT(F)	1/2"	3/4"
	\$621.05	\$1027.45



7800 OLP



83000 OLP

Page
113**REELCRAFT**Made in
USA

CU6050LN



CU6100LN



CT6100HN

CA32106 L
CA33106 LCA32112 L
CA33112 L

CH37118 L

**Hand Crank Hose Reels
for Air/Water**

- Designed for rugged, heavy-duty applications requiring long lengths of hose and large storage capacity
- Full flow swivel, and heavy gauge steel frame, spool, and drum
- Vibration-proof, self-locking fasteners
- T-handle tensioning device allows proper tension to be applied to the spool to eliminate the free spooling of the reel
- Hose not included

Item #	Hose I.D.	Hose Length	Hose O.D.	Reel Inlet NPT (F)	Reel Outlet NPT (F)	Max. Pressure	Max. Temperature	
RFT-CU6050LN	3/8"	50 ft.	0.6"	3/8"	3/8"	300 psi	150°F (65°C)	\$167.95
RFT-CU6100LN	3/8"	100 ft.	0.6"	3/8"	3/8"	300 psi	150°F (65°C)	\$210.55
RFT-CT6100HN	3/8"	100 ft.	0.73"	1/2"	3/8"	5000 psi	212°F (100°C)	\$290.15
RFT-CA32106 L	1/2"	100 ft.	0.85"	1/2"	1/2"	1000 psi	210°F (99°C)	\$410.55
RFT-CA32112 L	1/2"	200 ft.	0.75"	1/2"	1/2"	1000 psi	210°F (99°C)	\$418.95
RFT-CA33106 L	3/4"	50 ft.	1.075"	3/4"	3/4"	1000 psi	210°F (99°C)	\$554.05
RFT-CA33112 L	3/4"	100 ft.	1.075"	3/4"	3/4"	1000 psi	210°F (99°C)	\$554.05
RFT-CH37118 L	1"	100 ft.	1.375"	1"	1"	1000 psi	210°F (99°C)	\$803.35

Page
153

8026M



1213MSD

**6 Point Impact Socket Sets**

Item #	Drive	Piece Count	Size Range	
SHALLOW Length				
GRY-8026M	3/4"	26-Piece	19mm – 50mm	\$709.45
SEMI-DEEP Length				
GRY-1213MSD	3/8"	13-Piece	7mm – 19mm	\$86.35
DEEP Length				
GRY-8026MD	3/4"	26-Piece	19mm – 50mm	\$1048.55
SHALLOW + DEEP Length				
GRY-9728M	1/4"	28-Piece	4mm – 15mm Incl. 4.5mm & 5.5mm	\$137.35

Page
155

1210UMSD



9712UMD

**6 Point Universal Impact Socket Sets**

Item #	Drive	Piece Count	Size Range	
SHALLOW Length				
GRY-9712UM	1/4"	12-Piece	5mm – 15mm	\$238.05
SEMI-DEEP Length				
GRY-1210UMSD	3/8"	10-Piece	10mm – 19mm	\$253.85
DEEP Length				
GRY-9712UMD	1/4"	12-Piece	5mm – 15mm	\$283.85

Page
158

GRY-9703E **\$39²⁵**
3-Piece 1/4" Drive Impact Extension Set
 • 3", 6", 19"

Page
164

1498MH


**Standard Length
Hex Bit Impact Socket Sets**

Item #	Drive	Piece Count	Size Range	
GRY-1298HC	3/8"	13-Piece	4mm – 12mm 3/16" – 1/2"	\$212.35
GRY-1498MH	1/2"	10-Piece	6mm – 19mm	\$148.75
GRY-1398H	1/2"	10-Piece	1/4" – 3/4"	\$148.75

Page
259**Heavy Duty Static
Discharge/Grounding Reel**

- 100 Amp clamp rating
- Used to ground equipment operating in hazardous atmospheres
- Dissipates static electrical buildup, reducing the chances of sparking and the potential of explosion

Item #	Cable Length	Cable Size	Rewind Method	
RFT-GHC3100 N	100 ft.	1/8" O.D. Hi-Vis Orange Nylon Covered Cable	Hand Crank	\$547.75

Page
288**Retractable Indoor
Extension Cord Reel**

- Grounded outlets
- UL listed at 125V 60 Hz single phase

Item #	Cord	Outlets	Amps	
RFT-L 4545 123 9	45 ft. – 12/3 SJE00W	Triple Tap	15A	\$808.55

**Retractable
Extension Cord Reels**

- Grounded outlets
- Resettable circuit breaker
- Power ON indicator light

Item #	Length	Gauge	Outlets	Watertight Connector	Max. Rating	Usage	Housing	
ALT-5020TF-4C	20 ft.	SJTOW 12/3	4		1875W, 15A	Indoor	Steel	\$190.05
ALT-5320T-SW	20 ft.	SJTOW 12/3	1	NEMA 5-15C	1875W, 15A	Indoor/Outdoor	Thermoplastic	\$547.95
ALT-5330M-SW	30 ft.	SJTOW 14/3	1	NEMA 5-15C	1625W, 13A	Indoor/Outdoor	Thermoplastic	\$500.55
ALT-8150MP	50 ft.	SJTOW 14/3	3		1625W, 13A	Indoor	Thermoplastic	\$253.25
ALT-8665TFS	65 ft.	SJTOW 12/3	1		2500W, 20A	Indoor	Thermoplastic	\$374.45
ALT-8665TFQ	65 ft.	SJTOW 12/3	4		1875W, 15A	Indoor	Thermoplastic	\$385.35
ALT-8675MFT	75 ft.	SJTOW 14/3	3		1250W, 10A	Indoor	Thermoplastic	\$356.95



Refer to the **FBS Chemical Compatibility Chart** to choose the right sprayer for your needs.

**FKM/PA -
Performance Compression Sprayers**

- Do not use with acetone or other non-compatible chemicals

Applications:

- Wax & grease removers
- Brake & parts cleaners
- Degreasing & cleaning agents
- Surface coatings
- The 1.8L sprayer has the ability to be charged with compressed air

Item #	Capacity	
FBS-50100	1L	\$65.85
FBS-50400	1.8L	\$94.65

FBS-50201 **\$92.45****KPV-FPV/FPE -
Engine Cleaner and Degreaser Sprayer, 1L**

Applications:

- Engine degreasers & cleaning agents
- Brake & parts cleaners
- Wax & grease removers
- Surface coatings

**FPV/FPE - Performance Series Sprayers**

Applications:

- Wax & grease removers, preconditioners
- Engine degreasers & cleaning agents
- Surface coatings
- Brake & parts cleaners, solvents, spray gun wash & much more
- Ability to be charged with compressed air

Item #	Capacity	
FBS-50300	1L	\$131.45
FBS-50404	1.8L	\$143.35

**ZEP-M60323 \$41.45
Cherry Bomb Heavy-Duty
Hand Cleaner with Abrasive**

- Formulated to spread, capture, and hold grease
- Light cherry fragrance
- (1) 1 gal (3.78 L) bottle

