


January – March 2025

Page

## NEW Products and more!

Milwaukee







M18<sup>™</sup> Search Light - Tool Only (2354-20)



M18<sup>™</sup> ROVER<sup>™</sup> Mounting Flood Light - Tool Only (2365-20) M18<sup>™</sup> ROVER<sup>™</sup> Dual Power Flood Light -Tool Only (2366-20)

C)



62

M12<sup>T</sup> ROVER<sup>TM</sup> Service & Repair Flood Light w/ USB Charging -Tool Only (2367-20)

1



## TOUGHSYSTEM 2.0

TOUGHSYSTEM<sup>®</sup> 2.0 DXL™ 5-IN-1 MODULAR WORKSTATION

**INNOVATIVE 30 IN. MODULAR WORKSTATION -**COMBINE A DOLLY, A 30 IN. 2-DRAWER UNIT, (2) 30 IN. DEEP DRAWER UNITS, AND A FUNCTIONAL WORKTOP FOR A COMPREHENSIVE INDUSTRY SOLUTION.

COLONNE 5 EN 1 TOUGHSYSTEM<sup>MD</sup> 2.0 DXL<sup>MC</sup>

SÉCURISEZ LES ÉLÉMENTS ESSENTIELS - PROTÉGEZ LES TILS ET L'ÉQUIPEMENT CONTRE LE VOL EN VERROUILLANT LES TIROIRS ENSEMBLE À L'AIDE DU VERROU À ŒILLET POUR CADENAS ET DE LA BARRE MÉTALLIQUE INTÉGRÉE.

DWST60510

## TOUGHSYSTEM 2.0

TOUGHSYSTEM<sup>®</sup> 2.0 DXL<sup>™</sup> 4-IN-1 MODULAR WORKSTATION **COLONNE 4 EN 1** TOUGHSYSTEM<sup>MD</sup> DXL<sup>MC</sup>

DWST60520

## **\$1549**<sup>55</sup>



TOUGHSYSTEM 2.0 TOUGHSYSTEM<sup>®</sup> 2.0 DXL<sup>™</sup> 30 IN. DEEP DRAWER TIROIR PROFOND DE 30 PO TOUGHSYSTEM<sup>ND</sup> 2.0 DXL<sup>MC</sup>



DWST08510



12V MAX'/20V MAX'/ FLEXVOLT® 8 AMP FAN COOLED MULTIPORT FAST CHARGER CHARGEUR RAPIDE MULTIPORT 8 AMPÈRES 12 V MAX'/20 V MAX'/FLEXVOLT™ AVEC VENTILATEUR DE REFROIDISSEMENT


**DCB104** 











20V MAX' GRABO LIFTER (TOOL ONLY)

\$44155

DCE592B

VENTOUSE GRABO 20 V MAX\* (OUTIL SEULEMENT)





14 PC. CORDLESS SCREWDRIVER SET WITH FLEXDRIVE™ CONTROL

\$128<sup>95</sup>

DWHT66719

ENSEMBLE DE TOURNEVIS SANS FIL DE 14 PIÈCES AVEC COMMANDE FLEXDRIVEMO

ENSEMBLE DE RANGEMENT À OUTILS ÉLECTRIQUES AVEC TABLETTE


NSYSTEM 2.0 DXL

\$**130**45

DWST08550

TOUGHSYSTEM<sup>®</sup> 2.0 DXL<sup>™</sup> 30 IN. WORKTOP

PLAN DE TRAVAIL DE 30 PO TOUGHSYSTEM<sup>MD</sup> 2.0 DXL<sup>MC</sup>







TROUSSE DE RANGEMENT D'OUTILS ÉLECTRIQUES







NON-MARRING KNEE PADS WITH GEL

GENOUILLÈRES AVEC GEL QUI NE LAISSENT PAS DE MARQUES

\$79<sup>15</sup>

DWST590015



















TOUGHSYSTEM 2.0











ay of lozenge-shaped humps on the surface of the tool. \*Maximum initial battery volta des sur la poignée, la configuration de l'emballage et la série de bosses en forme de l rks for one or more DEWALT power tools and a ake grill; the array of pyramids on the handgrip; the kit box configuration; and th incement de couleurs noir et jaune, la grille d'admission d'air en D, la série de py ues de commerce suivantes concernent un ou plusieur teur tournant librement). Tension nominale de 18 volts. ifs à béton de DEWALT : l'age ies sur la surface de l'outil.

## g2stobeq.ca January -

March 2025

## NEW Products and more!



- Four leg steel base and support tube made of heavy schedule pipe for added strength and stability
- Multiple hole locations in the support tube make pin facilitated height adjustment quick and easy
- · Height adjustment pin is attached to stand to prevent loss
- Large saddle with locating lugs support and position vehicle frame
- Min./Max. height: 18.9"/29.9"



#### **10 Ton Portable Hydraulic Power Kit**

- A complete starter set primarliy for collision repair work and can be used for spreading, bending, pushing and clamping operations.
- Slip fit design provides easy and quick changing of attachments.
- Quick disconnect hydraulic fittings on hose and rams.
- Attachments are interchangeable with many other popular brand kit
- Thread protector on cylinder
- Blow molded storage case for ease of carrying
- Min./Max. height: 12.68"/17.8"



- Able to start totally dead batteries (0.0V)
- Charges small electronics such as your phone or tablet
- Reverse polarity, over-voltage, over-current & short circuit protection
- Includes: AC wall charger with USB-C charge cable, storage bag

	SOL-JNC305
Amps	1000A
Engine Type	6.0L Gas / 3.0L Diesel
Starts	44
Cable	21", #8 AWG
Effective Starting	-18°C / 0°F
Sealed USB Ports	1
	\$127.45

## g2stobeq.ca January -

March 2025

## NEW Products and more!



## XTQ-512EVO \$1782<sup>35</sup>

## Automatic 12V/50A Charger/Maintainer

- · Compatible with: Flooded, AGM, EFB, Deep Cycle & more
- · Automatic battery diagnostic and charging
- Intuitive, text-free graphics interface
- Engine start auto detection
- Automatic battery recovery
- Deep Cycle charger/maintainer for all industry applications (automotive, industrial, marine, recreational vehicles, truck and bus, and more) Reverse polarity protection
- ARGOS cloud based user interface for data collection and tool updates via the OPTIMUS PC-based software platform
- Includes a 15-foot power cable and an 11.5-foot battery cable
- · Compact design with metal carry handle and with anti-scratch,
- industrial-strength rubber-coated magnets for easy mounting on hoists, toolboxes, or vehicles



#### Çŵ AUT-XTC-360P

### **Ultra Efficient Fast Battery Charger Tester with Printer**

- Battery voltage & types: 6/8/12V Flooded, AGM/Deep Cycle & LifeP04. (Does not test Deep Cycle. Will charge Deep Cycle only.)
- CCA range: 100-1600 CCA
- Charging output current: 50A max. DC, automated
- Automatic load for testing: 40A
- 8 ft., 6 gauge leads with heavy duty clamps
- Includes IR battery temperature measurement probe
- Memory: 1000 tests

Page

19



### 12/24 Volt 120A Flashing Power Supply and 120/40/10A HD Automatic Battery Charger

- Properly charges AGM, Deep Cycle, Flooded, Marine, Start/Stop, Lithium LiFe04 batteries
- Ability to manage depleted and sulfated batteries
- Provides high current stable power for advanced module reprogramming on late model ICE, hybrid, and electric vehicles
- · Precise voltage control and quick response to load
- Extra-long 13 ft. cables



## **12V Customizable**

- **Battery Tester**
- · Battery types:
- Lead Acid, AGM, EFB, Gel, Deep Cycle, etc. · Easy icon based user interface with
- SOC and SOH animated, color diagrams
- 1D/2D barcode scanner
- VIN scan
- Infrared temperature measurement: -94°F to 482°F
- · Local job history storage with integrated 16Gb SD card
- ARGOS Cloud Integration: Advanced cloud-based user interface for seamless data collection and tool updates, integrated with the OPTIMUS PC-based software platform
- Reverse polarity alert, noise detection, incorrect clamp connection detection
- Replaceable lithium-ion battery
- Tool supports 27 + languages

Item #	Description	
XTQ-DS-ONE-SA	Analyzer Only	\$1310.25
XTQ-DS-ONE-MK	Analyzer Kit with Docking Station & Printer	\$1664.35



#### Wirelessly Rechargeable Folding Double-Side **LED Slim Light**

- Adjustable dimming feature
- Magnetic base and handle
- Folding hook
- Includes USB-C charging cable and wall adapter
- Can be wirelessly recharged with your smart phone's charging pad or use the optional Magnetic Dual Charging Pad #AST-52SL-WCP

	AST-52SLMAX
Front & Back Main Lights	2 x 750 Lumens (1,200+ Lumens)
Runtime Main Lights	3 to 9 hrs
Top Light	150 Lumens
Runtime Top Light	Up to 9 hrs
	\$102.45





## NEW Products and more!



## GU GEARWRENCH

#### Rechargeable LED Shop Lights

- Dual LEDs: spot and
- flood light • Magnetic base
- Iviagnetic c
  180° pivot
- IP65 water resistance
- Includes USB-C
- charge cord



 
 Item #
 Flood Light Lumens
 Spot Light Lumens
 Max. Run Time

 GWR-GWSL1000
 1000/500/250
 250
 10 hrs
 \$68.45

 GWR-GWSL2000
 2000/1000/500
 450
 7 hrs
 \$102.65



S MAXXEON

#### 5.75" WorkStar® 361 Rechargeable LED Zoom Penlight/Inspection Light

- Lumens: 300/150
- Runtime: 45min/1.5 hrs
- Focusable between spot and flood beams
- Dust-tight, waterproof to 3 feet (IP76), 2m impact resistant
- Includes a USB-C cable

Item #	Body	
MXN-00361	$\bullet$	\$73.65
MXN-00362		\$73.65
MXN-00363	•	\$73.65
MXN-00366		\$73.65
MXN-00367		\$73.65
MXN-00368		\$73.65
MXN-00369		\$73.65



	<b>Professional Diagnostics</b>
HARDWARE	
Wireless Vehicle Connection	Bluetooth MaxiSYS VCI200
Colour Touchscreen	10" LED
Processor	2.3 GHz + 1.7 GHz Octa-Core
Memory / RAM	<b>128</b> GB SSD + <b>4</b> GB RAM
Internal Battery	<b>11,600</b> mAh
Accessory Ports	HDMI & USB
Connection to the Optional #MP408 Oscilloscope	<ul> <li>✓</li> </ul>
Connection to the Optional #BT506 Battery & Electrical System Tester	~
Non-OBDII Connectors	Optional Kit: #AUL-MSOBD2KIT
SOFTWARE	
Operating System	ANDROID 10.0
Software Updates	1 Year FREE
Automatic Detection	Auto-VIN/Auto-SCAN
Secure Gateway Access	Stellantis (Chrysler, Dodge, Jeep, RAM, Alfa Romeo, Fiat, Maserati) Nissan with AutoAuth account
License Plate Reader	Available on Supported Vehicles
FEATURES	
Basic & Special Functions	Domestic, Asian & Euro 1996 and Newer
OBDII Test Modes	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6
TPMS Service Modes	Register Sensor IDs
Service Resets	40+ Service Features
Diesel (Light + Medium Duty)	Reset Diesel Emissions
System Diagnostics	Access All Modules in All Systems
Component Activations	Bi-Directional Control
Enhanced Functions	Advanced Coding + Adaptations + Hidden Functions
ADAS Calibration	ADAS Calibration-Capable with Software Upgrade & Autel Calibration System Purchase
Battery Analyzation	MaxiBAS Software Purchase of BT506 required to use MaxiBAS software



AUTEL MAXISYS

AUL-MS906MAX Passenger & Light Duty Vehicle Scan Tool Tablet



## NEW Products and more!



## GWR-GWSMART07 \$899<sup>95</sup>

#### **Pro-Quality 7" Wireless Bi-Directional Diagnostic Tablet**

- OE-level diagnostics on a fully loaded tablet
- Built-in Wi-Fi system easily connects your GWSMART07 to your car in seconds without needing nearby networks
- Full bi-directional control, live actuation test
- Supports 38 vehicle reset/relearn functions, including throttle matching, ABS bleeding, TPMS reset, etc.
- Topology mapping visually presents coms of vehicle's systems
- Built-in 8 megapixel camera with auto-focus and flashlight

• Full OBDII testing reads & clears diagnostic trouble codes

• Performance & driving behavior monitored for continuous

potential faults before they trigger a diagnostic trouble code

OBDII Mode \$06 monitors various systems to identify

- AUTOAUTH ready
- FCA secure gateway access ready
- 3-year FREE software updates
- 2-year warranty

48



## GW GEARWRENCH





## GWR-GWSMARTBT \$203<sup>55</sup>

#### **Professional Bi-Directional Diagnostic Scan Tool**

- OE-level diagnostics on your smart device
- Covers 185+ car manufacturers
- Reads OBD-II codes
- Full bi-directional control, live actuation test
- Supports 23 vehicle reset/relearn functions,
- including throttle matching, ABS bleeding, TPMS reset, etc.
- Live data mapping and freeze frame capturing
- AUTOAUTH ready 
   FCA secure gateway access ready
- FREE software updates No subscriptions, no fees EVER
- 2-year warranty

Page AUTEL 45



## AUL-TESCDAC \$20065

#### **TESLA-Compatible Diagnostic** Adapter Cable for S, 3, X, Y Vehicles

- Two-in-one cable design, compatible with Tesla X, S, Y and 2021 and newer 3 models
- · Connect to Autel MaxiSYS Ultra series tablets to perform diagnostic pre and post scans
- Features 12 pin and 20 pin adapters to 16 pin connection
- Connect to X437 port in Tesla S and X models
- Connect to CAN port on Y and 2021 and
- newer 3 Tesla models



#### 69 COJ-70002021

#### **Jaltest MHE USA Cable Kit** Includes:

JDC504A, JDC505A & JDC523A



#### Ð COJ-29600

#### **Custom Cable Kit for AGV or OHV**

- Choose 6 of any optional AGV or OHW cables
- Note: For #29600, only one custom cable kit can be ordered per AGV or OHW software Serial Number. . The kit must be composed of 6 different references.
- It will not be valid to order multiple units of 1 unique reference.

• FREE Software updates - No subscriptions, no fees - EVER 2-vear warranty

• Covers 80+ car manufactures

vehicle monitoring

- GW GEARWRENCH • Complete system diagnostics enables full system scans, showing manufacturer fault codes & definitions
- GWR-GWSCAN \$97<sup>15</sup> **Everyday Diagnostic Tool** Bluetooth OBDII Tester

## g2stobeq.ca

January -March 2025

## NEW Products and more!



- non-contact AC voltage detection, and duty cycle • Features relative value measurement, minimum/ maximum, data hold, backlight display, low battery indicator, over-range indicator, overload protection and
- automatic power-off • 4000 count backlight display
- Includes CAT III/CAT IV safety test leads, capacitance adapter, and (1) 9V battery

#### Page 💷 GEARWRENCH 61

## GWR-GWDM107 \$152<sup>25</sup>


#### **Automotive Pro True RMS Digital Multimeter**

- AC/DC voltage: up to 1000V
- AC/DC current: up to 20A
- Resistance: up to 60MΩ
- Measures continuity, diode test, capacitance, frequency, dwell time, pulse width, RPM, battery test, temperature, and duty cycle
- Features relative value measurement, minimum/maximum, data hold, backlight display, low battery indicator, over-range indicator, overload protection and automatic power-off
- 6000 count backlight display
- Includes CAT III/CAT IV safety test leads, thermocouple, and (2) AAA batteries



LIS-37990 \$42<sup>35</sup>

#### 8" Electrical Connector **Disconnect Pliers**









#### **Magnetic Field Detector**

- Place the tip of the probe on any AC, DC, or permanent magnet, and it will illuminate if a magnetic field is present
- Diagnose electrical solenoid valves in automotive
- applications or on pneumatic and hydraulic equipment • Use to test various solenoids and coiled relays common in many vehicles, oil burners, and machinery
- Can even be used to check audio speaker magnets
- Integrated tester magnet ensures the device is always working
- The test tip has a built-in LED flashlight



## PFX-MX-22 \$797<sup>95</sup>

## MICRO<sup>™</sup> Smoke Machine

- Entry level smoke machine with built in air compressor (no need for shop air)
- Digital readout & LED flow meter give precise size of leaks
- Air pressure rate: Fixed to 1.5 psi
- Runs on ordinary mineral/baby oil & dye compatible

## PFX-MX-700T \$139795

#### TURBO<sup>™</sup> Professional 2-in-1 **Smoke Machine**

- For regular & turbo equipped vehicles & light trucks, single or dual turbo, Intercoolers & radiators that require higher pressure for testing
- Built in air compressor for portability
- LED flow meter for precise size of leaks
- Air leak decay test performing 3 tests in automatic mode
- Air pressure rate:
- Fixed to 1.5 psi or 15 -18 psi Turbo Mode • Runs on ordinary mineral/baby oil & dye compatible
- Multi-lingual LCD display allows to choose psi/kPa/bar, tests to run, automatic or manual mode, audio & visual readouts & warnings

## PFX-MX-3000HD \$159795

#### **Heavy-Duty Smoke Machine**

- For the heavy duty truck market, as well as industrial, agricultural, mining & much more
- LED flow meter for precise size of leaks • Air leak decay test performing 3 tests in
- automatic mode • Air pressure rate: 0 - 143 psi
- Runs on ordinary mineral/baby oil & dye compatible
- Multi-lingual LCD display allows to choose psi/ kPa/bar, tests to run, automatic or manual mode, audio & visual readouts & warnings







# NEW Products and more!











Page 83

MLW-48-11-1813 **\$3888**<sup>95</sup> **18V Redlithium™ Battery Packs** • M18™ Redlithium™ Forge™ HD12.0



## NEW Products and more!



ELEX VILL

## LEG-NFZG65 **\$15<sup>05</sup>**

#### **Metal Adjustable Pistol Grip Garden Hose Nozzle**

- · Rotate nozzle to adjust water flow from
- a fine mist to a powerful jet stream
- Twist action knob allows adjustable water flow • On/Off trigger with locking mechanism
- · Compact, lightweight with durable housing
- Non-slip rubber grip

## LEG-NFZG67 **\$22**<sup>45</sup>

#### Heavy Duty 7-Pattern Adjustable **Pistol Grip Garden Hose Nozzle**

- 7 adjustable spray patterns: mist, vertical, shower, center, cone, flat, jet
- Water flow control dial
- On/Off trigger with locking mechanism
- Durable metal construction
- Twice rubberized comfort grip







## **Refill Blades**

• Type: Snap-Off

Item #	Size	<b>Blade Description</b>	Qty	
OLF-LB/CP100	18mm	Heavy-Duty Silver	100	\$56.65
OLF-LBB/CP100	18mm	Heavy-Duty Ultra-Sharp Black	100	\$64.55
OLF-HB/CP40	25mm	Super Heavy-Duty Silver	40	\$53.55
OLF-HBB/CP40	25mm	Super Heavy-Duty Ultra-Sharp Black	40	\$61.55

#### E-MILLIOHM Bonding Tester

\$3895<sup>25</sup> E-Xteq

**XTQ-E-MILLIOHM** 

- Specialized electrical testing device used to measure very low electrical resistance, typically in the milliohm (m $\Omega$ ) range
- It is commonly used in applications where ensuring a strong electrical bond or connection is critical, such as in grounding systems, electrical wiring, and bonding of metal components in various industrial, automotive, and aerospace environments. Key Uses:



138

- 1. Grounding and Bonding: Ensures low-resistance connections between different components to avoid voltage differences that could lead to safety hazards, like electrical shock or fire.
- 2. Quality Control: Verifies that wiring, connectors, and metal joints meet required resistance standards, ensuring the electrical integrity of the system
- 3. Automotive and Aerospace: Tests electrical bonding between metal surfaces, which is essential for maintaining the functionality of electrical systems and preventing electromagnetic interference.



Item #	Range	
VIM-NORA150	8, 9, 10, 11, 12, 13mm	\$214.15
VIM-NORA150XL	14, 15, 16, 17, 18, 19mm	\$240.35



- 97-Pc 1/4", 3/8", 1/2" Drive Bolt Biter™ Tool Set
- 17-Pc 1/4", 3/8", 1/2" Impact Drive Tool Accessories Set
- 63-Pc SAE & 66-Pc Metric 1/4", 3/8", 1/2" Drive 6 Point Impact Socket Sets
- 3-Pc 1/4", 3/8" and 1/2" Drive 120XP™ Full Polish Teardrop Ratchet Set



00

OEM-

Approved



## NEW Products and more!



**Ratcheting Flare Nut Wrench Sets** • Foam tray included

g2stobeq.ca

January -March 2025

Item #	Piece Count	Drive	Range	
VIM-RFW100	6-Piece	3/8"	8, 10, 11, 12, 13, 14mm	\$237.35
VIM-RFW150	5-Piece	3/8"	15, 16, 17, 18, 19mm	\$279.95
VIM-RFW200	5-Piece	1/2"	22, 24, 27, 30, 32mm	\$389.45



- Push-button adjustment
- Front gripping and side gripping areas • 3-points of contact for gripping flat objects

Item #	Length	Capacity	
KNI-82 01 150	6"	1/8" - 5/8" (3mm - 16mm)	\$56.95
KNI-82 01 250	10"	3/16" - 1-1/16" (5mm - 27mm)	\$84.75
KNI-00 20 06 US4	3-Pc Set	(6", 8", 10")	\$198.75

00 20 06 US4





## KNI-97 52 42 \$359<sup>35</sup> 8.5" PreciForce Crimping Pliers for MC4 / MC4 EVO 2 Solar PV Connectors





## NEW Products and more!





KKU-K-127-A/6 **\$912**<sup>45</sup>

#### 6-Pc Front-End Service Puller Kit

• For disassembly and maintenance of swivel caster arms, ball joints, tie rods, and wheel bearings









### **Multi-Side Bolt Puller Sets**

• For pulling components with threaded holes

Item #		μŢ		
KKU-K-68-A <b>\$478.95</b>	100mm / 3-15/16"	20-110mm / 13/16" - 4-5/16"	13mm / 1/2"	M4, M5, M6, 1/4"-28 UNF
KKU-K-68-B <b>\$718.35</b>	205mm / 8-1/16"	58-150mm / 2-5/16" - 5-7/8"	13mm / 1/2"	M8, M10, 1/4"-28 UNF, 5/16"-24 UNF, 5/16"-18 UNC, 3/8"-16 UNC, 3/8"-24 UNF
KKU-K-68-C <b>\$1140.05</b>	270mm / 10-5/8"	55-150mm / 2-3/16" - 5-7/8"	19mm / 3/4"	M10, M12, M14, 3/8"-16 UNC, 3/8"-24 UNF, 7/16"-14 UNC, 1/2"-13 UNC



### GEARWRENCH

GWR-41560D \$92<sup>35</sup>

### **Power Steering Pump**

#### Puller Set

- Fits pulley hubs with diameters of 1-1/8", 1-1/4", 1-5/16" and 1-3/8"
- Pulls pulleys on GM belt driven vacuum pumps
- Pulls pressed on water pump pulleys of GM V6 engines



Item #	Style		Per Dolly	Cap. (4 Dollies)	
GOJ-G7016 GOJ-G7016				\$761.85	
003-07010	Right	16"	1,750 lbs	7,000 lbs	Q101.00

## NEW Products and more!



#### **Standard Dutv Multi-Plane Swivels**

- Full 360° spherical
- rotation for easy movement of the nozzle
- Operates to -40°F (-40°C)
- Compatible with gasoline, diesel, B20, E15, kerosene

Item #	Size	
FIL-SD075UL	3/4"	\$76.45
FIL-SD100UL	1"	\$98.55





## **Portable Diesel Fueling Station**

- 10.5 GPM Auto shut-off nozzle
- Lockable cover
- Integrated forklift pockets
- Hose: 13 ft.
- · Power cable: 13 ft.
- 13" L x 23.5" W x 27" H
- 52.5 lbs

# NEW Products and more!





#### **No Splatter Pads**

- Pads protects floors & work area from messy oil splatter
- Pad material resists engine oil, transmission fluid, coolant, brake fluid, brake cleaner, gear oil and other solvents
- Lisle #38800 comes with steel supports and works with #17972 or #17982 4.5 Gallon Oval Drain Pans
- Pads can be trimmed for perfect fit • Not for coolants or fluids that will be recycled in the vehicle

	-	
Item #	Size/Application	
LIS-38750	15" Round	\$20.55
LIS-38780	22" Square	\$39.75



### TURBO

## TXL-OCVD005 \$82245

#### **Digital Programmable Oil Control Flow Meter**

- Flow rate: 1-34.8 L/Min (0.3-9.2 GPM)
- Pressure: 7-1,000 PSI
- Viscosity: 8-5,000 mPas
- Inlet: 1/2" NPT
- Auto or manual modes
- Display units: pints, guarts, gallons or liters
- Anti-drip





ENR-F105501

#### **Forced Air Kerosene Industrial Heater**

- 80,000 BTU per hour
- Heats up to 2,000 sq. ft.
- Fuel tank capacity: 6 gallon/23L
- Fuel consumption: 0.60 gal/hr
- Runs up to 10 hrs
- Use with kerosene, diesel, jet fuel and fuel oil
- High-powered fan and motor Built-in thermostat



#### ್ರೊ MLW-2788-22HD M18 FUEL™ 1-1/2" Magnetic Drill Kit

- Magnetic base with up to 2,000 lbs of holding force
- 2-speed: 400/690 RPM
- Stroke length: 5-3/4"
- Motor head adjustment: 5-1/8" Auto-stop lift-off detection
- (2) M18<sup>™</sup> High Output<sup>™</sup> XC8.0 batteries • (1) M18<sup>™</sup> & M12 multi-voltage rapid charger
- (1) AC/DC vehicle charger



TIT-19428 \$82<sup>05</sup>

32 oz Non-Aerosol

flammable propellants

**Sprayer - Yellow** 



• 80-150 PSI




## HOM-RD00820290 \$755<sup>15</sup>

### **Parts Washer**

- Electric pump with On/Off switch included
- Single-piece leakproof, solid steel tank
- Flexible nozzle and fusible I inked lid arm
- Removable work surface tray • Equipped with drain plug for easy
- cleaning
- · For water based solvent only •Capacity: 20 Gallon PORTABLE
- Flow rate:5.6 GPM
- W x D x H: 38" x 21-1/4" x 37"



## NEW Products and more!



### Energizer Industrial Non-Rechargeable Batteries

g2stobeq.ca

January -March 2025

Item #	Description	Qty	
EGZ-EN91	"AA" Industrial Alkaline Battery	4	\$2.65
EGZ-EN92	"AAA" Industrial Alkaline Battery	4	\$2.75
EGZ-EN93	"C" Industrial Cell Alkaline Battery	1	\$1.65
EGZ-EN95	"D" Cell Industrial Alkaline Battery	1	\$1.95
EGZ-EN22	"9V" Industrial Alkaline Battery	1	\$2.65
EGZ-2016BP-2N	"2016" 3V Lithium Coin Industrial Battery	2	\$9.15
EGZ-2025BP-2N	"2025" 3V Lithium Coin Industrial Battery	2	\$9.15
EGZ-2032BP-2N	"2032" 3V Lithium Coin Industrial Battery	2	\$9.15



# NEW Products and more!



## **ProGear Mesh Flex Seat & Accessories**

- Weight capacity: 400 lbs
- · Foldable seat for convenient storage
- Wide, ergonomically designed seat
- · Easy to clean, durable mesh material for comfort and airflow

Item #	Description	
TRX-2-720	ProGear Mesh Flex Seat	\$343.15
TRX-2-580	Tool Tray Accessory for #2-720, 10.75" x 4" x 1"	\$25.25
TRX-2-581	Tool Tray with Cup Holder Accessory for #2-720	\$30.85
TRX-2-582	Red Spinning Gear Tray Accessory for Base of #2-720	\$50.45
TRX-2-583	Black Spinning Gear Tray Accessory for Base of #2-720	\$50.45



• For use on 18-20 gauge steel and 16-18 gauge aluminum and brass



## URT-6180-120V \$92045

#### Mini-Fuzer - 370 Watt **Hot Air Plastic Welding Station**

- Includes both hot air and airless plastic welders for greater versatility
- Variable hot air flow
- Three memory settings
- Can be used with ribbon-style rods for greater strength
- Can repair thermoset PUR plastics
- Can melt in reinforcing wire mesh
- Includes 10 types of plastic welding rod and stainless steel wire mesh



- **MBX®** Pneumatic • Tool with speed control and reversible rotation
- Includes:

Page 323

Page

315

ME

- MBX® Pneumatic drive unit
- MONTI adaptor system 23mm
- MONTI adaptor system 11mm
- Does not include accessories



0

## MAR-M39011 \$81<sup>95</sup>

### **HP-5 Hand Rivet Tool**

- Specifically designed for securing the rivet in the nosepiece while the tool is in any position
- Includes (4) standard nosepieces and a service wrench
- Installs rivet sizes: 3/32", 1/8", 5/32", 3/16"







## EXTREME<sup>®</sup> Series Self Lighting MAP-Pro<sup>™</sup> & Propane Torches

- TurboTorch Swirl combustion generates more heat that other hand torches for faster brazing times and less gas consumption
- The TX-503 series is a cooler torch, making it ideal for general plumbing jobs
- The TX-504 series is suitable for HVAC and high capacity applications

<b>T</b> 4	Torch Model	T's Markel (T's Destan	Propane		MAR	P-Pro	
Item #	Model	Tip Model / Tip Part #	Soft Solders	Silver Brazes	Soft Solders	Silver Brazes	
VCT-0386-1297	TX-503	T-503 / #0386-1298	1/8"–2" (3.2-50mm)	1/16"-3/4" (1.6-19mm)	1/8"–3" (3.2-76mm)	1/16"-1" (1.6-25mm)	\$259.85
VCT-0386-1293	TX-504	T-504 / #0386-1296	3/4"–3" (19-76mm)	1/4"–1" (6.4-25mm)	3/4"-4" (19-102mm)	1/4"-1-1/4" (6.4-32mm)	\$288.45
VCT-0386-1299	TX-500 <b>ProPak</b>	<b>T-503 + T-504</b> #0386-1298 + #0386-1296	1/8"–2" (3.2-50mm) 3/4"–3" (19-76mm)	1/16"-3/4" (1.6-19mm) 1/4"-1" (6.4-25mm)	1/8"–3" (3.2-76mm) 3/4"–4" (19-102mm)	1/16"–1" (1.6-25mm) 1/4"–1-1/4" (6.4-32mm)	\$318.85



portasol

## POR-HSK-100 \$11265

### Pz50 50W Butane Soldering Iron & Heat Shrink Tubing Kit

• Fixed tip temperature: up to 698°F (370°C)

- 1 Hour run time, 10 second refill time
- $\bullet$  Melts solder in less than 30 seconds from ignition
- Flame retardant tubing with a 2:1 shrink ratio
- Kit includes:
- 2.4mm DF solder tip, hot blow tip, heat deflector tip
- 161 pieces of 4" long heat shrink tubing in 6 colours and sizes from 1.5mm to 15mm



# NEW Products and more!



## ESB-0700301085 **\$2995**<sup>24</sup>

#### Roque EMP 210 PRO Multi-Process MIG/MAG 230V Welding Package

- Inverter-based welding system Spool gun ready for MIG aluminum
- Input: 230 VAC ±10%, 1 ph, 50/60 Voltage range: 12-26 V
- Current range: 30 210 A
- MIG (GMAW) welding output:
- 210A/24.5V @ 30%; 136A/20.8V @ 60% 105A/19.2V @ 100%
- MMA (SMAW) welding output: 180A/27.2V @ 30%; 116A/24.7V @ 60% 90A/23.6V @ 100%
- TIG (GTAW) welding output: 210A/18.0V @ 30%; 136A/15.4V @ 60%
- 105A/14.2V @ 100% Wire dim.: - Mild steel & stainless steel: 0.6 - 1.0mm (.023" - .039")
   - Aluminum & cored wire: 0.6 - 1.0mm (.023" - .039")
- Max. spool diameter: 100mm & 200mm (4" & 8")




## FOW-52-641-300-0 **\$245**<sup>05</sup>

#### **Indicator Set with Flexible Arm and Magnetic Base**

- 1" travel Reading: 0.001'
- Continuous reading: 0-100
- Revolution counter
- Tolerance indicators
- Magnetic V-base with On/Off releaser lever; 85 lb magnet pull; Holds rigidly in any position













## LIS-39980 \$92<sup>65</sup>

**Truck & Trailer Brake** Spring Tool, Yellow

• Easily removes and installs rear drum brake return springs





### **Truck Brake Spring Tool**

• Easily and safely removes and installs the return springs on S-cam brakes found on commercial trucks and trailers



#### **S10635** CTA-8856

#### 6-Pc 1/2" Drive Emergency Lug Nut Remover Impact Socket Set

- Removes stripped lug nuts or lug nuts with missing keys Includes six sizes:
- 3/4" with a range of 17mm to 19mm
- 13/16" with a range of 19mm to 20.5mm
- 15/16" with a range of 17mm to 21.5mm
- 1" with a range of 21mm to 22.5mm
- 1-1/8" with a range of 27mm to 28.5mm
- 17mm with a range of 17mm to 17.5mm



### 7-Pc SAE 3/8" Drive Flare Nut Sensor Socket Set

- Allows access to difficult wired temperature sensors, thermo switches and other components
- Works on ABS, master cylinder, coolant and diesel injection
- sensors, steering components and hydraulic lines
- Range: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4



## LIS-62310 **\$66<sup>15</sup>**

**Cummins Engine Barring Tool** 

• Works on Cummins 3.9L, 8.3L, B & C series 5.9L and 6.7L diesel engines



## NEW Products and more!



## Vinyl Dust Covers for A/C RRR Machines

Part #	Application	
ROB-17490	Fits legacy machines 34900, 34800-2K, & 17800B series. Fits new 17800C, and 34888HD machines.	\$210.25
ROB-17492	Fits all 342000, 17700-2K, 34700-2K, 34134Z, 34700Z, 34711-2K, AC375, AC375A, 17700Z, 34702Z.	\$154.35
ROB-17499	Fits AC1234-4, AC1234-4-230, AC1234-6, AC1234-9, 34288NI, 34288NI-230, 34788NI, 34788NI-230, 34788NI-H, 34988NI, 34988NI-230 models.	\$186.85



## ROBINAIR



Part #	Description	
ROB-34430	Recycling Quick Change Filter-Drier For older 17700A, 34134Z, 34450, 34700 series	\$199.25
ROB-34724	Recycling Quick Change Filter-Drier For all current/all new A/C recyclers	\$133.85
ROB-13169	Maintenance Kit: For early models using 34430 Filter-Drier (17700A, 34700, 34134Z, 34300-2K)	\$218.05
ROB-13172	Maintenance Kit: For models using 34724 Filter-Drier (17700A, 17700-2K, 34700, 34700Z, 34700-2K, 34800, 34800-2K, 34900 Series)	\$152.95



#### **Replacement Filters** for COMMANDER Machines

• Assures adequate moisture and contaminant

removal as well as prevents lockout

Item #	Description	
MTC-COMD1-FLTRPK	1 Filter Pack for #COMMANDER: 4100, 4000, 4100-E, 4000-E, 3100-E, 3000-E, 2100-E, 2000-E, 1100-E, 1000-E. Has a 350 lb filtering capacity.	\$215.25
MTC-COMD2-FLTRPK	2 Filter Pack for #COMMANDER: 1100, 1000, 2100, 2000, 3100, 3000. Has a 175 Ib filtering capacity.	\$276.75



MSA Neutronics

NEU-1161013002 \$54745

## **Replacement 1234yf**

### Oxygen Sensor

- Same application as Robinair 16916
- Compatible with Robinair,
- Mastercool, CPS, Neutronics RRR machines and refrigerant identifiers





NEU-6026000080 \$82<sup>25</sup> White Sample Gas Filter



#### Page 401

## ROBINAIR

### **Vacuum Pump Oils**

· Engineered to maintain maximum viscosity at high running temperatures and to improve cold weather starts

Part #	Size	Quantity	
ROB-13119	16 Oz.	12 Bottles	\$156.05
ROB-13203	32 Oz.	12 Bottles	\$192.85
ROB-13204	1 Gallon	4 Bottles	\$249.15



## NEW Products and more!



### **R134a Charging Hoses**

	Item #	Description	Fittings	
60"	ATD-36733	60" Yellow	1/2" Acme-F	\$44.95
72"	ATD-36781	72" Blue	1/2" Acme-F x 14mm-M	\$41.45
12	ATD-36783	72" Yellow	1/2" Acme-F	\$54.15
	ATD-3679	96" 3-Pc Charging Hose Set	1/2" Acme-F x 14mm-M	\$139.85
96"	ATD-36791	96" Blue	1/2" Acme-F x 14mm-M	\$49.85
00	ATD-36792	96" Red	1/2" Acme-F x 14mm-M	\$49.85
	ATD-36793	96" Yellow	1/2" Acme-F	\$61.55



ROBINAIR



ROB-64240 **\$365**<sup>75</sup> 240" R-134a A/C Charging Hose Set • Blue and red hoses • 14mm-M x 1/2" Acme-F



Mastercool.

#### R134a & R1234yf Rechargeable Smart Manifold Gauge

- Pressure display: psi, bar, MPa, kg/cm2, kPa
- Temperature display: °F or °C
- Refrigerant: lb, kg
- Refrigerant oil: oz, ml
- Connections: 1/2" ACME M
- Includes a USB-C charge cable
- Set includes: 72" R134a hoses, R134a manual couplers, and R134a/R1234yf conversion kit

Item #	Description	
MTC-99934	Gauge Only	\$508.65
MTC-99935	Set	\$664.45







💽 Mastercool.

## MTC-67736-K **\$106**<sup>95</sup>

## 1/4" FL to R1234yf

Conversion Kit • Converts any standard 1/4" A/C hose to connect to standard R1234yf service ports



- electric compressors
  Comes with a replaceable cartridge that contains 10 applications of universal dye (#53810)
- Includes low side R1234yf conversion coupler (1/4" FL-M x 14 mm)



53825

53810

#### Replacement Concentrated Universal Dye Cartridges

• Compatible with R1234yf, Hybrid and Co2

Item #	Applications per cartridge	Qty of Cartridges	
MTC-53810	10	1	\$30.65
MTC-53825-4	25	4	\$220.85