



January - March 2026

TOOLSHOP

g2stobeq.ca



NEW

J1350PRO



Page
15

NEW Products

and more!



JA301PRO
JA302PRO

APARTX-KIT



NEW

J401X

LOK-LO-LIPOX

12V 4000A
Lithium-Polymer Battery

\$149.95

• For use with model
#LOK-APARTX Jump Starter
• 26500 mAh (98 Wh)



12V 4000A
Lithium-Polymer Battery

\$149.95

• For use with model
#LOK-APARTX Jump Starter
• 26500 mAh (98 Wh)



J402PRO



NEW

J403HD

LOK-LO-LIPOX

12V 4000A
Lithium-Polymer Battery

\$149.95

• For use with model
#LOK-APARTX Jump Starter
• 26500 mAh (98 Wh)

Jump Starters/Power Banks

- Equipped with short circuit prevention, reverse polarity protection, over/low voltage safeguarding, low/high temperature protection, spark-proof protection, over-current protection • 1 year warranty

	Description	Starting Voltage	Peak Amps	Engine Rating (Up to)	Ultra-Low Temp. Start Technology	Battery Cap.	LED Light	150 PSI Air Inflator + Air Hose + Adapters	Included Cables	
LOK-J1350PRO	Jump Starter with ConnectMax + Power Bank	12V	1350A	6.5L Gas 3.5L Diesel		25.6 Wh	200 Lumens Flashlight / Strobe / SOS	✗	USB-C to USB-C; USB-A to USB-C	\$149.95
LOK-J401X	Cold-Weather Jump Starter with Internal Battery Warmer + Battery Booster + Power Bank	12V	2500A	8.5L Gas 6.5L Diesel	-40°C (-40°F)	20000 mAh 74 Wh	300 Lumens Flashlight / Strobe / SOS	✗	12V Adapter; USB-C to USB-C; USB-A to USB-C	\$269.95
LOK-JA301PRO	Jump Starter + Air Inflator + Power Bank	12V	2500A	8.5L Gas 6.5L Diesel		74.37 Wh	300 Lumens Flashlight / Strobe / SOS	✓ 35 L/min	USB-C to USB-C; USB-A to USB-C	\$249.95
LOK-JA302PRO	Jump Starter + Air Inflator + Power Bank	12V	3000A	9L Gas 7L Diesel		76.59 Wh	300 Lumens Flashlight / Strobe / SOS	✓ 35 L/min	USB-C to USB-C; USB-A to USB-C	\$299.95
LOK-J402PRO	Jump Starter + Power Bank	12V	3500A	9.5L Gas 7.5L Diesel		88.8 Wh	300 Lumens Flashlight / Strobe / SOS	✗	12V Adapter; USB-C to USB-C; USB-A to USB-C	\$299.95
LOK-APARTX-KIT	Detachable Battery Jump Starter + Air Inflator + Power Bank	12V	4000A	10.0L Gas 8.0L Diesel		26500 mAh 98 Wh	500 Lumens Flashlight / Strobe / SOS	✓ 40 L/min	USB-C to USB-C; USB-A to USB-C	\$369.95
LOK-J403HD	Heavy-Duty Jump Starter with ConnectMax + Power Bank	12V	10,000A	16L Gas 16L Diesel		236.8 Wh	400 Lumens Flashlight / Strobe / SOS	✗	12V Adapter; USB-C to USB-C; USB-A to USB-C	\$699.95
LOK-J10000HD	One-Click Switching Heavy-Duty Truck Jump Starter + Power Bank	12/24V	12V: 10,000A 24V: 5000A	16L Gas 16L Diesel		256 Wh	1000 Lumens Flashlight / Strobe / SOS	✗	DC Adapter; Power Cable; USB-A to USB-C; USB-C to USB-C; Car Charger to DC 5521; Car Charger Female to DC 5525	\$1399.95

LOK-JTC4250 \$369.95

12V Jump Starter + Battery Tester + Battery Charger with ConnectMax Technology

- Supports 6V and 12V lead-acid batteries and 12V lithium batteries with 6A AC charging kit (included)
- Peak current: 4250A
- Engine rating (up to): 10L Gas & 8L Diesel
- Battery capacity: 7000 mAh (89.6 Wh)
- Integrated voltmeter
- Charging modes: normal charging, force charging, maintenance mode
- Battery diagnostics: battery health, crank tests, charging tests. Connect to App via Bluetooth for viewing & exporting test data.
- Included cables: USB-A to USB-C, USB-C to USB-C, power cable

LOKITHOR

NEW



LOKITHOR

LOK-CASE001 \$49.95

EVA Protection Case for Lokithor JA-Series Jump Starters

- Adapted for models: JA300/JA301/JA302/JA301PRO/JA302PRO



LOK-CASE003 \$39.95

EVA Protection Case for Lokithor J-Series Jump Starters

- Adapted for models: 401/J401X/J402/J1000/J1500/J2250/J3250/J402PRO/J2250PRO/J1350PRO



MUK-EQ-290 300

HEAVY DUTY VIBRO-IMPACT® AIR HAMMER

Heavy duty VIBRO-IMPACT® air hammer to loose tight connections on Trucks, agricultural and construction vehicles, etc. The high performance air hammer helps to disassemble e.g. conical seat connections, wheel bearings, bushings, rusted screw connections. Can support pullers as well.

\$962⁷⁵



MUK-EQ-290 300/ADP \$899⁰⁵

XL CHISEL KIT

The perfect addition to the EQ-290 300 Heavy Duty VIBRO-IMPACT® Air Hammer, this adaptor kit includes 6 essential adapters, all neatly packed in a protective case with a foam insert. This adapter set will set you up for success no matter what situation you encounter.

Included in this kit:

EQ-290 320 Heavy Duty VIBRO-IMPACT® Hammer
 EQ-290 318 Heavy Duty VIBRO-IMPACT® Flat chisel
 EQ-290 338 Heavy Duty VIBRO-IMPACT® Pin driver 20mm
 EQ-290 319 Heavy Duty VIBRO-IMPACT® XL Flat Chisel 60x400mm
 EQ-290 321 Heavy Duty VIBRO-IMPACT® XL Pointed insert 400mm
 EQ-290 337 Heavy Duty VIBRO-IMPACT® XL Pin driver 20 x 500mm

\$1391²⁵




MUK-609 400/460

PRESS AND PULL SLEEVE COMBINATION KIT (Over 45 Lbs)

The #1 Press & Pull kit on the market!

Our complete package! 20 sleeves/4 discs! Sleeves can be stacked. Sleeves outer diameter range: 1-3/4" – 3-1/8". Kit includes: XL C-clamp and VIBRO-IMPACT® spindle, allowing the use of an impact wrench. Comes in our signature neon green carrying case. Applications: remove/install; silent bearings, hydraulic bearings, ball bearings, shaft seals/bearing bushings, rubber bearings, etc.



MUK-433 100

MASTER SUSPENSION KIT (Over 45 Lbs)

The Master Suspension Kit can help you remove all components of the wheel knuckle. From the wheel bearing assembly, to the drive shaft push out and even lower ball joint/suspension arm removal. The kit includes: XL slide hammer, drop forged flange, drop forged hook, twin cone set with a VIBRO-IMPACT® spindle, adaptor to use your existing tools with the XL slide hammer. All components are neatly stored in our signature neon green carrying case.

\$1643⁹⁵

M12™ Heated TOUGHSHELL™ Jackets with Hexon Heat Technology™

- HEXON Heat Technology™: Stays warmer for longer; Fastest heat-up time; Greatest heat coverage
- Washer & dryer safe
- Heated chest, back, and pocket zones
- TOUGHSHELL™ stretch polyester
- Adjustable cuffs & waist to keep heat in
- Wind and water resistant
- M12™ REDLITHIUM™ CP3.0 battery: 12 hrs Low, 6 hrs Med., 3 hrs High
- Includes: M12™ CP3.0 Battery, M12™ Top-Off™ Power Supply & Charger, and USB-C Cable


\$298⁰⁰
-21 Series

Size	BLACK	GRAY
S	MLW-M100B-21S	MLW-M100G-21S
M	MLW-M100B-21M	MLW-M100G-21M
L	MLW-M100B-21L	MLW-M100G-21L
XL	MLW-M100B-21XL	MLW-M100G-21XL



M12™ Heated AXIS™ Hooded Jackets with Hexon Heat Technology™

- HEXON Heat Technology™: Stays warmer for longer; Fastest heat-up time; Greatest heat coverage
- Washer & dryer safe
- Heated chest, back, and shoulder zones
- AXIS™ ripstop polyester fabric prevents tears from spreading
- Lightweight durability
- Wind and water resistant
- M12™ REDLITHIUM™ CP3.0 battery: 12 hrs Low, 6 hrs Med., 3 hrs High
- Includes: M12™ CP3.0 Battery, M12™ Top-Off™ Power Supply & Charger, and USB-C Cable


\$298⁰⁰
-21 Series

Size	BLACK	GRAY
S	MLW-M102B-21S	MLW-M102G-21S
M	MLW-M102B-21M	MLW-M102G-21M
L	MLW-M102B-21L	MLW-M102G-21L
XL	MLW-M102B-21XL	MLW-M102G-21XL
2XL	MLW-M102B-212X	MLW-M102G-212X



M12™ Heated Hoodies with Hexon Heat Technology™

- HEXON Heat Technology™: Stays warmer for longer; Fastest heat-up time; Greatest heat coverage
- Washer & dryer safe
- Heated chest and back zones
- Fleece and warm jersey lining • Durable pockets
- 56% Cotton / 44% Polyester
- M12™ REDLITHIUM™ CP2.0 battery: 8 hrs Low, 4 hrs Medium, 2 hrs High
- **-21 Series includes:** M12™ CP2.0 Battery, Battery Holder & M12™ Charger
- **-20 Series includes:** M12™ Battery Holder

\$198⁰⁰ -20 Series

\$238⁰⁰ -21 Series

Size	BLACK	GRAY
S	MLW-M200B-21S	MLW-M200G-21S
M	MLW-M200B-21M	MLW-M200G-21M
L	MLW-M200B-21L	MLW-M200G-21L
XL	MLW-M200B-21XL	MLW-M200G-21XL



Size	GRAY
S	MLW-M200G-20S
M	MLW-M200G-20M
L	MLW-M200G-20L
XL	MLW-M200G-20XL



KEEP YOUR BATTERY FRESH

Skip the hassle of dealing with a dead battery. Featuring a 9 Stage High Efficiency Charging Cycle, GEARWRENCH Battery Chargers and Maintainers reinvigorate, maintain, condition, and extend the life of your batteries. Safe, simple and easy to use, these chargers provide the feedback and information you need and ensure you will never be stuck with a dead battery again. GEARWRENCH Battery Chargers and Maintainers provide your battery with the power it needs to keep you going.

GEARWRENCH BATTERY CHARGERS AND MAINTAINERS
Bright, Colorful LCD Screen

Displays battery type, charging amperage and voltage


Long 13' Cords

For maximum reach around the garage


Quick Disconnect Leads

On-board mounts and heavy-duty clamps for easy connection to battery terminals


Safety Features

- Weather-proof housing IP65 rated for indoor and outdoor use
- High temperature, short circuit, overload and overcharge protection
- Temperature compensation
- 9 Stage High Efficiency
- Intelligent Charging System diagnoses, conditions, charges, and maintains batteries for strong starts and extended battery life
- Reverse polarity warning


GWBC015

GWBC030

Part #	Description	Battery Voltage	Battery Types	Operating Temp.	Safety Protections	Price
GWBC015	1.5A Battery Charger and Maintainer	6V/12V	AGM, Standard, Gel, Lithium	-4 °F to 120 °F	High Temperature, Reverse Polarity, Overcharge, Force Charge	\$63.55
GWBC030	3A Battery Charger and Maintainer	6V/12V	AGM, Standard, Gel, Lithium	-4 °F to 120 °F	High Temperature, Reverse Polarity, Overcharge, Force Charge	\$71.05
GWBC100	10A Battery Charger and Maintainer	6V/12V	AGM, Standard, Gel, Lithium	-4 °F to 120 °F	High Temperature, Reverse Polarity, Overcharge, Force Charge	\$158.85

TOUGHER THAN WINTER.

					
60V MAX* SINGLE STAGE SNOW BLOWER KIT DEW-DCSNP2142Y2-CA	20V MAX* CORDLESS 10,000 PSI VARIABLE 2-SPEED GREASE GUN (TOOL ONLY) DEW-DCGG581B	20V MAX* XR® BRUSHLESS CORDLESS 4-1/2 - 5 IN. ANGLE GRINDER (TOOL ONLY) DEW-DCG410B	20V MAX* TRANSFER PUMP (TOOL ONLY) DEW-DCE050B	20V MAX* XR® BRUSHLESS CORDLESS 3/4 IN. HIGH TORQUE IMPACT WRENCH WITH HOG RING ANVIL (TOOL ONLY) DEW-DCF964B	ATOMIC™ 20V MAX* 3/8 IN. CORDLESS IMPACT WRENCH WITH HOG RING ANVIL (TOOL ONLY) DEW-DCF923B
 \$318 ⁸⁵	 \$229 ⁵⁵	 \$350 ²⁵	 \$505 ⁷⁵	 \$217 ²⁵	
					
20V MAX* XR POWERPACK™ 8.0AH BATTERY DEW-DCB2108	8 IN. (205MM) BENCH GRINDER DEW-DW758	PROTO® TORQUE MULTIPLIER 3200 FT-LBS PRO-J6232	PROTO® TORQUE MULTIPLIER 1200 FT-LBS PRO-J6212	PROTO® 1/4 IN. DRIVE ELECTRONIC TORQUE TESTER PRO-J6476E	LENOX POWER BLAST SERIES RECIPROCATING SAW BLADES 6-IN. 14 TPI - 5 PER PACK LEN-20564614R
\$309 ¹⁵	\$278 ⁹⁵	\$5325 ⁴⁵	\$3124 ⁶⁵	\$2256 ²⁵	\$2605

Copyright ©2026 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

GEN 2 M12 FUEL™ RATCHETS

20%
MORE POWER
THAN GEN I

LOWER
HEAD PROFILE
FOR BETTER ACCESS

22%
MORE COMPACT
THAN GEN I

NEW
TO WORLD
MODULAR TRIGGER



M12 FUEL
1/4" Ratchet Kit
(3052-21) (3052-20) Tool Only
\$453.²⁵ \$346.⁴⁵



M12 FUEL
3/8" Ratchet Kit
(3053-21) (3053-20) Tool Only
\$453.²⁵ \$325.⁴⁵



M12 FUEL
1/2" Ratchet Kit
(3054-21) (3054-20) Tool Only
\$453.²⁵ \$325.⁴⁵



M12 FUEL™
1/4" Boot
(49-16-3052)
\$37.⁶⁵



M12 FUEL™
3/8" Boot
(49-16-3053)
\$37.⁶⁵



M12 FUEL™
1/2" Boot
(49-16-3054)
\$37.⁶⁵



M12 FUEL™ Ratchet
Modular Trigger Cap Kit
(49-16-3053MTC)
\$36.⁶⁵

NEW PACKOUT™ SOLUTIONS



366PC Master Mechanics
Hand Tool Set w/ PACKOUT™
Drawers & Dolly (48-22-9495)
\$5804.⁹⁵



PACKOUT™
Rack Kit
(48-21-8070)
\$2798.⁹⁵

INTRODUCING THE NEW SUNEX TOOLS

0.5 HP FAMILY OF AIR TOOLS

A complete 0.5 HP Air Tool lineup engineered for professional performance, control, and comfort. This new series includes 11 powerful tools, featuring straight, angle, 115° angle, and extended-length die grinders, plus a 3" cut-off tool, reciprocating saw, air nibbler, tire buffer, pinstripe and wheel weight adhesive remover, air shear, and surface blaster kit. Each tool is powered by a strong 0.5 HP motor that delivers consistent speed and torque for heavy-duty grinding, cutting, and shaping applications. Built with a lightweight composite body, these tools reduce fatigue without sacrificing durability, while the ergonomic overmold grip ensures a comfortable, non-slip hold and minimizes vibration for superior control.



\$137.65
SUN-SX5207
0.5 HP Straight Die Grinder
Free Speed: 22,000 RPM
Weight: 1.3 lbs



\$212.75
SUN-SX5204
0.5 HP 115° Angle Die Grinder
Free Speed: 18,000 RPM
Weight: 1.6 lbs



\$186.95
SUN-SX5208
0.5 HP 90° Angle Die Grinder
Free Speed: 20,000 RPM
Weight: 1.54 lbs



\$222.25
SUN-SX5200
0.5 HP Extended Die Grinder
Free Speed: 20,000 RPM
Weight: 2.5 lbs



\$417.75
SUN-SX7200
0.5 HP Geared Reciprocating Saw
Free Speed: 5,000 SPM
Weight: 2.43 lbs
Includes 4 Different Blades



\$154.15
SUN-SX6213
0.5 HP 3" Cut-Off Tool
Free Speed: 22,000 RPM
Weight: 1.8 lbs
Includes 3" Cutting Wheel



\$203.25
SUN-SX6211
0.5 HP Air Metal Shear
Free Speed: 2,600 SPM
Weight: 2.2 lbs



\$210.35
SUN-SX6212
0.5 HP Air Nibbler
Free Speed: 2,500 SPM
Weight: 2.25 lbs



\$237.35
SUN-SX8201
0.5 HP Wheel Weight Adhesive & Pinstripe Removal Tool
Free Speed: 2,600 RPM
Weight: 2.15 lbs
Includes 3 Eraser Wheels



\$826.35
SUN-SX8203
0.5 HP Surface Blaster Kit
Free Speed: 4,000 RPM
Kit Weight: 6.9 lbs
Includes 5 Wheels (1 Stripping Wheel, 1 Eraser Wheel, 1 Fine & 2 Coarse Wire Wheels)



\$235.05
SUN-SX8202
0.5 HP Tire Buffer
Free Speed: 3,600 RPM
Weight: 1.75 lbs

Page
11**NOCO**NOC-AX65 **\$435.65****12V 2000A Boost Air®
Jump Starter and
Air Compressor**

- Jump start engines up to 8.0L gas and 6.0L diesel
- Tire inflator: 100 PSI, 67 LPM
- Internal power bank (1 USB-C port): provides 60W of in/out power to charge your USB-C devices
- 100 lumens multi-mode flashlight
- Includes: 3-foot braided inflation hose, Presta valve, needle adapter, inflatable toy adapter, USB-C charge cable

Page
16**REID**REI-SP-74
**12 & 24V Direct
Booster**

- 300A @ 12V
- Applications: Gas-powered cars, light trucks and medium construction machinery

Page
13**NOCO****High Performance USB-C Chargers – Black**

- Engineered for next-gen power delivery, using the latest fast charging protocols to deliver speed, safety, and intelligent efficiency across all your devices
- **Super Fast Charging** through smart voltage regulation, thermal control, and power optimization
- 2-Port chargers with smart, flexible power distribution between devices
- Input: 100-240VAC
- 3-Year limited warranty

Item #	Output	Ports	
NOC-X30B	30W	1	\$24.65
NOC-X65B	65W	2	\$54.05
NOC-X100B	100W	2	\$77.15
NOC-X140B	140W	2	\$105.65

**240W Ultraflex USB-C
Charging Cables – Black**

- Latest upgrade to USB-C charging with Power Delivery 3.1
- Up to 240W of power delivery to any USB-C device
- 480 Mbps data transfer speed
- Cables come with a silicone cable tie
- 1-Year limited warranty


NOCO XGRID

Item #	Length	
NOC-XC1B	3 Ft. (1m)	\$20.05
NOC-XC2B	6.5 Ft. (2m)	\$23.15
NOC-XC3B	10 Ft. (3m)	\$26.15

Page
38**EZRED****Rechargeable
Dimmable Neck Lights**

- Lumens: 350/35
- Ultra comfort neck band
- Adjustable light heads pivot 70°
- Includes USB-C charging cord

Item #	Colour	
EZR-EZL35RNL-B	●	\$91.45
EZR-EZL35RNL-G	●	\$91.45
EZR-EZL35RNL-P	●	\$91.45
EZR-EZL35RNL-R	●	\$91.45



EZL35RNL-B



EZL35RNL-R



EZL35RNL-G



EZL35RNL-P

Page
39**FREE!**
While quantities lastBuy #AUL-MS906PRO2-TS
and obtain #AUL-AL539
for free: Code Reader +
Special Functions.

MS906PRO2-TS



MS909S2

AUTEL MAXISYS

	AUL-MS906PRO2-TS	AUL-MS909S2
HARDWARE		
Wireless Vehicle Connection	Bluetooth MaxiSYS V200	Bluetooth MaxiFash MFVC12
Colour Touchscreen	8"	11"
Processor	2.2 GHz + 1.8 GHz Octa-Core	2.7G Octa-Core
Memory / RAM	128GB SSD + 4GB RAM	256GB SSD + 12GB RAM
Internal Battery	11,600 mAh	15,000 mAh
Docking Station	—	—
Non-OBDII Connectors	Optional Kit: #AUL-MSOBD2KIT	Optional (#MSOBD2KIT)
SOFTWARE		
Operating System	ANDROID 10.0	ANDROID 13.0
Software Updates	1 Year FREE	1 Year FREE
Automatic Detection	Auto-VIN/Auto-SCAN	Auto-VIN/Auto-SCAN
Secure Gateway Access	Stellantis, Nissan, Mercedes-Benz, VW, Audi AutoAuth account/token purchase required	Stellantis, Nissan, Mercedes-Benz, VW, Audi AutoAuth account/token purchase required
OBDII Test Modes	All 10 Test Modes	All 10 Test Modes
Service Resets	40+ Service Features	48 Service Features
System Diagnostics	Access All Modules in All Systems	Access All Modules in All Systems
Component Activations	Bi-Directional Control	Bi-Directional Control
Enhanced Functions	Coding + Adaptations	Coding + Adaptations
ADAS Calibration-Capable	ADAS Software & Frame Kit Purchase Required	ADAS Software & Frame Kit Purchase Required
Battery Analyzation	MaxiBAS Software #BT506 purchase required	MaxiBAS Software #BT506 purchase required
Cloud Services	Report Storage	Report Storage
Programming / Flashing J2534	—	With Remote Expert or VCI + Windows PC + OEM Subscription
VCI Features / Oscilloscope	VCI Interface / Supports #MP408 Oscilloscope	J2534
Module Topology	—	Vr. 3.0 – Colour Coded All System Status Screen on supported vehicles, locate & directly Ping ECUs to test signal quality & network integrity
MOTOR TruSPEED Repair Data	—	1 Year FREE Access
Split Screen Display	—	—
Multi-Point Digital Vehicle Insp.	—	✓
Multi-System Graphical Data Flow	—	✓
Enhanced Live Data/ PID Analysis	—	✓
FEATURES		
TPMS Functions	TPMS Diagnostics, Service + 1-Sensor Programming + MX-Sensor BLE for Tesla Vehicles	Register Sensor IDs
MAX (Hands-Free Tablet Navigation Assistant)	—	✓
	📞	📞

Page
40**NEW****AUTEL MAXISYS**

	AUL-MS919S2
HARDWARE	
Wireless Vehicle Connection	Bluetooth + Dual WiFi 6.0 MaxiFash MFVC12
Colour Touchscreen	11"
Processor	2.7G Octa-Core
Memory / RAM	256GB SSD + 12GB RAM
Internal Battery	15,000 mAh
Docking Station	—
Non-OBDII Connectors	Optional (#MSOBD2KIT)
SOFTWARE	
Operating System	ANDROID 13.0
Software Updates	1 Year FREE
Automatic Detection	Auto-VIN/Auto-SCAN
Secure Gateway Access	Stellantis, Nissan, Mercedes-Benz, VW, Audi AutoAuth account/token purchase required
OBDII Test Modes	All 10 Test Modes
Service Resets	48 Service Features
System Diagnostics	Access All Modules in All Systems
Component Activations	Bi-Directional Control
Enhanced Functions	Coding + Adaptations
ADAS Calibration-Capable	ADAS Software & Frame Kit Purchase Required
Battery Analyzation	MaxiBAS Software #BT506 purchase required
Cloud Services	Report Storage
Programming / Flashing J2534	With Remote Expert or VCI + Windows PC + OEM Subscription Standalone Remote Expert Device Included
VCI Features / Oscilloscope	6-IN-1 DEVICE: J2534, 4-Channel Oscilloscope, Multimeter, Waveform Generator, CAN Bus Tester, Remote Expert Device
Module Topology	Vr. 3.0 – Colour Coded All System Status Screen on supported vehicles, locate & directly Ping ECUs to test signal quality & network integrity
MOTOR TruSPEED Repair Data	1 Year FREE Access
Split Screen Display	With Oscilloscope & Live Data
Multi-Point Digital Vehicle Insp.	✓
Multi-System Graphical Data Flow	✓
Enhanced Live Data/ PID Analysis	✓
FEATURES	
TPMS Functions	Register Sensor IDs
MAX (Hands-Free Tablet Navigation Assistant)	✓
	📞

ADAS Calibration + Wheel Alignment



ADAS Systems & Packages

- For collision repair, glass repair, mechanical repair, tire dealers, mobile calibration centers, and dealerships.



STEP 1. Choose a Base Autel ADAS System


- Choose the system that best aligns with your business requirements and goals
- Transport Extra on all ADAS Calibration Systems & Packages • Call your dealer for prices

Top Features	IA1000	IA900	IA700
Portable ADAS – Move from Shop to Shop			✓
In-Shop Mobility – Move from Bay to Bay	✓	✓	✓
Wheel Alignment Pre-Check	✓	✓	✓
Full Wheel Alignment	✓	✓	
Fully Optical Target Positioning for Increased Accuracy and Faster Setups	✓	✓	✓
Unleveled/Uneven Floor Compensation	✓	✓	✓
Guided ADAS to Calibrate ADAS on Late Model Vehicles	✓	✓	✓
Fully Automated Forward-Facing Calibration Plus Optional Digital LDW Targets	✓		
Frame Only	AUL-IA1000	AUL-IA900WA	AUL-IA700
Frame + Tablet	AUL-IA1000T	AUL-IA900WAT	AUL-IA700T

STEP 2. Choose an Autel ADAS System Package

- Align the capabilities and opportunities of Lane Departure Warning (LDW) versus All Systems (AS) ADAS with your shop environment and business goals
- Transport Extra on all ADAS Calibration Systems & Packages • Call your dealer for prices

	IA1000	IA900	IA700
LANE DEPARTURE WARNING (LDW) ADAS PACKAGES			
Common LDW applications and opportunities:			
Frame + Digital LDW Targets	AUL-IA1000DT		
Frame + Physical LDW Targets		AUL-IA900LDW	AUL-IA700LDW
Frame + Digital LDW Targets + Tablet	AUL-IA1000TDT		
Frame + Physical LDW Targets + Tablet	AUL-IA1000LDWT	AUL-IA900LDWT	AUL-IA700LDWT
Frame + Physical/Digital LDW Targets + Tablet	AUL-IA1000LDWDT		
ALL SYSTEMS (AS) ADAS PACKAGES			
Common AS applications and opportunities:			
Frame + Physical LDW Targets + AS Targets + Tablet	AUL-IA1000AST		
Frame + Physical LDW Targets + Digital LDW Targets + AS Targets + Tablet	AUL-IA1000ASTDT		
Frame + AS Targets		AUL-IA900AS	AUL-IA700AS
Frame + AS Targets + Tablet		AUL-IA900AST	AUL-IA700AST



AVM (Around View Monitoring) Floor Patterns

Item #	Application
AUL-CSC1004-05	Ford
AUL-CSC1004-01	VW
AUL-CSC1004-07	Porsche




AUL-IA900DOCK
MaxiSYS Ultra ADAS
Docking Station




AUL-CSC0602-09
Radar Calibration Plate
• For 2021 and newer Chrysler, Dodge, Jeep, and RAM



AUL-IA900STP
IA900 Replacement
Sliding Target Panel



AUL-CSC0611-05
SUBARU Mono Camera
Wide Angle LDW Targets



AUL-CSC0611-07
TESLA Camera
Calibration Pattern
• Compatible with IA700, IA900, IA1000, and MA600 systems



AUL-CSC0804-03
AVM Target & Bracket for
Late Model TOYOTA and
LEXUS Vehicles
• Minimum of 3 required



AUL-ADASACCESSORY
6-Pc ADAS Laser
Measuring System
Accessories



50B-02



50B-03



50B-01

Item #	Description
AUL-50B-02	Rim Clamp Brackets for ADAS Accessory Storage Cabinet, Set of 4
AUL-50B-03	Tire Clamp Brackets for ADAS Accessory Storage Cabinet, Set of 4
AUL-50B-01	ADAS Accessory Storage Cabinet



AUL-500-17
IA900 Tire Clamps,
Set of 4



AUL-500-17B
Tire Clamps with
Extended Claws, Set of 3

Page
57**POWER PROBE****PWP-DM600MAX \$830⁷⁵****High Performance Professional
True RMS Multimeter**

- Rating: CATIII/1000V & CATIV/600V
- AC/DC Voltage: 1000V, with ability to view duty cycle (time/%) & frequency on the same screen
- AC/DC current: up to 10A (30A with adapter)
- Guided test lead connection prompts per selected test mode
- Resistance up to 40MΩ
- Frequency & duty cycle up to 100kHz
- Capacitance down to 40nF
- Low pass filter at 1kHz
- Diode tests
- Amperage testing: A, mA, µA measurement
- Duty cycle
- LoZ mode
- Relative value & % selection
- Bar graph mode
- Temp. up to 1200 °C / 2192 °F
- Bluetooth to Power Probe Link App
- IP67 waterproof and shockproof

Page
66**MOTORVAC**

MVC-500-0175

**CoolSmoke® MP –
Multi-Pressure
Leak Diagnostics System**

- Operates on 12 to 24 VDC
- Measures pressure decay, leak sizes, and flow rates accurately over the entire pressure range
- Advanced 3.5" multi-color display with integrated software and Bluetooth® capabilities for future functional expansion
- Includes caps, cones, adapters, plugs, UV-enhancing glasses, and a combination of UV/White/ Laser light
- Unit is factory filled with CoolSmoke® fluid (#400-1054)

Page
66**REDLINE**

RDL-95-0130

**Dual Purpose Diagnostic
Leak Locator™ for EVAP
& High Pressure
Inspections**

- Ideal for performing diagnostics on both high-performance engines and traditional EVAP vehicles
- Variable pressure & flow
- Runs on compressed air
- Powered by 110-230V AC

Page
66**REDLINE**

RDL-95-0171

**HD PowerSmoke™
Diagnostic Vapor
Machine for Heavy-Duty
Trucks and Buses**

- Pressure test from 2 to 20 PSI (0.14 to 1.4 BAR)
- Variable pressure & variable flow
- Over 40x the typical EVAP pressure
- Performs pressure decay/leak down tests
- Runs on compressed air
- Powered by 110-250V AC or 12V DC

Page
66**REDLINE**RDL-96-0039 **\$32⁹⁵****OEM-Approved Vapor Producing Fluid**

- Designed specifically for automotive smoke machines
- One 8 fl oz (29.6 ml) bottle can service over 1000 vehicles
- 8 fl oz (29.6 ml)

Page
65**REDLINE****Smoke Pro® Total Tech® Diagnostic Leak Detection
Smoke Machine**

- Ideal for performing diagnostics on the EVAP systems of naturally-aspirated vehicles
- Pinpoint leaks as small as 0.010"
- Equipped with a compound pressure gauge for performing leak down tests
- Runs on compressed air
- Powered by 12V DC

RDL-95-0050

**1/2"****Impact Wrenches**

- 2-year warranty on MAX Series

Item #	Housing	Special Features	Loosening Torque	Max. Torque Reverse	Weight	dBA	
IRC-2235TIMAX	Composite		1,300 ft-lb	900 ft-lb	4.6 lbs	98.0	\$499.95
IRC-2235QTIMAX-G	Composite	Quiet	1,300 ft-lb	900 ft-lb	4.6 lbs	88.7	\$499.95

Flexzilla® Pro Single Phase 2-Stage Stationary Air Compressors with Silencer™ Technology

- **Quiet technology:** quietest air compressors, emitting operating noise no louder than a normal conversation. Low RPM pumps and motors.
- **SILENCER™ technology:** a patented noise suppression system that reduces low frequency noise levels.
- **WARRANTY:** – 1 Year parts and labor warranty
 - Additional 5 year extended parts warranty (with registration and purchase of maintenance kit)



Item #	Tank	Motor HP	CFM	Max. PSI	Motor RPM	Pump RPM	Voltage	1-Phase Connection	Ship Weight	Dimensions L x W x H
LEG-FS05V080I1	80 Gallon Vertical	5 HP	19 @ 90 PSI 16 @ 175 PSI	175 PSI	3450 RPM	800 RPM	230V	✓	760 lbs	34" x 42" x 75"
LEG-FXS07V080V1	80 Gallon Vertical	7.5 HP	33 @ 90 PSI 26 @ 175 PSI	175 PSI	1750 RPM	640 RPM	208V/230V	✓	880 lbs	38" x 42" x 72"
LEG-FXS10V120V1	120 Gallon Vertical	10 HP	39 @ 90 PSI 34 @ 175 PSI	175 PSI	1750 RPM	800 RPM	208V/230V	✓	1100 lbs	41" x 43" x 78"

Flexzilla® Garden Hose Assemblies

- Working pressure: 150 psi
- Extreme all-weather flexibility
- Won't kink under pressure
- Lightweight, coils easily
- Lays flat - no memory



Item #	Length	Hose I.D.	Fittings	
LEG-HFZG650YW	50 feet	3/4"	3/4" x 11-1/2" GHT	\$116.15
LEG-HFZG675YW	75 feet	3/4"	3/4" x 11-1/2" GHT	\$170.25
LEG-HFZG6100YW	100 feet	3/4"	3/4" x 11-1/2" GHT	\$234.25

HOSES | HOSE REELS & ACCESSORIES

AIR



BEST IN CLASS Air Hose

- 10 year limited warranty
- 40% Lighter than standard rubber air hoses
- 100% Rubber construction
- 300 PSI working pressure
- 4:1 Safety factor
- Flexibility from -50°F to +190°F

SKU#	Description	Price
BLB-BB3850	BluBird Rubber Air Hose 3/8" X 50'	\$56.05
BLB-BB1250	BluBird Rubber Air Hose 1/2" X 50'	\$77.75



100% Rubber Air Hose

- 5 year limited warranty.
- 100% rubber construction
- 300 PSI working pressure
- 4:1 Safety factor
- Flexibility from -40°F to +190°F.

SKU#	Description	Price
BLB-RB3850	Rubber Air Hose 3/8" x 50'	\$40.05
BLB-RB1250	Rubber Air Hose 1/2" x 50'	\$61.05



Recoil Air Hose

- 2 year limited warranty
- Made of Polyurethane
- 300 PSI working pressure
- 3:1 Safety factor

SKU#	Description	Price
BLB-PUR3825	PU Recoil Air Hose 3/8" x 25'	\$44.25



CS186 - Clean Sweep Air Blow Gun Kit (3A-F+SR13)

- High-Pressure Cleaning (170 PSI)
- Ergonomic Push-Button Design
- Noise Control Technology
- Durable Rubber and Aluminum Construction
- Compact and Portable Design

CS185 - Clean Sweep Mini Air Blow Gun Kit (2L+TSV)

SKU#	Description	Price
BLB-CS185-2	BluBird Mini Type Air Duster With Adjustable Nozzle & Hook	\$41.95
BLB-CS186-2	BluBird Air Duster With Adjustable Nozzle & Hook	\$61.05



RMA Class A Oil Resistant Air Hose

- 3 year limited warranty
- 30% Lighter than standard rubber air hoses
- 100% Rubber construction
- 300 PSI working pressure
- 4:1 Safety factor
- Flexibility from -30°F to +180°F

SKU#	Description	Price
BLB-OS3850	OilShield Rubber Air Hose 3/8" X 50'	\$78.15



Hybrid Air Hose

- 1 year warranty
- Made using Rubber/PVC Polymer
- 300 PSI Working Pressure
- 4:1 Safety factor
- Flexibility from -10°F to +130°F

SKU#	Description	Price
BLB-HY3850	Hybrid Air Hose 3/8" x 50'	\$46.95
BLB-HY38100	Hybrid Air Hose 3/8" x 100'	\$85.05



Air Hose Reel

- Whisper-Quiet Technology
- Slow Safety Rewind Technology
- Free Style Technology
- 1/2" Socket Wrench (Included)
- 5-In-1 Coupler (Included)
- 18 gauge heavy-duty steel
- Corrosion resistant Solid Brass fittings
- 12 point ratchet system

SKU#	Description	Price
BLB-BBRHD3850-AIO	All in One BluBird Single Arm Heavy Duty Rubber Air Hose Reel 3/8" X 50'	\$363.25



Air Hose Reels

- Auto-retractable air hose reel
- Comes with 3ft. lead-in hose
- 18 gauge powder coated steel construction.
- Corrosion resistant Solid Brass fittings.
- 2 Year warranty
- Wall/ceiling/floor mountable

SKU#	Description	Price
BLB-BBR3850	BluBird Single Arm Rubber Air Hose Reel 3/8" x 50'	\$309.75
BLB-BBRHD3850	BluBird Single Arm Heavy Duty Rubber Air Hose Reel 3/8" x 50'	\$347.25
BLB-BBRHD1250	BluBird Single Arm Heavy Duty Rubber Air Hose Reel 1/2" x 50'	\$384.05
BLB-OSRDA3850	OilShield Dual Arm Rubber Air Hose Reel 3/8" x 50'	\$453.55
BLB-OSRDA1250	OilShield Dual Arm Rubber Air Hose Reel 1/2" x 50'	\$490.75

HOSES | HOSE REELS & ACCESSORIES



Humpback 3000

All-in-One Pressure Washer System

- Max Pressure - 3000 PSI
- Max Flow - 1.6 GPM
- Hose Length - 50 ft.
- Hose Type - BluShield 100% Rubber Polyester Braided
- Reel Type - Auto-Retractable, Wall Mount
- Motor - Electric
- Foam Cannon - 1 Gallon, Integrated
- Power Source - 120V / 60Hz
- Warranty - 1 Year Limited Warranty

PRESSURE WASHING



SKU#	Description	Price
BLB-TTPWRHB1450-3000	Blu Shield compact pressure washer with 1/4" x 50' hose, humpback pump, 7" connection hose, 15' inlet hose	\$1399.95



TOUGHTEK

Pressure Washer Hose Reels

- Auto-retractable hose reel
- Comes with 6ft lead-in hose
- 18 gauge powder coated steel construction.
- Corrosion resistant Solid Brass fittings.
- 1 Year warranty
- Wall/ceiling/floor mountable



TOUGHTEK

Kevlar & Polyester Braided Pressure Washer Hoses

- 1 year limited warranty
- 100% Rubber construction
- Up to 16000 PSI burst pressure
- Handles hot water up to 250°F
- Flexibility from -50°F to +190°F

SKU#	Description	Price	SKU#	Description	Price
BLB-TTPWPR1450-CP	ToughTek Rubber Pressure Washer Hose Reel 1/4" x 50' - Blue	\$427.55	BLB-TTPW38100-CP	ToughTek Rubber PW Hose 3/8" x 100' with Coupler + Plug (Polyester Braided)	\$529.05
BLB-TTPW1450	ToughTek Rubber PW Hose 1/4" x 50' (Kevlar Braided)	\$95.35			

BluShield

3000 PSI Metric Pressure Washer Gun



SKU#	Description	Price
BLB-PWG001	BluShield 3000 PSI Metric Pressure Washer Gun	\$59.45

BluShield

BluShield 20" Lance Assembly



SKU#	Description	Price
BLB-PWL002	BluShield Lance Assembly 20"	\$32.75

BluShield

BluShield Quick Connect Spray Tips



SKU#	Description	Price
BLB-PWA003	BluShield 4000 PSI Quick Connect Spray Tips	\$28.55

WATER

AG-LITE Best In Class Farm Hose



- 10 year limited warranty
- 40% Lighter than standard rubber water hoses
- 100% Rubber construction
- 3/4 MALE + FEMALE GHT Set
- 500 PSI burst pressure
- Handles hot water up to 212°F
- Flexibility from -50°F to +190°F

HIVIZ

Hybrid Water Hose



Hybrid Water Hose

- 40% Lighter than rubber water hoses
- 3/4 MALE + FEMALE GHT revolving fittings
- 500 PSI burst pressure
- Handles hot water up to 212°F
- Flexibility from -20°F to +165°F

AG-LITE

Water Hose Reels



- Auto-retractable hose reel
- Comes with 6ft. lead-in hose
- 18 gauge powder coated steel construction.
- Corrosion resistant Solid Brass fittings.
- 1 Year warranty
- Wall/ceiling/floor mountable

SKU#	Description	Price
BLB-AL3450	Ag-lite Rubber Hose 3/4" x 50'	\$102.55
BLB-AL5850	Ag-lite Rubber Hose 5/8" x 50'	\$87.35

SKU#	Description	Price
BLB-ALHY5850-HV	Hybrid Hose 5/8" x 50'	\$62.95
BLB-ALHY58100-HV	Hybrid Hose 5/8" x 100'	\$118.25

SKU#	Description	Price
BLB-ALWR5850	Ag-lite Reel 5/8" x 50'	\$479.65
BLB-ALWR3450	Ag-lite Reel 3/4" x 50'	\$516.85

Page
136**POWER PROBE**

PWP-PPEVTEST

**EV Tester**

- ECE-R100 compliant multimeter combines the 3 essential EV testing tools into one device:
 - CATIII/1000V & CATIV/600V rated voltmeter
 - 1kV Insulation tester
 - True milliohm meter
- Insulation resistance test up to 1000 VDC and 200GΩ with PI, DAR calculation
- Bonding test (Kelvin 4-Wire type) up to 1 Amp
- 4 wire resistance up to 40 ohms, down to 0.001mΩ
- 2 wire resistance up to 40k Ohms
- Wire length calculator: determines wire length by wire gauge
- Remote "Test" button on test leads allows for easy two-handed testing
- Diode test with smart mode testing
- Capacitance test up to 1000μF
- Temp. up to 400 °C, 752 °F
- Internal memory allows storage of 400 test results
- Wireless connection via Power Probe Link App

NEWPage
140**VIM****NEW****Nano Flex Ratchet Head Attachment with 1/4" Female Drive**

Item #	Drive	
VIM-NRA44	1/4"	\$58.65
VIM-NRA64	3/8"	\$67.95

Page
145**NEW****TITAN****TIT-85499** **\$438¹⁵****23-Pc Auto-Flex™
Socket & Extension Set**



- Auto-Flex™ products articulate under spring tension providing semi-rigid directional control and accuracy
- 7-Pc 1/4" drive metric universal socket set: 6mm-13mm
- 7-Pc 1/4" drive SAE universal socket set: 3/16"-9/16"
- 1/4" Drive extensions: 6" & 12" • 3/8" Drive extensions: 8" & 15"
- 1/2" Drive extensions: 10" & 20" • Universal joints: 1/4", 3/8", 1/2" drives

Page
146**TITAN****NEW****TIT-51771** **\$87⁸⁵****14-Pc 3/8" Drive Master
Oil Drain Plug Socket Set**

- (5) Hex: 9mm-17mm
- (6) Square: 7mm-13mm, 5/16", 3/8"
- (2) Triangle: 10mm male & 10mm female
- (1) Tamper-proof XZN (triple square): M16

Page
147**GEARWRENCH****GWR-MEGAMOD1024****1024-Pc MEGAMOD Master Mechanics Tool Set**Page
140**VIM****VIM-FRWS617** **\$140⁶⁵****17mm 100-Tooth Flex Head
360° Swivel Ratcheting Wrench**

- Works with 3/8" x 17mm sockets

Page
147**GW GEARWRENCH**GWR-89060
613-Pc Master
Mechanics
Hand Tool SetGWR-89060EVA **\$500⁴⁵**11-Pc EVA Foam Trays
for #GWR-89060
613-Pc Master Hand Tool SetPage
150**Astro**

6

AST-78244M **\$236¹⁵**11-Pc 1/2" Drive 6 Pt.
Mid-Length Pinless Universal
Metric Impact Socket Set
• 12mm-24mmPage
151**Astro**AST-78250 **\$122⁶⁵**5-Pc 1/2" Drive 12 Pt. Pinless
Heavy Duty Driveline Impact Socket Set
• 3/8", 1/2", 12mm, 13mm, 18mmPage
151**VIM**VIM-BCS800 **\$201⁵⁵**4-Pc 1/2" Drive Low Profile
Universal Joint Impact Socket Set
• 14mm, 17mm, 19mm, 21mmPage
154**Astro****Goliath™ Torque-Saver Impact Extension Set**

• Delivers 15-25% more torque to the fastener


Item #	Drive	Description	
AST-78001	1/2"	24" Extra Long	\$51.65

Page
155**VIM****\$76⁵⁵**

VIM-FWE46K

3-Pc Flexible Wobble Extensions Kit

- Extensions: 1/4" & 3/8" drive, 12" long
- Includes the #MOP38 magnetic oil drain plug adapter

Page
158**TITAN****Torx® & Torx Plus®
Extra-Long Impact Grade
Bit Socket Sets**

49007

Item #	Style	Drive	Pieces	Size Range	
TIT-49007	★	1/4", 3/8"	10-Piece	T10 - T50	\$63.45
TIT-49008	◆	1/4", 3/8"	10-Piece	T10 - T50	\$63.45

Page
160**TITAN****9-Pc 1/4" & 3/8" Drive Extra-Long
Impact Grade Hex Bit Socket Sets**

49010

Item #	Size Range	
TIT-49010	1/4" - 3/4"	\$63.45
TIT-49011	6mm - 19mm	\$63.45

Page
162**Astro**AST-78142 **\$209³⁵****42-Pc Master 1/4" Drive
Low Profile Nano
Impact Bit Socket Set**

- (3) Torx®: T8, T9, T10
- (9) TP Torx®: TT15 - TT50
- (6) Spline: M4, M5, M6, M8, M10, M12
- (2) Slotted: 1/4", 3/8" • (2) Phillips: PH1, PH2
- (10) Hex SAE: 5/64", 3/32", 7/64", 1/8", 5/32", 3/16", 7/32", 1/4"
- (10) Hex Metric: 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10mm



Page
178

PROTO

PRO-J6232 **\$5325⁴⁵****1:18.5 Ratio Reaction Arm****Torque Multiplier**

- Input drive: 1/2"
- Output drive: 1"
- Max. rated input: 173 ft-lb
- Max. rated output: 3200 ft-lb
- Length: 19-19/32"

Page
204


TITAN

**Pro-X™ Ball Pein Hammers with Fiberglass Handles**

Item #	Head Weight	
TIT-63706	3-Pc Set: 8, 16, 32 oz	\$67.75
TIT-63707	8 oz	\$14.75
TIT-63709	16 oz	\$24.35
TIT-63711	32 oz	\$33.75

Page
186

VIM

Page
208

Milwaukee

\$327⁹⁵

MLW-48-22-0158

17-Pc Screwdriver & Pry Bar Set with Tray for PACKOUT™ Drawers

- (1) 8" pry bar
- (1) 12" pry Bar
- (1) Demolition driver
- 6-Pc screwdriver set
- 6-Pc Torx® precision screwdriver set
- (1) 4-in-1 precision multi-bit screwdriver
- (1) 14-in-1 ratcheting multi-bit screwdriver

Page
193

VIM

Page
215

Homak

**HOM-BK08040001 **\$173³⁵******Adjustable Monitor Stand for RS & Pro II Models**

- Fits most 32" to 50" TVs and monitors
- 360° swivel
- Maximum capacity of 88 lbs (40kg)
- Adjustable height to fit the size of your display
- Built-in cable management and locking mechanism for safety

Page
198

VIM

**VIM-HCRT1 **\$18⁵⁵******Hose Clamp Retainer Tab with Magnetic Back**

- Holds hose clamps open
- 5mm, 10mm, 12mm slots

Page
215**Homak****54" RS Pro Series
TOP CHEST**

- 8 drawers
- 54" x 23-1/2" x 21-3/8"
- 279 lbs

HOM-GR02065800 **\$1792.15****54" RS Pro Series
ROLLER CABINET**

- 10 drawers
- 54-1/2" x 24" x 40-3/8"
- 370 lbs

HOM-GR04054010 **\$2570.85**Page
218MLW-48-22-8420 **\$368.95****PACKOUT™****Rolling Drawer****Tool Box, 250 Lbs Capacity**

- Modular PACKOUT™ connectivity
- Interior dividers and organizer tray
- Quick, one-handed opening
- 9" all-terrain wheels
- Retractable handle
- Box dim.: 24" W x 19" D x 19.75" H

MLW-48-22-8424 **\$100.15****PACKOUT™ Tool Box,****75 Lbs Capacity**

- Modular PACKOUT™ connectivity
- Interior organizer trays • Weather seal
- Ext. dim.: 22.1" W x 16.2" D x 6.5" H
- Tools not included

Page
215**Homak****72" RS Pro Series
TOP CHEST**

- 12 drawers
- 71-1/2" x 23-1/2" x 21-3/8"
- 393 lbs

HOM-GR02072120 **\$2430.75****72" RS Pro Series
ROLLER CABINET**

- 16 drawers
- 72" x 24" x 40-3/8"
- 563 lbs

HOM-GR04072160 **\$3398.95**MLW-48-22-8442 **\$212.95****PACKOUT™****Tool Box,****50 Lbs Capacity**

- Modular PACKOUT™ connectivity
- Drawers with ball bearing slides
- Locking security bar
- Exterior dimensions: 22.2" W x 16.3" D x 14.3" H
- 2 Drawers
- 1 Set Quick-Adjust Dividers

MLW-48-22-8431 **\$53.75****PACKOUT™****Organizers**

- 10 removable & installable bins
- Integrated center slot for long bits and blades
- Modular PACKOUT™ connectivity
- Dim.: 19.7" x 16.3" x 2.5"

MLW-48-22-8433 **\$120.55****PACKOUT™ Tilt Bin Organizer**

- 40 lbs load capacity
- 2 large bins with dividers and 8 small bins
- Modular PACKOUT™ connectivity
- Dim.: 19.7" W x 15.2" D x 6.7" H

Page
217**SUNEX
TOOLS****500 Lbs
Capacity
Heavy Duty
Plastic
Utility Carts**

Item #	L x W x H	Weight	
SUN-8034	41" x 17" x 33"	39.5 lbs	\$400.65
SUN-8039	46" x 26" x 39.4"	50 lbs	\$401.55

Page
226**Astro****Pneumatic Slide Hammers**

- #658HD model offers 1.5X the power of #658
- Includes an extension rod for more reach when needed
- Compares to a 3.5-4.5 lb manual slide hammer on hard joints and 4.5-6 lb on non-hard joints
- Works with the majority of slide hammer attachments to pull everything from pilot bearings to hubs and collision repair

Item #	Description	BPM	
AST-658HD	Heavy Duty	1,050	\$529.65

Page
235**norco**

NRC-72212

**55/37/23/12 Ton Capacity Air/Hydraulic Telescopic Floor Jack**

- Min/Max height: 6" / 15-3/8"
- Includes a removable 2-3/4" diameter saddle, 2-9/16" and 5-7/8" long extensions
- Weight: 233 lbs

Page
230**PMX****PMX-TOM475PRO** **\$749⁶⁵****Tommy 475 -
Wheel Bearing Hub Puller Kit with
Bi-Direction Air-Hammer**

- Universal fit works on 95% of all domestic and import 1/2-Ton and under vehicles with 4-6 lug studs and a tapered axle
- Includes the NEW AirStrike™ bi-directional air hammer (3,000 BPM)
- Cuts hub removal times by 80%: once mounted, the hub is off in about 30 seconds

Page
238**ESCO**ESC-10806 **\$120⁷⁵****Flat Top Adapter for
20 & 25 Ton ESCO
Jack Stands**

- Designed for use on models 10802, 10803, 10804, and 10805
- Setting screw for secure fit

Page
235**ATD****ATD-7510** **\$714²⁵****4-Ton Jack Pack**

4-ton service jack (ATD-7514):

- Min. height: 4-7/16"
- Max. height: 19-7/8"
- Weight: 90 lbs

Pair of 6-ton jack stands
(ATD-7446A):

- Min. height: 15-3/4"
- Max. height: 24-3/8"
- Weight: 16 lbs

Page
242**SUNEX
TOOLS****SUN-6813** **\$206⁴⁵****3/4-Ton Quick Adjust
Underhoist Stand**

- Low height: 57"
- Extended height: 78"
- Quick adjust with the locking pin
- Locking hole positions: 5 @ 4.5" spacing



Page
243**GoJAK®****Vehicle Positioning Dollie**

Item #	Pedal Style	Max. Tire W x D	Max. Cap. Per Dolly	Max. Vehicle Cap. (4 Dollies)	
GOJ-G9516	Right	16" x 36"	2,375 lbs	9,500 lbs	\$898.15

Page
243**GoJAK®****GOJ-G567R \$194⁶⁵****250 Lbs Capacity Storage Cart**

- For up to 4 GoJAK dollies

GOJ-GOBKT \$97⁸⁵**Wall Mount Brackets with Padded Rubber Base (Set of 2)**Page
249**mityvac****MIT-MV7400 \$192⁴⁵****7.3L Capacity Manual Fluid Evacuator**

- For use with: motor oil, transmission fluid, coolant, brake fluid
- Can drain engine oil or transmission fluid directly through the dipstick tubes

Includes:

- 5.7mm OD x 1.5m dipstick tube
- 6.6mm OD x 1.5m dipstick tube
- 10mm OD x 1.5m main evac. tube
- Tube adapters

Page
275**HEATSTAR by ENERCO****EGI****ENR-F105508 \$458⁸⁵****Forced Air Propane Industrial Heater**

- 75,000 - 125,000 BTU/hr
- 350 CFM
- Heats up to 3,125 sq. ft.
- Runs up to 17 hours on a 40 lb tank (low setting)
- 20 ft. hose and regulator included
- Electrical rating: 115V, 3A
- 21.25" x 11.75" x 15.75"
- Propane tank not included

Page
289**ALFA****ALF-0401 \$25³⁵****Premium Heavy-Duty Pumice Hand Cleaner**

- Biodegradable
- VOC 2024 Compliant • Solvent-free
- Contains vitamins E & K and moisturizers
- Light cucumber fragrance
- Compatible with standard dispenser systems
- (1) 1 gallon/3.78 L bottle

Page
291**emzone****EMZ-45220 \$72⁶⁰****Mass Air Flow Sensor Cleaner, 390 g**

- Case of 12

Page
299**Milwaukee****MLW-48-73-3001 \$4²⁵****Soft Foam Noise-Reducing Ear Plugs**

- Noise reduction rating: 32db
- 10 pairs

Page
303**Lisle****LIS-94102 \$221⁶⁵****300 Lbs Capacity Low Profile Plastic Creeper**Page
309**TITAN****TIT-15104 \$323⁰⁵****4-Pc Professional Auto Body Hammer Set**

Page
319MLW-2641-20 **\$208⁶⁵****M18™ Cordless 10-oz Caulk and Adhesive Gun (Bare Tool)**

- 6 Speed settings
- Delivers 950 lbs of dispensing force
- Includes: 10-oz carriage, plunger rod and piston assembly
- Also compatible with quart-size carriage, and 20-oz sausage barrels

Page
330VCT-W1003210 **\$1366⁴⁵****ES 95i DC TIG and Stick****Portable Suitcase Welder, 115VAC**

- Versatile, multi-process Stick/TIG capability
- High 95 Amp welding output
- ESAB 95 S inverter welding power source
- 17V style TIG torch
- Argon regulator / flow gauge
- Tweco WeldSkill style electrode holder with 10 ft. (3m) lead
- Tweco WeldSkill style ground clamp with 10 ft. (3m) lead
- 20 Amp adapter plug & cable
- 4 general purpose stick electrodes (E6013)
- The 95i will not burn 6010 or 6011 electrodes
- The ESAB 95i units are DC only and will not TIG weld aluminum

Page
333CRE-L1125NE **\$38⁶⁵****1-1/4" x 25' WORKHORSE NITE EYE™ Tape Measure**

- High-contrast NITE EYE™ blade with XL markings provides ultimate visibility, even in low light conditions
- Wider, thicker blade improves durability on the job site
- 6 inches of protective barrier on the blade reduces rips and tears
- Double sided print provides clear visibility of markings on both sides
- 360° end hook improves grasping power from all angles
- 15 ft. of reach for solo jobs

Page
341LIS-39790 **\$142⁷⁵****15/16" 12-Pt. Ratcheting Flex Head Cage Bolt Wrench**

- 72-tooth, 25" long handle
- Used when replacing air brake chambers on late model Class 7 and 8 trucks and trailers with Meritor and Bendix disc brakes without removing the wheel

Page
347**Portable Automatic Air Inflator**

- Clear and intuitive user interface: turn the device on, set the pressure, and start inflating. Auto shut-off at desired pressure.
- Includes: microfiber storage bag, Presta valve adapter, needle adapter, inflatable toy adapter

Item #	NOC-AL5
Max. Pressure	130 PSI
Max. Airflow	17 SLPM
Duty Cycle	20 min @ 50 PSI
Time to Inflate 0-40 PSI	3.25 min
Air Hose / Power Cord Length	8" / 24"
Power Type	USB-C
	\$105.65

Page
349

KAP30



KTPX

**Deluxe Tire Repair Kits**

- Kits include Lubricant and accessory pack with extra needle, razor blades, hex wrench and set screw

Item #	Application	Repair Strings	Spiral Probe	Insertion Tool	
SFS-KAP30	Auto & Light Truck	30 x 4"	4.75"	5"	\$73.45
SFS-KAP60	Auto & Light Truck	60 x 4"	4.75"	5"	\$85.65
SFS-KTP	Truck	30 x 8"	4.75"	6.75"	\$97.95
SFS-KTPX	Truck	30 x 8"	7"	6.75"	\$104.05

Page
352VIM-RLWS100 **\$76⁵⁵****3-Pc 1/2" Drive Rapid Load Impact Grade Lug Nut Socket Set**

- 17mm, 19mm, 21mm

Page
363**1/2" Drive 4-Pin ProShear Hub Nut Remove & Install Sockets**

Item #	I.D.	O.D.	Applications
LIS-31600	2"	2-1/2"	2021+ Chevrolet Express and GMC Savana with 10-1/2" dual rear wheel axle hubs \$53.35
LIS-31610	2-1/8"	2-5/8"	2021+ GMC Sierra with 11-1/2" or 12" single rear wheel axle hubs \$55.35
LIS-31620	2-3/8"	3"	2021+ Chevrolet Silverado and GMC Sierra with 11-1/2" or 12" dual rear wheel axle hubs \$58.65

Page
355ESC-50172 **\$153³⁵****HD Commercial Stud & Hub All-in-One Cleaning System**

- Cleans both hub surfaces and wheel studs in one step, removing rust and corrosion
- Ideal for 3/4" and 22mm stud sizes, 5-3/4" long
- Two-part construction: metal housing with replaceable pad
- Compatible with air or electric 1/2" drive impact wrenches

Page
370ASM-M034919 **\$112⁷⁵****Mercedes Coolant Tank Adapter**


- M62 x 4 buttress threads
- Used for pressurizing the cooling system on most Mercedes models 1996-2025

Page
355ESC-50176 **\$304⁰⁵****4-Pc 2-7/16" Commercial Stud & Hub All-in-One Replacement Cleaning Pads**

- Compatible only with ESCO #50172

Page
382GWR-41720 **\$114⁶⁵****8-Pc 3/8" & 1/2" Drive Sensor and Sending Socket Set**Page
359**Bead Bazooka®
Bead Sealers**

- Automatic rapid air release system
- Ultra-compact tank and lightweight for easier handling

Page
389CTA-5610 **\$396⁷⁵****VW/Audi Fuel Injector Seal Installer Tool Kit**

- Designed to install injector tip seals on VW and Audi direct injection engines without overstretching
- Targets the white tip seals that prevent combustion chamber leaks and fuel injector damage
- Services EA888 and EA211 engines from 2005-2024
- Services a wide range of models including Audi A3-A6, Q3, Q5, TT and VW GTI, Jetta, Passat, Tiguan, Atlas, and more
- Comparable to VW/Audi factory tool #T10133

Item #	Tank	Valve	Tire Applications	
GAI-GBB14L3	14L	3"	Car, Truck and Heavy Agricultural Vehicles	\$1008.25
GAI-GB-38L3	38L	3"	Large Agricultural and Commercial Tires	\$1269.95