



# TOOLSHOP

WHAT'S NEW IN THIS CATALOGUE

Page 4

MLW-3009-20 **\$654<sup>85</sup>**  
**M18 FUEL™ Dual Battery Backpack Blower (Bare Tool)**

**\$2019<sup>25</sup>**  
 MLW-3009-24HD  
**M18 FUEL™ Dual Battery Backpack Blower Kit**

- 650 CFM • Adjustable battery configuration
- Adjustable harness • Mode select
- Telescoping nozzle
- Variable speed trigger
- Low noise level: 62dBA
- (4) M18 12.0 batteries
- (2) Dual-bay rapid chargers



Page 4



MLW-3013-21 **\$1059<sup>15</sup>**  
**M18 FUEL™ Telescoping Pole Saw Kit**

- 2.3HP peak power
- 9 feet to 13 feet adjustable length
- (1) M18™ High Output™ HD12.0 battery
- (1) M18™ & M12™ multi-voltage rapid charger

MLW-3013-20 **\$806<sup>45</sup>**  
**M18 FUEL™ Telescoping Pole Saw (Bare Tool)**

Page 280



MLW-3017-20 **\$248<sup>00</sup>**  
**M18 FUEL™ Blower (Bare Tool)**

- Maximum air volume: 500 CFM
- Maximum air speed: 120 MPH
- Variable speed sliding lock
- Nozzle attachment capable

Page 4

MLW-2823-22HD **\$1498<sup>95</sup>**  
**M18 FUEL™ Dual Battery Self-Propelled Mower Kit**

- Steel deck with 21" cut capacity
- 2,800 / 3,300 RPM, 0 - 4 MPH
- 7-position height range: 1" - 4"
- **Includes:** mulch plug, bag and rear side discharge chute, (2) M18™ HD12.0 batteries, (1) M18™ dual bay simultaneous rapid charger



April - June 2024

Page 4



**\$668<sup>95</sup>**

MLW-2727-21HD

**M18 FUEL™  
16" Chainsaw Kit**

- Cuts faster than gas
- Delivers up to 150 cuts/charge
- 6,600 RPM
- Reaches full throttle in under 1 second
- .043" chain gauge, 3/8" low profile chain pitch
- Automatic oiler for chain lubrication



Page 280



MLW-2527-21 **\$372<sup>25</sup>**

**M12 FUEL™ HATCHET™  
6" Pruning Saw Kit**

- Compact and lightweight design
- Up to 120 cuts per charge
- (1) M12™ XC 4.0 Extended Cap. battery
- (1) M12™ charger




Page 280



MLW-2527-20

**M12 FUEL™ HATCHET™  
6" Pruning Saw (Bare Tool)**



MLW-3004-20

**M18 FUEL™ HATCHET™  
8" Pruning Saw (Bare Tool)**



Page 4



DEW-DCCS620B **\$291<sup>35</sup>**  
**20V MAX\* XR® Compact 12"  
Cordless Chainsaw  
(Bare Tool)**

- Low kick-back 12" bar and chain
- Chain speed: 7.3m/sec
- Includes a bar sheath



DEW-DCCS623B **\$210<sup>25</sup>**  
**20V MAX\* XR® Compact 8"  
Pruning Chainsaw (Bare Tool)**

- 8" bar and chain
- Integrated tip guard designed to provide stability during up cuts
- Auto-oiling
- Chain speed: 8.6m/sec



Page 4



Page 4



DEW-DCKO215M1 **\$402<sup>85</sup>**  
**20V MAX\* XR® String Trimmer and  
XR® Brushless Blower Combo Kit**

- **String trimmer (DCST925):**
  - 13" cutting swath with 0.080 line in spool
  - Variable speed trigger
- **Blower (DCBL722):**
  - 450 CFM, 125 mph
  - (1) 20V MAX\* 4.0Ah battery
  - (1) Charger



DEW-DCPR320B **\$150<sup>85</sup>**  
**20V MAX\* XR® 1-1/2" Cut Capacity  
Cordless Pruner (Bare Tool)**

- Smooth, swift cuts with non-stick coated blades
- On-board LED light



DEW-DCPW550P1-CA **\$310<sup>15</sup>**  
**20V MAX\* 550 PSI Power Cleaner Kit**

- 1 GPM • 2 speed controls • (4) nozzles: Turbo, 15°, 25°, 40°
- Soap bottle, suction hose, quick-connect hose adapter, storage bag
- (1) 20V MAX\* 5.0Ah Battery • (1) Charger



DEW-DCPW550B-CA **\$222<sup>85</sup>**  
**20V MAX\* 550 PSI Power Cleaner Kit (Bare Tool)**

DEW-DWO1DT608 **\$14<sup>65</sup>**  
**8" (203mm) Pole Saw  
Replacement Chain**

- Fits #DEW-DCPS620



DWO1DT608

DEW-DWO1DT612 **\$22<sup>25</sup>**  
**12" (304.8mm) Chainsaw  
Replacement Chain**

- Fits #DEW-DCCS620

DWO1DT612





## NEW THIS MONTH

**\$5998<sup>00</sup>**  
**ROLL-ON™**  
**7200W/3600W**  
**2.5kWh Power Supply**  
**(3300R)**

**\$1999<sup>00</sup>**  
**M18™ Brushless Single**  
**Acting 60in3 10,000 PSI**  
**Hydraulic Pump (3120-21)**

## SOCKET / RATCHET PROMOTIONS

### BUY ONE OF THESE

**\$71<sup>95</sup>**  
**26PC 3/8" Drive**  
**Ratchet & Socket Set**  
**- SAE (48-22-9404)**

**\$71<sup>95</sup>**  
**28PC 1/4" Drive**  
**Ratchet & Socket Set**  
**- Metric (48-22-9504)**

**GET THIS  
FREE**

**4PC Hook  
and Pick Set**  
**(48-22-9215)**



### BUY ONE OF THESE

**\$102<sup>95</sup>**  
**28PC 3/8" Drive**  
**Ratchet & Socket Set**  
**- SAE (48-22-9408)**

**\$102<sup>95</sup>**  
**32PC 3/8" Drive**  
**Ratchet & Socket Set**  
**- Metric (48-22-9508)**

**GET THIS  
FREE**

**8PC Hook  
and Pick Set**  
**(48-22-9218)**



## ACCESSORIES

**\$18<sup>95</sup>**  
**17PC SAE**  
**Tap and Die Set**  
**(49-22-5600)**

**\$44<sup>95</sup>**  
**17PC Metric**  
**Tap and Die Set**  
**(49-22-5601)**

**\$44<sup>95</sup>**  
**15PC SAE Tap and Die Set**  
**with Hex-LOK™ 2in1 Handle**  
**(49-22-5602)**

**\$54<sup>95</sup>**  
**38PC Metric Tap & Die**  
**PACKOUT™ Set w/ Hex-LOK™**  
**2in1 Handle (49-22-5603)**

**\$54<sup>95</sup>**  
**38PC SAE Tap & Die**  
**PACKOUT™ Set w/ Hex-LOK™**  
**2in1 Handle (49-22-5604)**



## MSX



### NEW MAXXAIR™ MSX SERIES ...

### NEXT GENERATION RRR MANAGEMENT CENTER

High-Capacity Oilless Compressor Reduces Recovery Time Up To **30% Faster** Than The Competition (Based on internal tests)

#### PRECISION PERFORMANCE WITH INCREASED PRODUCTIVITY

- Fully Automatic or User-Selected Manual Functions
- 7" Color Touch-Screen display
- Contains Refrigerant Identifier (CPSMSX1234 & CPSMSX3030 models)
- Wi-Fi and Bluetooth enabled
- Wireless network printing
- Hybrid / EV Ready (CPSMSX1234 & CPSMSX3030 models)
- High-Capacity oilless compressor
- Includes 30lb tank (upgradeable to 50lb), 2-30lb tanks included with the MSX3030 model
- 2-Year Full Coverage Warranty



**CPSMSX134**

WITH OIL INJECTION

R-134a

**CPSMSX3030**

DUAL REFRIGERANTS

R-134a/R-1234yf

**CPSMSX1234**

R-1234yf



**UView® SpotGun® and SpotGun® Jr. kits are compatible with R-134a and R-1234yf refrigerants, including Electric and Hybrid Vehicles.**

#### UView® PAG A/C Oils with/without UV Dye for CPSMSX134 Services

PAG 46 Compressor Lubricant Oil

- 8 oz (240mL) Bottle

**UVW488046PB**

PAG 46 High-Performance Lubricant Oil with ExtenDye™

- Specially formulated for both traditional and electrically driven compressors

• 8 oz (240mL) Bottle

**UVW488046PBD**

POUR DIRECTLY FROM BOTTLE



#### SpotGun® Jr Kits

- SpotGun® Jr Injector with Purge Valve Adapters
- R-134a and R-1234yf Couplers
- (2) SpotGun® Service Hose Assemblies
- (4) Universal Oil Cartridges (1 oz/30 ml)
- (2) ExtenDye™ Cartridges (1 oz/30 ml)
- (2) LeakGuard™ OneShot Cartridges (1 oz/30 ml)

Master Kit also includes:

- UV Phazer™ Black (AAA Batteries Included)
- UV Enhancing Glasses

**STARTER KIT – UVW390100**

**MASTER KIT – UVW390200**



#### SpotGun® Kits

- SpotGun® Injector with Purge Valve Adapters
- (2) SpotGun® Service Hose Assemblies
- (1) Universal Oil Cartridge (8 oz/240 ml)
- (1) ExtenDye™ Cartridge (8 oz/240 ml)

Master Kit also includes:

- UV Phazer™ Black (AAA Batteries Included)
- UV Enhancing Glasses

**STARTER KIT – UVW490100**

**MASTER KIT – UVW490200**

**CPS®** PREMIUM A/C PRODUCTS BUILT SPECIFICALLY FOR TECHNICIANS





# MXHD

COMMERCIAL AND HEAVY DUTY APPLICATIONS



## HEAVY-DUTY RECOVER, RECYCLE AND RECHARGE FULLY AUTOMATIC FOR R134A REFRIGERANT SYSTEMS

The CPS® MXHD Heavy Duty Recovery Machine is built for commercial and heavy-duty applications. It is fully automatic and capable of fast and efficient servicing of large capacity A/C systems.

- External tank design offers flexibility in tank size and tank changing during service
- Comes standard with a 50 lb. tank and is compatible with the optional 90 lb. tank
- Features a 6 CFM dual-stage vacuum pump to decrease cycle time for large systems
- Features a large 12.67 cc twin piston oilless compressor for faster recovery and the ability to pass liquid refrigerant
- WiFi and Bluetooth® enabled



# CPS®

MXHD (R-134a)



# IN THIS CATALOGUE

April - June 2024

Page 11



**Mastercool<sup>®</sup>**  
"World Class Quality"



**Home Screen**  
allows for quick touch selection of options



**Tank Fill Screen**  
allows for visual, real time progress of tank filling process



**Status Screen**  
for quick reference of resources




**Settings Screen**  
allows the user to select a default language, units, temperature, volume and weight measurement



**Vacuum/Leak Test Screen**  
fully customizable options allows the user to personalize the times of vacuum and leak testing



**Maintenance Screen**  
offered only to authorized service technicians allowing for quick and easy diagnosis

| <b>ARCTIC COMMANDER</b>                         | <b>MTC-COMMANDER2100</b>   |
|---|--|
| <b>FEATURES</b>                                 | <b>Fully Automatic R134A</b>   |
| <b>Colour Touch Screen</b>                      | <b>10"</b>   |
| <b>Automatic and Manual Procedures</b>          | ■  |
| <b>Automatic Vacuum Leak Test: Programmable</b> | ■  |
| <b>Printer</b>                                  | <b>Optional</b>  |
| <b>Vehicle A/C System Flushing</b>              |  |
| <b>Vacuum Pump</b>                              | <b>6 CFM</b>   |
| <b>Refrigerant Identifier</b>                   |  |
| <b>Wi-Fi Capable</b>                            | ■<br> |



# DEWALT®

**20V XR**  
BRUSHLESS

20V MAX\* XR®  
1/2 IN. HIGH TORQUE  
IMPACT WRENCH WITH  
HOG RING ANVIL  
CLÉ À CHOCS À COUPLE  
ÉLEVÉ ET ENCLUME 1/2 PO  
À ANNEAU OUVERT  
20V MAX\* XR®

DCF961GP1



COMPLETE A WIDE VARIETY OF FASTENING APPLICATIONS WITH 1200 FT-LBS OF MAX FASTENING TORQUE AND 1750 FT-LBS OF MAX BREAKAWAY TORQUE.

CONÇUE POUR UN LARGE ÉVENTAIL DE TÂCHES COUPLE DE SERRAGE MAXIMAL DE 1 200 LB-PI ET UN COUPLE AU DÉMARRAGE DE 1 750 LB-PI

**\$618<sup>25</sup>**



**20V XR**  
BRUSHLESS

20V MAX\* XR®  
18 IN. BANDFILE  
(TOOL ONLY)  
LIME À RUBAN  
18 PO DEWALT  
20V MAX\* XR®  
(OUTIL SEUL.)

DCM200B



**\$343<sup>05</sup>**

**20V XR**  
BRUSHLESS

20V MAX\* XR®  
1/4 IN. RIVET TOOL  
(TOOL ONLY)  
RIVETEUSE 1/4 PO  
20V MAX\* XR®  
(OUTIL SEULEMENT)

DCF414B



**\$981<sup>95</sup>**

**20V XR**  
BRUSHLESS

20V MAX\* XR®  
3/16 IN. RIVET TOOL  
(TOOL ONLY)  
RIVETEUSE 3/16 PO  
20V MAX\* XR®  
(OUTIL SEULEMENT)

DCF403B



**\$392<sup>15</sup>**

**20V XR**  
BRUSHLESS

20V MAX\* XR® 1/2 IN.  
MID-RANGE IMPACT WRENCH  
WITH HOG RING ANVIL  
(TOOL ONLY)  
CLÉ À CHOCS SANS FIL  
À ENCLUME 1/2 PO À ANNEAU  
OUVERT ET COUPLE  
INTERMÉDIAIRE  
20V MAX\* XR®  
(OUTIL SEULEMENT)

DCF891B



**\$293<sup>25</sup>**

**POWERSTACK™**

20V MAX\*  
POWERSTACK™  
5.0AH BATTERY  
BATTERIE 20V MAX\*  
POWERSTACK 5.0AH

DCBP520



**\$216<sup>95</sup>**

**20V XR**  
BRUSHLESS

20V MAX\* XR® BRUSHLESS  
CORDLESS 3/8 IN. & 1/2 IN.  
SEALED HEAD RATCHET  
(TOOL ONLY)  
CLÉ À CLIQUET  
À TÊTE SCELLÉE  
3/8 PO ET 1/2 PO  
20V MAX\* XR®  
(OUTIL SEULEMENT)

DCF510B



**\$315<sup>75</sup>**

**20V XR**  
BRUSHLESS

ATOMIC 20V MAX\*  
3/8 IN. CORDLESS  
IMPACT WRENCH  
WITH HOG RING  
ANVIL KIT  
TROUSSE POUR  
CLÉ À CHOCS  
SANS FIL À  
ENCLUME 3/8 PO  
À ANNEAU OUVERT  
ATOMIC 20V MAX\*  
DCF923P2

DCF923P2



**\$467<sup>65</sup>**

**20V XR**  
BRUSHLESS

20V MAX\* XR®  
1/2 IN. MID-RANGE  
IMPACT WRENCH  
WITH HOG RING  
ANVIL  
CLÉ À CHOCS  
SANS FIL À  
ENCLUME  
1/2 PO À ANNEAU  
OUVERT ET COUPLE  
INTERMÉDIAIRE  
20V MAX\* XR®  
DCF891P2

DCF891P2



**\$478<sup>55</sup>**

**20V XR**  
BRUSHLESS

20V MAX\* XR®  
7 IN. CORDLESS  
VARIABLE-SPEED  
ROTARY  
POLISHER  
(TOOL ONLY)  
POLISSEUSE  
ROTATIVE SANS FIL 7 PO  
À VITESSE VARIABLE  
20V MAX\* XR®  
(OUTIL SEULEMENT)

DCM849B



**\$304<sup>15</sup>**

**20V XR**  
BRUSHLESS

20V MAX\* ATOMIC  
LITHIUM-ION BRUSHLESS  
CORDLESS 3-SPEED  
IMPACT DRIVER  
(TOOL ONLY)  
VISSEUSE À CHOCS  
3 VITESSES 20V MAX\*  
ATOMIC LITHIUM-ION  
SANS BALAIS  
(OUTIL SEULEMENT)

DCF850B



**\$191<sup>05</sup>**

**20V XR**  
BRUSHLESS

ATOMIC 20V MAX\*  
3/8 IN. CORDLESS  
IMPACT WRENCH  
WITH HOG RING  
ANVIL (TOOL ONLY)  
CLÉ À CHOCS SANS FIL  
À ENCLUME 3/8 PO  
À ANNEAU OUVERT  
ATOMIC 20V MAX\*  
(OUTIL SEULEMENT)

DCF923B



**\$216<sup>95</sup>**

**20V XR**  
BRUSHLESS

20V MAX\* XR®  
CORDLESS  
3 IN. CUT-OFF TOOL  
(TOOL ONLY)  
DÉCOUPEUSE  
3 PO SANS BALAI  
SANS FIL  
20V MAX\* XR®  
(OUTIL SEULEMENT)

DCS438B



**\$216<sup>95</sup>**

**DEWALT**

RECHARGEABLE  
MINI BLUETOOTH®  
SPEAKER

MINI HAUT-PARLEUR  
DE CHANTIER  
BLUETOOTH  
RECHARGEABLE

DCR008



**\$95<sup>95</sup>**

**IMPACT CONNECT™**

IMPACT CONNECT™  
PVC/PEX PIPE CUTTER  
ATTACHMENT  
ACCESSOIRE POUR  
LA COUPE DE TUYAUX  
EN PVC ET PEX  
IMPACT CONNECT™

DWAPVCIR



**\$135<sup>15</sup>**

**60V XR**  
BRUSHLESS

60V MAX\* FLEXVOLT LITHIUM-ION  
CORDLESS BRUSHLESS  
7 IN. - 9 IN. GRINDER KIT

KIT DE MEULEUSE SANS FIL ET  
SANS BALAIS DE 7 À 9 POUÇES  
60V MAX\* FLEXVOLT AU LITHIUM-ION

DCG460X2



**\$932<sup>85</sup>**






# PROFESSIONAL TOOLS & EQUIPMENT

## TBQ-ALSJ03000 **\$499<sup>95</sup>** 3-Ton Aluminum Floor Service Jack

- Double pump technology for fast operation
- Built-in overload safety valve
- Min. height: 3-15/16"
- Max. height: 19-1/16"
- Weight: 67 lbs



SJ05000  
SJ10000



ASJ05000  
ASJ10000

### Long Chassis Floor Jacks

| Item #                           | Cap.   | Lift Height |         | Chassis Length | Weight    |                  |
|----------------------------------|--------|-------------|---------|----------------|-----------|------------------|
|                                  |        | Low         | High    |                |           |                  |
| <b>Hydraulic Floor Jacks</b>     |        |             |         |                |           |                  |
| TBQ-SJ05000                      | 5-Ton  | 6-1/8"      | 23-5/8" | 54.9"          | 223.5 lbs | <b>\$1042.05</b> |
| TBQ-SJ10000                      | 10-Ton | 6-1/2"      | 23-5/8" | 59.6"          | 305 lbs   | <b>\$1272.45</b> |
| <b>Air/Hydraulic Floor Jacks</b> |        |             |         |                |           |                  |
| TBQ-ASJ05000                     | 5-Ton  | 6-1/8"      | 23-5/8" | 54.9"          | 277 lbs   | <b>\$1331.45</b> |
| TBQ-ASJ10000                     | 10-Ton | 6-1/2"      | 23-5/8" | 59.6"          | 309 lbs   | <b>\$1673.35</b> |

## TBQ-SJPAK03000 **\$299<sup>95</sup>** 3-Ton Floor Jack & Jack Stands Combo Kit

- 3-ton floor jack:
- Min./Max. height: 4-3/4"/17-3/4"
  - Weight: 61.5 lbs
- 3-ton pair of jack stands:
- The rated capacity is per pair
  - Min./Max. height: 11.5"/16-7/8"
  - Weight: 15 lbs



## TBQ-PAJ10000 **\$1125<sup>85</sup>** 10-Ton Portable Air Lift Jack

- Low height: 17-1/2" • Extended height: 51-1/8" • Weight: 199.5 lbs



## TBQ-AHP10000 **\$399<sup>95</sup>** Air/Hydraulic Foot Pump

- Develops 10,000 PSI
- 98 cu. in. of usable oil
- Aluminum reservoir

## TBQ-TR20000 **\$1207<sup>45</sup>** 20-Ton Capacity Pair of Wide Truck Ramps

- Max. tire width: 15.5"
- Retractable T-handle
- Weight: 327 lbs



## TBQ-PJ01500 **\$178<sup>15</sup>** 1500 Lbs (3/4 Ton) Mechanical Vehicle Positioning Jack

- Max. tire width: 13"
- Max. tire diameter: 32"
- Min./Max. opening: 13-3/8"/28"



## TBQ-TC00300 **\$150<sup>45</sup>** 300 Lbs Capacity Heavy-Duty Truck Tire & Wheel Cart

- For 36" to 48" diameter tires
- Roller spread: 19-1/2"
- Roller length: 9-1/2"





AUL-VMOTORUPDATE



**MOTOR TruSpeed® OEM-Sourced Repair Data Subscription**

- Delivers OEM service, repair, and ADAS content right on your Autel Ultra Series tablet with an active software subscription: **MS Ultra, MS Ultra ADAS, MS Ultra EV, MS919, MS909**
- Component locations, DTCs, maintenance schedules, repair procedures, technical service bulletins, wiring diagrams, and more
- All associated service procedure content, including repair details, required tools, and warnings in a single location
- Supports 1985+ domestic & import light-duty vehicles for the North American market
- Data direct from the original equipment manufacturers (OEM)
- Near-time OEM revision updates



DEW-DCF961GP1 **\$618<sup>25</sup>**  
**20V MAX\* XR® Brushless 1/2" Drive High Torque Impact Wrench with Hog Ring Anvil Kit**

- Loosening torque: 1,750 ft-lb
- Max. torque: 1,200 ft-lb
- 1890 IPM
- (1) 20V MAX\* 5.0 Ah battery
- (1) Charger



DEW-DCF961B **\$451<sup>15</sup>**  
**20V MAX\* XR® Brushless 1/2" Drive High Torque Impact Wrench with Hog Ring Anvil (Bare Tool)**



**IQV20™ 20V High Impact Brushless Impact Wrenches**

- Breakaway torque: 2,000 ft-lb
- Forward torque: 1,300 ft-lb
- 1,350 RPM • 1,900 BPM
- Kits include:  
 (2) 20V 5.0Ah batteries & (1) charger

| Item #       | Desc.     | Drive | Anvil |  |
|--------------|-----------|-------|-------|--|
| IRC-W8171-K2 | Kit       | 3/4"  | Std.  |  |
| IRC-W8571-K2 | Kit       | 3/4"  | 6"    |  |
| IRC-W8191-K2 | Kit       | 1"    | Std.  |  |
| IRC-W8591-K2 | Kit       | 1"    | 6"    |  |
| IRC-W8171    | Bare Tool | 3/4"  | Std.  |  |
| IRC-W8571    | Bare Tool | 3/4"  | 6"    |  |
| IRC-W8191    | Bare Tool | 1"    | Std.  |  |
| IRC-W8591    | Bare Tool | 1"    | 6"    |  |

**FREE!**



Buy #IRC-W8171-K2, #IRC-W8571-K2, #IRC-W8191-K2, or #IRC-W8591-K2 and obtain a \$50 Esso Gift Card for free.



**Knotted Bevel Wire Wheels**

- To be used with power drill, impact, or pneumatic drill

| Item #    | Diam. | Arbor   | Max. RPM |                |
|-----------|-------|---------|----------|----------------|
| TIT-22214 | 4"    | 5/8"-11 | 12,500   | <b>\$10.75</b> |
| TIT-22215 | 5"    | 5/8"-11 | 12,500   | <b>\$14.25</b> |



**CRIMPED Bevel Wire Wheel**

- To be used with power drill, impact, or pneumatic drill

| Item #    | Diam. | Arbor   | Max. RPM |               |
|-----------|-------|---------|----------|---------------|
| TIT-22221 | 4.5"  | 5/8"-11 | 12,500   | <b>\$9.95</b> |



**KNOTTED Wire Cup Brushes**

- To be used with power drill, impact, or pneumatic drill

| Item #    | Diam. | Arbor   | Max. RPM |                |
|-----------|-------|---------|----------|----------------|
| TIT-22236 | 2.5"  | 5/8"-11 | 12,500   | <b>\$7.95</b>  |
| TIT-22238 | 3.5"  | 5/8"-11 | 12,500   | <b>\$20.15</b> |
| TIT-22239 | 4"    | 5/8"-11 | 12,500   | <b>\$23.25</b> |



**CRIMPED Wire Cup Brush**

- To be used with power drill, impact, or pneumatic drill

| Item #    | Diam. | Arbor   | Max. RPM |               |
|-----------|-------|---------|----------|---------------|
| TIT-22226 | 2.5"  | 5/8"-11 | 12,500   | <b>\$7.15</b> |





# IN THIS CATALOGUE

April - June 2024



## RPT™ (Rounding Prevention Technology™) Hex and Torx® Bit Socket Sets

- Completely replaces your standard Hex or Torx® tools
- Provides up to **400% more torque on DAMAGED fasteners**



### RPT™ HEX Chrome Sockets

| Item #     | Drive | Length | Set  | Range       |                 |
|------------|-------|--------|------|-------------|-----------------|
| GPE-HBM6LS | 3/8"  | Long   | 6-Pc | 4mm - 10mm  | <b>\$161.45</b> |
| GPE-HBS6LS | 3/8"  | Long   | 6-Pc | 5/32 - 3/8" | <b>\$161.45</b> |
| GPE-HCM8S  | 1/2"  | Short  | 8-Pc | 10mm - 19mm | <b>\$204.95</b> |
| GPE-HCS6S  | 1/2"  | Short  | 6-Pc | 3/8 - 3/4"  | <b>\$180.05</b> |



### RPT™ HEX Impact Sockets

| Item #     | Drive | Length | Set  | Range        |                 |
|------------|-------|--------|------|--------------|-----------------|
| GPE-IHBM7S | 3/8"  | Short  | 7-Pc | 4mm - 11mm   | <b>\$149.05</b> |
| GPE-IHBS7S | 3/8"  | Short  | 7-Pc | 5/32 - 7/16" | <b>\$149.05</b> |
| GPE-IHCM7S | 1/2"  | Short  | 7-Pc | 10mm - 19mm  | <b>\$198.65</b> |
| GPE-IHCS6S | 1/2"  | Short  | 6-Pc | 3/8 - 3/4"   | <b>\$173.85</b> |



### RPT™ TORX® Impact Sockets

| Item #     | Drive            | Set   | Range     |                 |
|------------|------------------|-------|-----------|-----------------|
| GPE-IST10S | 1/4", 3/8", 1/2" | 10-Pc | T20 - T60 | <b>\$211.15</b> |



XBS7DS

## RPT™ SOCKET EXTRACTORS

- RPT™ Socket Extractors replace multiple sets of extractors
- Enables **EXTREME GRIP** on up to **100% damaged fasteners**
- The included G-FORS™ pusher rod is threaded through the back of the socket to quickly and easily push out the extracted object



| Item #      | Drive | Length   | Set   | Range      | Pusher Rod |                 |
|-------------|-------|----------|-------|------------|------------|-----------------|
| GPE-XAM9DS  | 1/4"  | Deep     | 9-Pc  | 4-12mm     | M3.5 & M6  | <b>\$273.25</b> |
| GPE-XAS9DS  | 1/4"  | Deep     | 9-Pc  | 3/16"-1/2" | M3.5 & M6  | <b>\$273.25</b> |
| GPE-XBM10DS | 3/8"  | Deep     | 10-Pc | 10-19mm    | M9         | <b>\$416.05</b> |
| GPE-XBS7DS  | 3/8"  | Deep     | 7-Pc  | 3/8"-3/4"  | M9         | <b>\$300.55</b> |
| GPE-XCM7S   | 1/2"  | Standard | 7-Pc  | 19-25mm    | M12        | <b>\$360.15</b> |
| GPE-XCM7DS  | 1/2"  | Deep     | 7-Pc  | 19-25mm    | M12        | <b>\$496.75</b> |
| GPE-XCS5S   | 1/2"  | Standard | 5-Pc  | 3/4"-1"    | M12        | <b>\$273.25</b> |
| GPE-XCS5DS  | 1/2"  | Deep     | 5-Pc  | 3/4"-1"    | M12        | <b>\$372.55</b> |

GPE-MBS132 **\$310<sup>45</sup>**

## 132-Pc Master Kit 1/4" Hex Drive RPT™ Multi-Bit Set

- Includes: Hex, TP Hex, Slotted, Phillips, JIS Phillips, ACR Phillips, Pozi, Torx®, TP Torx®, Torx® Plus, TP Torx® Plus, Square, Hi Torque, Clutch, Triple Square, Wing Nut







Page 114

**SHOP IRON TITAN**



**Stud Extractor**

- Impact ratchet & wrench compatible
- Ideal for removing stripped, rusted, broken or smooth studs

| Item #    | Drive | Stud Size Range            |                |
|-----------|-------|----------------------------|----------------|
| TIT-51013 | 1/4"  | 1/64" to 1/4" (1mm to 6mm) | <b>\$24.35</b> |

Page 124, 323



CTA-8854 **\$370<sup>05</sup>**

**3L Capacity ELECTRIC VEHICLE Brake Bleeding Kit**

- Services various EV models, including Tesla Models X, S, 3, and Y
- Includes 36mm and 37mm brake bleeder all-metal adapters



Page 130

**TITAN**

**Extendable Reversible Ratchets**

- 72 tooth mechanism
- Handle locks into 4 positions

| Item #    | Drive | Extension       |                |
|-----------|-------|-----------------|----------------|
| TIT-12184 | 1/4"  | 12.25" - 17.75" | <b>\$30.65</b> |
| TIT-12182 | 1/2"  | 12.25" - 17.75" | <b>\$56.65</b> |



Page 131



CTA-6535 **\$41<sup>15</sup>**

**5-Pc 1/4" Drive 8mm Socket Set**

- The 5 most popular styles of 8mm sockets packed on a socket rail
- Includes stubby, standard, deep, U-Joint sockets, and a magnetic impact socket



Page 134

**GW GEARWRENCH**



GWR-MEGAMOD1268

**1268-Pc MEGAMOD Master Technician Set**

- (1) Adjustable Height Work Table
- (1) Adjustable Height Swivel Mechanics Seat
- (1) 72" 18-Drawer GSX Rolling Tool Cabinet
- (1) 33" 4-Drawer GSX Tool Cart
- (27) Silver Premium Modular Foam Trays

**Included tools:**

- (60) Ratchets & Drive Tools • (711) Sockets & Bits
- (174) Impact Sockets & Drive Tools • (89) Bolt Biter Extraction Tools
- (163) Wrenches • (1) Torque Wrench • (28) Screwdrivers • (5) Pliers
- (31) Hex Keys • (2) Lighting Tools

Page 134



GWR-MEGAMOD873

**873-Pc MEGAMOD Master Technician Set**

- (1) 41" 5-Drawer Tool Chest
- (1) 41" 11-Drawer GSX Rolling Cabinet
- (18) Silver Premium Modular Foam Trays

**Included tools:**

- (60) Ratchets & Drive Tools
- (577) Sockets & Bits
- (89) Bolt Biter Extraction Tools
- (81) Wrenches • (28) Screwdrivers
- (5) Pliers • (31) Hex Keys



Page 134



GWR-MEGAMODMRO

**614-Pc MEGAMOD Master Technician Set**

- (1) 42" 11-Drawer Mobile Work Station
- (11) Black Signature Modular Foam Trays

**Included tools:**

- (28) Ratchets & Drive Tools
- (502) Sockets
- (64) Wrenches • (7) Pliers
- (12) Screwdrivers





Page 141



AST-78354 **\$230<sup>05</sup>**  
**10-Pc 3/8" Drive 6 Pt. Pinless Universal Impact Extension Socket Set, 9" Long**  
 • 10mm-19mm

Page 142



TIT-64120 **\$79<sup>65</sup>**  
**3/4" Drive 19" Long Breaker Bar**  
 • 1,354 ft-lb  
 • Non-ratcheting

Page 155



CAL-39660 **\$126<sup>65</sup>**  
**6-Pc Injector Line Flex Head Crowfoot Wrench Set, 6-Point**  
 • 3/8" drive: 12mm, 14mm  
 • 1/2" drive: 16mm, 17mm, 18mm, 19mm

Page 159



PHM8S




## RPT™ HEX

**RPT™ Hex T-Handle Wrench Sets (Long)**  
 • RPT™ Rounding Prevention Technology™

| Item #    | Kit  | Range  |                 |
|-----------|------|--|-----------------|
| GPE-PHM8S | 8-Pc | 2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm                         | <b>\$173.85</b> |
| GPE-PHS9S | 9-Pc | 5/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | <b>\$173.85</b> |

Page 159



## RPT™ TORX®

GPE-PST8S **\$161<sup>45</sup>**  
**8-Pc RPT™ Torx® T-Handle Wrench Set (Long)**  
 • RPT™ Rounding Prevention Technology™  
 • T10, T15, T20, T25, T27, T30, T40, T45





Page 175

## TITAN

TIT-60724 **\$25<sup>85</sup>**  
**7-1/2" Compound Diagonal Cutting Pliers**



Page 182

## CHANNEL LOCK

Made in USA



CNL-369CR **\$65<sup>75</sup>**  
**9.5" XLT™ Round Nose Lineman's Pliers with Cutter & Crimper**

- Cuts ACSR cable
- Crimps insulated and non-insulated connections and terminals

Page 194

## GRIP

PROFESSIONAL INDUSTRIAL PRODUCTS



### Jumbo Pry Bars with Striking End

| Item #    | Length |                 |
|-----------|--------|-----------------|
| GRI-60087 | 48"    | <b>\$80.95</b>  |
| GRI-60093 | 60"    | <b>\$101.25</b> |

Page 194


## GRIP

PROFESSIONAL INDUSTRIAL PRODUCTS



### Aligning Pry Bars

| Item #    | Length |                |
|-----------|--------|----------------|
| GRI-60105 | 24"    | <b>\$26.45</b> |
| GRI-60110 | 42"    | <b>\$57.65</b> |
| GRI-60115 | 60"    | <b>\$96.55</b> |



Page 197

## MAYHEW

MAY-31014F **\$168<sup>05</sup>**  
**14-Pc Mini Hand Tool Set**

- (2) Mini pry bars
- (3) Micro picks
- (1) Micro hook
- (2) Slotted screwdrivers (5/64", 3/32")
- (2) Phillips® screwdrivers (#00, #000)
- (4) Torx® screwdrivers (T6-T9)

Page 209

## Cal-Yan TOOLS

CAL-18100 **\$179<sup>75</sup>**  
**10-Ton Heavy Duty Push Puller**

- For removing press-fit parts such as gears, bearings and other items
- Can be used to install various items
- Spread: 2-1/8" to 7-1/4"
- Reach: 8-1/4"




# We believe in the No. 1 pullers & more manufactured by KUKKO, Germany






## SERIES 20+

### 2-JAW UNIVERSAL PULLER WITH QUICK ADJUSTABLE PULLING HOOKS



The 2-arm universal puller is used to remove bearings, gears and washers in all standard sizes for trades, workshops and industry. It can be used to remove any component that sits on a shaft and is freely accessible from the outside. Equipped with robust and adjustable standard hooks, the puller all-rounder ensures particularly safe, non-destructive removal both on external removal and internal extraction.

#### Technical attributes

| Part #      |  min.-max. |  min.-max. |  max. | Max. Force |                 |
|-------------|---|---|--|------------|-----------------|
| KKU-20-1+   | 9 - 90mm  | 100 - 120mm   | 100mm  | 5 t        | <b>\$220.55</b> |
| KKU-20-10+  | 10 - 130mm  | 95 - 160mm  | 100mm  | 5 t        | <b>\$262.05</b> |
| KKU-20-10+2 | 10 - 130mm  | 95 - 160mm  | 200mm  | 5 t        | <b>\$410.65</b> |
| KKU-20-2+   | 10 - 160mm  | 100 - 220mm   | 162mm  | 10 t       | <b>\$348.15</b> |
| KKU-20-2+3  | 10 - 160mm  | 100 - 220mm   | 300mm  | 10 t       | <b>\$508.35</b> |
| KKU-20-20+  | 10 - 200mm  | 100 - 260mm   | 162mm  | 10 t       | <b>\$373.75</b> |
| KKU-20-3+   | 0 - 250mm   | 180 - 340mm   | 210mm  | 13 t       | <b>\$737.55</b> |
| KKU-20-30+  | 0 - 350mm   | 180 - 440mm   | 200mm  | 13 t       | <b>\$730.25</b> |


## SERIES 20+S

### 2-JAW UNIVERSAL PULLER WITH NARROW ADJUSTABLE PULLING HOOKS



The 2-jaw universal puller with narrow adjustable pulling hooks is used for the safe and user-friendly removal of bearings, gears and discs in all common sizes for trades, workshops and industry. It can be used to remove any component that sits on a shaft and is freely accessible from the outside. The narrow Pulling hooks ensure that even narrow and difficult to access spaces can be reached.

#### Technical attributes

| Part #      |  min.-max. |  min.-max. |  max. | Max. Force |                 |
|-------------|---|---|--|------------|-----------------|
| KKU-20-1+S  | 4 - 90mm  | 70 - 140mm  | 100mm  | 5 t        | <b>\$254.45</b> |
| KKU-20-10+S | 4 - 120mm   | 70 - 180mm  | 100mm  | 5 t        | <b>\$279.95</b> |
| KKU-20-2+S  | 16 - 160mm  | 100 - 220mm   | 150mm  | 10 t       | <b>\$422.35</b> |
| KKU-20-20+S | 16 - 200mm  | 100 - 260mm   | 150mm  | 10 t       | <b>\$447.05</b> |
| KKU-20-3+S  | 21 - 250mm  | 180 - 340mm   | 200mm  | 13 t       | <b>\$810.05</b> |
| KKU-20-30+S | 21 - 350mm  | 180 - 440mm   | 200mm  | 13 t       | <b>\$803.95</b> |


## SERIES K-17

### SEPARATING SET WITH QUICK-CLAMPING SPINDLE AND PULLING/PRESS DEVICE



The Series 17 Separator sets are used to remove ball bearings, roller bearings, inner rings and other flat parts in trade, industry and workshops when there is not enough space for Pulling hooks. The separating and extracting process is able to gently separate these parts before they can be extracted from the outside. Compared to the 15 series, the 17 series is particularly handy because the separating jaws are clamped quickly and centrally by a pressure spindle. This 4-piece set includes one separating and one extracting device as well as a pair of extensions, ensuring the full range of applications.

#### Technical attributes

| Part #   | Included In Set       |  |                 |
|----------|-----------------------|---|-----------------|
| KKU-17-A | #17-1, #18-1, #19-1-P | 3/16" - 3" (12-75mm)  | <b>\$675.25</b> |
| KKU-17-B | #17-2, #18-2, #19-2-P | 7/8" - 4 1/2" (22-115mm)  | <b>\$970.95</b> |



# PORTACOOOL<sup>®</sup>

## APEX™ SERIES



**APEX 500**  
PTC-PACA05001A1

**APEX 700**  
PTC-PACA07001A1

**APEX 1200**  
PTC-PACA12001A1

**APEX 2000**  
PTC-PACA20001A1

**APEX 4000**  
PTC-PACA40001A1

**APEX 6500**  
PTC-PACA65001A1



### PEAK COOLING, INTELLIGENT CONTROL

The new Portacool Apex™ series, where technology, innovation and simplicity join to shape the environment and breathe sustainable cooling into every space—be it your home, the workplace, the sports field, or any place where life unfolds.

1. Smart, Connected Cooling
2. Quiet, Efficient, and Far-Reaching
3. Rugged, Portable, and Smartly Designed



### POWERED BY COOLSYNC™ TECHNOLOGY

Enjoy effortless control and personalized comfort with the CoolSync™ app: Sync your cooler to your smartphone for convenient, remote adjustments, tailor your environment with customizable fan speeds and optimize performance for energy efficiency and cost savings—all from the palm of your hand.

| Part #          | Cooling Up to (Sq. Ft.) | CFM   | Velocity (Km/h) | Air Flow Reach (Feet) | Water Reservoir (Gallons) | Dimensions (H x W x D) |  |
|-----------------|-------------------------|-------|-----------------|-----------------------|---------------------------|------------------------|--|
| PTC-PACA05001A1 | 500                     | 800   | 64              | 55                    | 13                        | 46" x 22" x 19.5"      |  |
| PTC-PACA07001A1 | 700                     | 1400  | 60              | 60                    | 22                        | 52" x 27" x 24"        |  |
| PTC-PACA12001A1 | 1200                    | 4000  | 40              | 40                    | 40                        | 58" x 42" x 26"        |  |
| PTC-PACA20001A1 | 2000                    | 6700  | 45              | 60                    | 45                        | 68" x 54" x 30"        |  |
| PTC-PACA40001A1 | 4000                    | 13250 | 40              | 50                    | 55                        | 77" x 63" x 33"        |  |
| PTC-PACA65001A1 | 6500                    | 22000 | 39              | 40                    | 66                        | 90" x 78" x 39"        |  |

**Lifetime warranty** on all molded housings. **3-year limited warranty** on motor and electrical components.



Page 262



### Padded Palm Gloves with Slip-On Cuff

- Durable, abrasion-resistant EVA foam-padded palm
- Rubberized finger tips for enhanced grip
- Slip-on elastic cuff

| Item #     | Size          |                |
|------------|---------------|----------------|
| RIN-103-08 | 8 (Small)     | <b>\$31.65</b> |
| RIN-103-09 | 9 (Medium)    | <b>\$31.65</b> |
| RIN-103-10 | 10 (Large)    | <b>\$31.65</b> |
| RIN-103-11 | 11 (X-Large)  | <b>\$31.65</b> |
| RIN-103-12 | 12 (XX-Large) | <b>\$31.65</b> |

Page 273



LIN-91039 **\$354<sup>45</sup>**

### 60-Ft. Retractable Power Cord Reel

- Magnetic braking system for a steady controlled cord return
- Auto-guide rewind mechanism
- Power indicator lights on reel and the triple outlet connector
- Cord: 60 ft., 12/3 SJTOW
- Grounded triple outlet
- Rated: 125V, 15A, 1875W, 60Hz

Page 289



### The Bone™ Mechanics Creepers

| Item #           | BHK-BH4031        | BHK-BH6031             | BHK-BH7031             |
|------------------|-------------------|------------------------|------------------------|
| Description      | The Bone-ster™    | The Bone™              | The Rough Rider™       |
| Capacity         | 400 Lbs           | 300 Lbs                | 400 Lbs                |
| Wheels           | 3"                | 5.125"                 | 5.275"                 |
| Ground Clearance | 1-1/4"            | 1-3/4"                 | 2-7/8"                 |
| Dimensions       | 43" x 24" x 5.25" | 45.5" x 25.5" x 7.875" | 45.5" x 25.5" x 7.875" |
|                  | <b>\$296.25</b>   | <b>\$386.45</b>        | <b>\$410.25</b>        |

Page 291



BHK-BH5031 **\$301<sup>45</sup>**

### The Tail Bone™ Mechanics Seat

- Weight capacity: 350 lbs
- Wheel size: 5-1/8"
- BIG mechanics seat that puts you comfortably 12" off the ground
- Extra stable tripod design and 32" wide base
- Ground clearance: 3/4"
- Dimensions: 29" L x 31-3/4" W x 12" H





# IN THIS CATALOGUE

April - June 2024

## Premium Automotive Products

Page 283



45204

45246

45251



45007

45006

45009

45002

45008

### Brake & Parts Cleaner Products

| Item #    | Product Description                  | Size   | Qty/Box |                 |
|-----------|--------------------------------------|--------|---------|-----------------|
| EMZ-45204 | EMZONE BRAKE CLEANER INDUSTRIAL (G4) | 390 g  | 12      | <b>\$62.95</b>  |
| EMZ-45246 | EMZONE BIG CAN BRAKE CLEANER (G4)    | 482 g  | 12      | <b>\$77.35</b>  |
| EMZ-45251 | EMZONE BIG PAIL                      | 18.9 L | 1       | <b>\$141.45</b> |

### Maintenance Products

| Item #    | Product Description                      | Size  | Qty/Box |                 |
|-----------|--|-------|---------|-----------------|
| EMZ-45002 | EMZONE PENETRATING LUBRICANT (G2)        | 400 g | 12      | <b>\$83.55</b>  |
| EMZ-45007 | EMZONE WHITE LITHIUM GREASE (G7)         | 400 g | 12      | <b>\$83.25</b>  |
| EMZ-45006 | EMZONE SILICONE LUBE                     | 300 g | 12      | <b>\$90.15</b>  |
| EMZ-45009 | EMZONE AIR INTAKE CARB & CHOKE CLNR (G9) | 418 g | 12      | <b>\$86.45</b>  |
| EMZ-45008 | EMZONE GRAVEL GUARD UNDERCOATING (G8)    | 446 g | 12      | <b>\$120.15</b> |



45001

44019

44016

44018

44005

### Appearance Care & Cleaning Products

| Item #    | Product Description                  | Size  | Qty/Box |                |
|-----------|--------------------------------------|-------|---------|----------------|
| EMZ-45001 | EMZONE ENGINE SHAMPOO (G1)           | 446 g | 12      | <b>\$85.75</b> |
| EMZ-44019 | EMZONE ULTIMATE SHINE                | 400 g | 12      | <b>\$88.05</b> |
| EMZ-44016 | EMZONE CARPET & UPHOLSTERY FOAM CLNR | 500 g | 12      | <b>\$78.95</b> |
| EMZ-44018 | EMZONE FOAMING TIRE SHINE            | 500 g | 12      | <b>\$89.25</b> |
| EMZ-44005 | EMZONE FOAMING GLASS CLEANER         | 517 g | 12      | <b>\$62.95</b> |



45883

45851

45830

45856

45850

### A/C Refrigerant Products & Accessories

| Item #    | Product Description                      | Size  | Qty/Box |                 |
|-----------|--|-------|---------|-----------------|
| EMZ-45851 | EMZONE 12a A/C COOL REFRIGERANT          | 170 g | 12      | <b>\$76.15</b>  |
| EMZ-45830 | EMZONE 1234yf REPL. A/C COOL REFRIGERANT | 170 g | 12      | <b>\$110.75</b> |
| EMZ-45856 | EMZONE 12a A/C STOP LEAK                 | 114 g | 12      | <b>\$154.25</b> |
| EMZ-45883 | EMZONE 12a A/C RECHARGE & SEALANT KIT    | KIT   | 6       | <b>\$324.35</b> |
| EMZ-45850 | EMZONE 12a A/C COOL REFRIG. EASY FILL    | 284 g | 6       | <b>\$179.65</b> |



Page 306 Chicago Pneumatic



**Air Riveters**

|  | CPT-9886                      | CPT-9887                       | CPT-9888            |
|--|-------------------------------|--------------------------------|---------------------|
| <b>Force</b>                             | 2,833 Lbf / 12,600N           | 4,721 Lbf / 21,000N            | 5,395 Lbf / 24,000N |
| <b>Rivet Type</b>                        | Blind Rivet                   | Blind Rivet                    | Blind Nut           |
| <b>Max. Rivet Size</b>                   | 3/16" (4.8mm)                 | 1/4" (6.4mm)                   | M3 - M12            |
| <b>Aluminum &amp; Copper Rivets</b>      | 0.12" - 0.19" (3.0mm - 4.8mm) | 0.189" - 0.25" (4.8mm - 6.4mm) |                     |
| <b>Steel Rivets</b>                      | 0.12" - 0.19" (3.0mm - 4.8mm) | 0.189" - 0.25" (4.8mm - 6.4mm) |                     |
| <b>Stainless Steel Rivets</b>            | 0.12" - 0.19" (3.0mm - 4.8mm) | 0.189" - 0.25" (4.8mm - 6.4mm) |                     |
| <b>BULB-TITE</b>                         |                               | 0.2" - 0.307" (5.0mm - 7.8mm)  |                     |
| <b>Monobolt, Magnalok, Interlok</b>      |                               | 0.189" - 0.25" (4.8mm - 6.4mm) |                     |
| <b>Hemlok</b>                            |                               | 0.25" (6.4mm)                  |                     |
| <b>Single-Grip</b>                       |                               | 0.189" (4.8mm)                 |                     |
| <b>Blind Rivets Nuts (all materials)</b> |                               |                                | M3 - M12            |
|  | <b>\$801.95</b>               | <b>\$1153.55</b>               | <b>\$2089.15</b>    |

Page 325 **TITAN**

TIT-51778 **\$22<sup>45</sup>**  
**11-Pc 3/8" Drive Brake Caliper Bit Socket Set**  
 • Hex: 1/4" - 3/8" and 7mm-10mm  
 • Torx®: T40-T55



Page 341 Astro

AST-78204 **\$45<sup>25</sup>**  
**4-Pc 1/2" Drive 1/2 Size Thin Wall Lug Nut Impact Socket Set**  
 • 17.5mm, 19.5mm, 11.5mm, 22.5mm



Page 341 **TITAN**

TIT-21126 **\$91<sup>95</sup>**  
**6-Pc 1/2" Drive 1/2 Size Thin Walled Impact Grade Flip Socket Set For Damaged Lug Nut Caps**  
 • Sizes: 18mm, 19mm, 21mm, 22mm, 18.5mm, 19.5mm, 21.5mm, 22.5mm



Page 351 Cal Van Tools

CAL-83970 **\$72<sup>05</sup>**  
**RAM 12-Pin Rear Axle Hub Nut Socket**  
 • Removes and installs rear axle hub lock nuts found on 2019 to current Ram heavy-duty truck models 3500, 4500, 5500  
 • Direct replacement for the OEM tool #2066600030



Page 362 Lisle

LIS-59560 **\$25<sup>35</sup>**  
**Stretch Belt Tool for GM**  
 • Double sided design allows the tool to work on both A/C and main drive pulleys when installing stretch belts on GM 5.3L, 6.2L, and 6.6L gas engines



Page 374 Cal Van Tools

CAL-39650 **\$60<sup>35</sup>**  
**6.7L Ford Diesel Injector Socket Set**  
 • Includes two application specific 12-point 17mm sockets for improving access to injector and other components



Page 375 Lisle

LIS-34720 **\$101<sup>55</sup>**  
**8-Pc Fuel Injector Seal Installer Kit**  
 • Used for replacing Teflon seals on most Hitachi, Bosch, Continental and Delphi single and double sealed fuel injectors found on many Ford, GM and Subaru engines  
 • Also works on many Ford ECO injectors with direct injectors







Page  
388



ASS-6021AGM **\$1282<sup>95</sup>**

**6/12/24V  
Battery Charger**

| Description  | Crank Assist @ 12V | Continuous Charging Rate | Battery Types                                  |
|--|--------------------|--------------------------|--|
| <b>Heavy Duty Fleet Charger/Analyzer</b><br>• 180 Minute Timer<br>• Fixed 125A Load Test | 205A               | 70/65/30A                | Automotive and fleet batteries incl. AGM & EFB |

Page  
392

## LAUNCH



### Battery System Tester

- 6 kinds of tests: Ripple Detection, Battery Test, Electric Current Test, Starter Test, Charging System Test, Voltage Test
- Battery tests are quick and accurate (within 3 seconds)

|                              |   |
|------------------------------|---|
| <b>Item #</b>                | <b>LAU-307020133</b>                          |
| <b>Model</b>                 | BST-560S                                      |
| <b>Battery Voltage</b>       | 12V   |
| <b>Measurement Standards</b> | CCA, BCI, CA, MCA, JIS, DIN, IEC, EN, SAE, GB |
| <b>Battery Types</b>         | Lead-Acid, Gel, AGM, EFB, Lithium             |
|                              | <b>\$149.95</b>                               |

Page 18



NEU-6026001001 **\$189<sup>75</sup>**  
**R-1234yf Coupler Assembly for Model ACSD Sealant Detector**



Page 36



BSD-3824A



**ESI[truck] Heavy Duty Diagnostic Solution**

- **Manufacturer coverage:** Freightliner, International, Kenworth, Mack, Volvo, Peterbilt, Sterling, Western Star, and more
- **Engine coverage:** PACCAR, Perkins, Detroit Diesel-MBE, Mack, Navistar, Caterpillar, Deutz, MTU, and more
- **System coverage:** transmissions, brake systems, exhaust treatment, audio systems, and more
- **Diagnostic capabilities:** enhanced bidirectional controls, including diesel particulate filter (DPF) regeneration, cylinder cut-out, injector coding, component actuation, special tests, and more
- **Wireless Bluetooth®** RP1210A Compliant VCI
- 4GB memory with 128 GB Flash Disk for permanent storage
- **Cable set:** 6-Pin Deutsch Connector Cable, 9-Pin Deutsch Connector Cable, 16-Pin / OBDII (Volvo) Cable

Page 36



**ESI[truck] Diagnostics 1-Year Subscriptions**

| Item #       | Description  |
|--------------|--|
| BSD-3824-08  | 1-Year Diagnostic Software License Renewal                 |
| BSD-3824-08R | 1-Year Troubleshooting and Repair Information Subscription |

Page 53



MLW-3150-20 **\$599<sup>95</sup>**

**M12™ Auto Technician Borescope (Bare Tool)**

- Access glow plug holes & fuel injector ports
- 4.3" HD display
- 3 ft. camera cable
- 5mm camera head
- 4-level zoom adjustment
- 5-level brightness adjustment
- 270° screen rotation
- Front & side view cameras for increased application viewing
- Capture and share photo & video files via the included 32GB SD card



Page 58

MLW-2915-22DE **\$1108<sup>05</sup>**

**M18 FUEL™ 1-1/8" SDS Plus Rotary Hammer with ONE-KEY™ & HAMMERVAC™ Dedicated Dust Extractor Kit**

- Impact energy: 3.6 ft-lb
- Speed: 800 RPM & 4,600 RPM
- Dust extractor capacity: up to 1-1/8" Diam. and up to 8" in Depth
- 3 modes: rotary hammer, hammer only, rotation only
- (2) M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 batteries
- (1) M18™/M12™ multi-voltage rapid charger



Page 62

MLW-48-59-2442SPC **\$306<sup>75</sup>**

**M12 REDLITHIUM™ XC4.0 Starter Kit**

- (2) M12™ XC4.0 batteries, 4.0Ah
- (1) Charger
- (1) Contractor bag



Page 63

MLW-2980-22 **\$658<sup>95</sup>**

**M18 FUEL™ 4.5" / 6" Braking Grinder Kit, Paddle Switch No-Lock**

- 9,000 RPM
- (2) M18™ High Output™ XC6.0 batteries
- (1) M18™/M12™ rapid charger



**FREE!**

While quantities last

Buy #MLW-2980-20, get #MLW-2848-20: M18™ 18V Cordless Tire Inflator.



Page 95



LEG-L8306FZ **\$431<sup>65</sup>**

**Flexzilla® Retractable Air Hose Reel with Levelwind™ Technology**

- Hose I.D.: 3/8"
- Length: 75 feet
- Work Pressure: 300 psi
- Temperature Range: -40°F to 140°F
- Hose Outlet: 1/4" MNPT
- Reel Inlet: 3/4" x 11-1/2" Male GHT

Page 114



GWR-86170 **\$94<sup>25</sup>**  
**8-Pc 1/4" Drive Bolt Biter™ Nut Extractor & Driver Set**

- 1/4", 7mm, 8mm (5/16"), 3/8", 10mm, 11mm (7/16"), 12mm, 13-mm (1/2")

Page 161



CDI-2502MRPH **\$265<sup>65</sup>**  
**3/8" Drive Comfort Grip Micrometer Adjustable Torque Wrench, Dual Scale**

- 20-250 in-lb (4.0-27.7 Nm)
- 11.25" long

Page 167



MGP-211R2CTPRD **\$58<sup>35</sup>**  
**Tamperproof Ratcheting 13-in-1 Multi-Bit Screwdriver**

- (6) Double-ended bits
- Tamperproof Hex: 1/8", 9/64"
- Tamperproof Torx®: TP10, TP15, TP20, TP25, TP27, T30
- Tamperproof Spanner: 6, 8, 10, 12
- 1/4" Hex shaft

Page 172



**Slip Joint Pliers with Wire Cutter**

- 2 jaw positions

| Item #    | Length | Cut Capacity | Jaw Capacity |                |
|-----------|--------|--------------|--------------|----------------|
| GWR-82175 | 8"     | AWG11        | 1.5"         | <b>\$28.45</b> |

Page 174



**V-Jaw Tongue & Groove Pliers**

| Item #    | Handles        | Length | Capacity | Adjust. |                |
|-----------|----------------|--------|----------|---------|----------------|
| GWR-82173 | Dipped Handles | 12"    | 2.6"     | 8       | <b>\$40.75</b> |

Page 202



MLW-48-22-8430 **\$70<sup>85</sup>**  
**PACKOUT™ Organizer**

- 10 removable & installable bins
- Integrated center slot for long bins and blades
- Modular PACKOUT™ connectivity
- Dim.: 19.7" W x 15.2" D x 4.6" H



Page 220

OTC-LDJ3-A **\$493<sup>85</sup>**  
**Hydraulic Floor Jack**

| Capacity | Lift Height |      | Chassis Length | Weight |
|----------|-------------|------|----------------|--------|
|          | Low         | High |                |        |
| 3-Ton    | 2.95"       | 20"  | 28.5"          | 77 lbs |



Page 236

**FILL-RITE**  
A GERMAN PUMP COMPANY



FIL-FR112 **\$348<sup>95</sup>**  
**Rotary Hand-Operated Fuel Transfer Pump with Nozzle Spout**

- Compatible with gasoline, diesel, biodiesel up to B20, E-15, Kerosene, Stoddard solvents, light oils, and mineral spirits
- Flow rate: up to 10 gallons (38L) per 100 revolutions
- Reversible flow design allows for fueling and draining vehicle fuel tanks
- Inlet/outlet: 1" / 3/4"
- 2" bung mount
- Padlock-compatible handle
- 20" - 34.5" telescoping steel suction pipe
- 3/4" nozzle spout
- 5/8" x 8 ft. hose

Page 281



**PACKOUT™ Tumblers**

- Modular connectivity with all PACKOUT™ components. Twist to lock.
- Smooth open & close
- Sliding magnetic lid
- Double wall vacuum insulation provides all-day hot & cold retention
- Dishwasher safe

| Item #          | Size  | Colour |                |
|-----------------|-------|--------|----------------|
| MLW-48-22-8392B | 20 oz | Black  | <b>\$30.55</b> |
| MLW-48-22-8392R | 20 oz | Red    | <b>\$30.55</b> |
| MLW-48-22-8393B | 30 oz | Black  | <b>\$35.45</b> |
| MLW-48-22-8393R | 30 oz | Red    | <b>\$35.45</b> |



Page 311



VCT-0426-4001 **\$178<sup>55</sup>**  
**SK-7000 Self Lighting Hand Torch**  
**- Propane & MAP/Pro™**

- Self-lighting
- Preset flame
- 180° swivel tip
- Safety trigger lock
- Operates on any standard MAP-Pro and Propane 1 lb (14.1 oz) tank • CGA 600 connection
- U.L. listed • One year warranty



Page 316



ESB-0700301082 **\$1389<sup>15</sup>**  
**Rogue EM 140 Portable MIG/MAG 120V Welding Package**

- Inverter-based MIG/MAG welding system
- Spool gun ready
- Input: 120VAC ±10%, 1ph, 50/60 Hz
- MIG (GMAW) welding output:  
 90 A / 18.5 V at 30%  
 64 A / 17.2 V at 60%  
 49 A / 16.5 V at 100%
- Current range: 30 – 140 A • Voltage range: 12 – 22 V
- Max. material thickness: - Mild steel: 24 ga. - 1/4" (0.5-6mm)  
 - Aluminum: 16 ga. - 1/8" (1.5-3.5mm)
- Wire dim.: - Mild steel & stainless steel: 0.6 – 0.9mm (0.023" – 0.035")  
 - Cored wire (FCAW) & aluminum: 0.8 – 0.9mm (0.030" – 0.035")
- Max. spool diameter: 100mm & 200mm (4" & 8")



ESB-0700301083 **\$1749<sup>15</sup>**  
**Rogue EM 190 PRO Portable MIG/MAG 230V Welding Package**

- Inverter-based MIG/MAG welding system
- Spool gun ready
- Input: 230 VAC ±10%, 1, 50/60 Hz
- MIG (GMAW) welding output:  
 145 A / 21.25 V at 30%  
 102 A / 19.1 V at 60%  
 79 A / 17.95 V at 100%
- Current range: 30 – 190 A • Voltage range: 12 – 26 V
- Max. material thickness: - Mild steel: 24 ga. - 3/8" (0.6-10mm)  
 - Aluminum: 18 ga. - 3/8" (1.2-10mm)  
 - Stainless: 20 ga. - 1/4" (1-6mm)
- Wire dim.: - Mild steel & stainless steel: 0.6 – 0.9mm (0.023" – 0.035")  
 - Cored wire (FCAW) & aluminum: 0.8 – 0.9mm (0.030" – 0.035")
- Max. spool diameter: 100mm & 200mm (4" & 8")



Page 386



SOL-JNC345 **\$343<sup>15</sup>**  
**12V Lithium Jump Starter/Power Bank**

- Start assist Amps: 550A
- Capacity: 89Wh
- (2) USB outlets: 2.4A • 40" #6 AWG cables
- 14.8V, 10A DC Output
- Integrated LED flashlight
- Starts most V8 vehicles
- Able to start totally dead batteries (0.0V)
- Charges small electronics such as your phone or tablet
- Reverse polarity, over-voltage, over-current & short circuit protection
- Includes: wall charger with charging cable, female 12V adapter with pin jack connector, storage pouch

