



# TOOLSHOP

g2stobeq.ca

April - June 2025

# NEW Products and more!

## TOOLSHOP COVER PAGE

MLW-3016-21ST



### M18 FUEL™ String Trimmer with QUIK-LOK™ Kit

- Power head compatible with all 13 QUIK-LOK™ attachments
- Cutting swath: 14" - 16"
- Line diam.: 0.080" / 0.095"
- 3 speed settings
- 0-6200 RPM
- (1) M18™ XC8.0 battery
- (1) M18™/M12™ rapid charger



Milwaukee



### FREE!

While quantities last

Promo valid only from  
April 1 to May 31, 2025.



Value of  
**\$248<sup>95</sup>**

Buy #MLW-3016-21ST,  
and obtain #MLW-3017-20  
for free: M18 FUEL™  
Blower (Bare Tool).

## BUY & GET

Page  
6

Milwaukee

MLW-48-59-1850



### M18™ REDLITHIUM™ XC5.0 Starter Kit

- (1) 18V XC5.0 battery, 5Ah
- (1) 18V/12V multi-voltage charger



### FREE!

While Quantities Last

Promo valid only from  
May 19 to July 9, 2025.

MLW-2686-20

### M18™ 4-1/2" / 5" Cut-Off Grinder, (Bare Tool)



DEW-DCKO215M1 **\$370<sup>55</sup>**  
**20V MAX<sup>®</sup> XR Brushless  
 String Trimmer and Blower Combo Kit**

- String trimmer:**
- 13" cutting swath
  - 0.080" line
- Blower:**
- 450 CFM
- Kit includes:**
- (1) 20V MAX<sup>®</sup> 4.0Ah Li-ion battery
  - (1) 20V MAX<sup>®</sup> 2Ah battery
  - (1) Charger



DEW-DCST925M1 **\$249<sup>45</sup>**  
**20V MAX<sup>®</sup> String Trimmer Kit**

- 13" cutting swath
- 0.080" line
- (1) 4.0Ah battery
- (1) Charger



DEW-DCST922B **\$235<sup>85</sup>**  
**20V MAX<sup>®</sup> Folding  
 String Trimmer (Bare Tool)**

- 14" cutting swath
- 0.080" line



DEW-DCCS620B **\$222<sup>85</sup>**  
**20V MAX<sup>®</sup> XR<sup>®</sup> Compact  
 12" Chainsaw  
 (Bare Tool)**



DEW-DCCS623B **\$216<sup>05</sup>**  
**20V MAX<sup>®</sup> XR<sup>®</sup> Compact  
 8" Pruning Chainsaw (Bare Tool)**

- 8" bar and chain
- Integrated tip guard designed to provide stability during up cuts
- Auto-oiling
- Chain speed: 8.6m/sec



DEW-DWO1DT608 **\$15<sup>05</sup>**  
**8" (203mm) Pole Saw  
 Replacement Chain**

- Fits #DEW-DCPS620



DWO1DT612



DWO1DT608

DEW-DWO1DT612 **\$22<sup>85</sup>**  
**12" (304.8mm) Chainsaw  
 Replacement Chain**

- Fits #DEW-DCCS620

DEW-DCBL722B **\$231<sup>25</sup>**  
**20V MAX<sup>®</sup> XR<sup>®</sup> Brushless  
 Handheld Blower (Bare Tool)**

- 450 CFM



DEW-DCPR320B **\$154<sup>95</sup>**  
**20V MAX<sup>®</sup> XR<sup>®</sup> 1-1/2" Cut Capacity  
 Cordless Pruner (Bare Tool)**

- Smooth, swift cuts with non-stick coated blades
- On-board LED light



DEW-DCPW1000X1 **\$521<sup>55</sup>**  
**60V MAX<sup>®</sup> 1000 PSI  
 Power Cleaner Kit**

- Attach to garden hose or draw from any fresh water source with self-priming
- 2 speed controls
- (4) nozzles: Turbo, 15°, 25°, 40°
- **Accessories included:** foam cannon, shoulder strap, suction hose, quick connect hose adapter, mesh storage bag
- On-board storage for quick-connect nozzles
- (1) 60V MAX<sup>®</sup> 9.0 Ah battery
- (1) Charger



DEW-DCPW1000B **\$386<sup>05</sup>**  
**60V MAX<sup>®</sup> 1000 PSI Power Cleaner (Bare Tool)**

DEW-DCPW550P1-CA **\$318<sup>75</sup>**  
**20V MAX<sup>®</sup> 550 PSI  
 Power Cleaner Kit**

- 1 GPM
- 2 speed controls
- (4) nozzles: Turbo, 15°, 25°, 40°
- **Accessories included:** soap bottle, suction hose, quick-connect hose adapter, storage bag
- (1) 20V MAX<sup>®</sup> 5.0Ah Battery
- (1) Charger



DEW-DCPW550B-CA **\$229<sup>05</sup>**  
**20V MAX<sup>®</sup> 550 PSI Power Cleaner (Bare Tool)**



# OUTDOOR POWER EQUIPMENT



MLW-3006-22 **\$983<sup>35</sup>**

**M18 FUEL™ 17" Dual Battery String Trimmer Kit**

- Cutting swath: 15" - 17"
- Line diameter: 0.080" / 0.095" / 0.105"
- RPM: 0-4900 / 0-6200
- (2) M18™ HIGH OUTPUT™ XC8.0 batteries
- (1) M18™ dual bay simultaneous rapid charger

MLW-3016-20ST **\$443<sup>15</sup>**

**M18 FUEL™ 16" String Trimmer with QUIK-LOK™ (Bare Tool)**

- Cutting swath: 14" - 16"
- 3-speed settings and variable speed trigger
- Compatible with all 13 QUIK-LOK attachments

MLW-3013-21 **\$1087<sup>15</sup>**

**M18 FUEL™ Telescoping Pole Saw Kit**

- 2.3HP peak power
- 9 feet to 13 feet adjustable length
- (1) M18™ High Output™ HD12.0 battery
- (1) M18™ & M12™ multi-voltage rapid charger

MLW-3013-20 **\$827<sup>75</sup>**

**M18 FUEL™ Telescoping Pole Saw (Bare Tool)**

MLW-3008-21 **\$931<sup>55</sup>**

**M18™ Telescoping Pole Pruning Shears Kit**

- Cut capacity: 1-3/4" branches
- Telescopes 7-10 feet
- (1) M18™ HIGH OUTPUT™ XC6.0 battery
- (1) M18™ & M12™ multi-voltage charger

MLW-3008-20 **\$672<sup>15</sup>**

**M18™ Telescoping Pole Pruning Shears (Bare Tool)**

MLW-49-16-2740 **\$467<sup>95</sup>**

**M18 FUEL™ QUIK-LOK™ Rubber Broom Attachment**

- 23" clearing width
- Compatible with the M18 FUEL™ Power Head WITH QUIK-LOK™

MLW-2727-20C **\$444<sup>25</sup>**

**M18 FUEL™ 14" Chainsaw (Bare Tool)**

- 6,600 RPM

MLW-2727-21HD **\$690<sup>85</sup>**

**M18 FUEL™ 16" Chainsaw Kit**

- 6,600 RPM
- (1) M18™ HD12.0 battery
- (1) M18™ & M12™ rapid charger

MLW-49-16-2715 **\$36<sup>95</sup>**

**16" Replacement Saw Chain**

MLW-2527-21 **\$382<sup>05</sup>**

**M12 FUEL™ HATCHET™ 6" Pruning Saw Kit**

- (1) M12™ XC 4.0 battery
- (1) M12™ charger

MLW-2527-20

**M12 FUEL™ HATCHET™ 6" Pruning Saw (Bare Tool)**

MLW-3004-20 **\$382<sup>15</sup>**

**M18 FUEL™ HATCHET™ 8" Pruning Saw (Bare Tool)**

MLW-2533-21 **\$331<sup>85</sup>**

**M12 FUEL™ 8" Compact Hedge Trimmer Kit**

- Cut capacity: 1/2"
- Strokes per minute: 2,700
- (1) M12™ XC 4.0 battery
- (1) M12™ charger

MLW-3017-20 **\$257<sup>55</sup>**

**M18 FUEL™ Blower (Bare Tool)**

- Max. air volume: 500 CFM
- Max. air speed: 120 MPH
- Variable speed sliding lock
- Nozzle attachment capable

MLW-2824-20

**M18 FUEL™ Dual Battery Blower (Bare Tool)**

- Maximum air volume: 600 CFM
- Maximum air speed: 145 MPH
- Nozzles: (1) flat & (1) tapered
- Requires (2) M18™ batteries

MLW-3009-24HD **\$2072<sup>55</sup>**

**M18 FUEL™ Dual Battery Backpack Blower Kit**

- 650 CFM
- Telescoping nozzle • 62dBA
- (4) M18 12.0 batteries
- (2) Dual-bay rapid chargers

MLW-3009-20 **\$672<sup>15</sup>**

**M18 FUEL™ Dual Battery Backpack Blower (Bare Tool)**

Buy #MLW-2823-22HD and obtain #MLW-3016-20ST for free: M18 FUEL™ Power Head String Trimmer (Bare Tool).

**FREE!**  
While quantities last  
Promo valid only from  
April 1 to May 31, 2025.

MLW-2823-22HD

**M18 FUEL™ Dual Battery Self-Propelled Mower Kit**

- Steel deck with 21" cut capacity
- 2,800 / 3,300 RPM, 0 - 4 MPH
- 7-position height range: 1" - 4"
- (2) M18™ HD12.0 batteries
- (1) M18™ dual bay simultaneous rapid charger





# DEWALT®

## 20V MAX XR

20V MAX XR® BRUSHLESS CORDLESS  
3-SPEED HIGH TORQUE 1/4 IN.  
IMPACT DRIVER KIT WITH  
XR POWERPACK™

VISSEUSE À PERCUSSION  
1/4 PO À 3 VITESSES ET COUPLE  
ÉLEVÉ SANS BALAI SANS FIL  
20 V MAX XR<sup>MD</sup> AVEC  
XR POWERPACK<sup>MC</sup>

DCF860WW1

OUR HIGHEST TORQUE  
IMPACT DRIVER\*  
TAKE ON TOUGH JOBS WITH  
UP TO 66% MORE TORQUE\*\*

NOTRE VISSEUSE À PERCUSSION  
À COUPLE LE PLUS ÉLEVÉ\*  
JUSQU'À 66 % PLUS DE COUPLE\*\*



**\$464<sup>05</sup>**



**XR**  
PERFORMANCE  
REDEFINED  
PERFORMANCE  
REDÉFINIE

## 20V BRUSHLESS

20V MAX XR® BRUSHLESS CORDLESS  
STRING TRIMMER & BLOWER COMBO KIT

ENSEMBLE DE TAILLE-BORDURES ET SOUFFLEUR  
SANS BALAI ET SANS FIL 20 V MAX XR<sup>MD</sup>

DCKO215M1

**\$370<sup>55</sup>**



## 20V BRUSHLESS

20V MAX XR® BRUSHLESS CORDLESS  
HANDHELD BLOWER (TOOL ONLY)

SOUFFLEUR PORTATIF XR<sup>MD</sup> À MOTEUR  
SANS BALAIS 20 V MAX (OUTIL SEULEMENT)

DCBK722B

**\$231<sup>25</sup>**



## 20V

20V MAX 14-IN. FOLDING STRING TRIMMER  
(TOOL ONLY)

TAILLE-BORDURE PLIANT DE 14 PO  
20V MAX (OUTIL SEULEMENT)

DCST922B

**\$235<sup>85</sup>**



## 20V

20V MAX XR® 8 IN. BRUSHLESS CORDLESS  
PRUNING CHAINSAW (TOOL ONLY)

SCIE À ÉLAGUER SANS BALAI SANS FIL  
8 PO 20 V MAX (OUTIL SEULEMENT)

DCCS623B

**\$216<sup>05</sup>**

## 20V

20V MAX 13 IN. CORDLESS  
STRING TRIMMER  
WITH CHARGER  
AND 4.0AH BATTERY

TAILLE-BORDURES  
SANS FIL 20 V MAX<sup>MD</sup>  
DE 13 PO AVEC CHARGEUR  
ET BATTERIE DE 4,0 AH

DCST925M1

**\$249<sup>45</sup>**



## 60V

60V MAX 1000 MAX PSI CORDLESS  
POWER CLEANER (TOOL ONLY)

PULVÉRISATEUR À HAUTE PRESSION SANS FIL  
1000 PSI 60 V MAX (OUTIL SEULEMENT)

DCPW1000B

**\$386<sup>05</sup>**

## 20V BRUSHLESS

20V MAX XR®  
BRUSHLESS  
CORDLESS 1/2-IN.  
HIGH TORQUE  
IMPACT WRENCH  
WITH HOG RING ANVIL  
(TOOL ONLY)

CLÉ À CHOCS  
SANS BALAI ET  
SANS FIL À ENCLUME  
1/2 PO À ANNEAU OUVERT ET COUPLE  
ÉLEVÉ 20 V MAX XR<sup>MD</sup> (OUTIL SEUL.)

DCF961B

**\$463<sup>65</sup>**



## 20V

20V MAX XR® BRUSHLESS CORDLESS  
4-1/2 - 5 IN. ANGLE GRINDER (TOOL ONLY)

MEULEUSE ANGULAIRE 4-1/2 - 5 PO SANS BALAI  
SANS FIL 20 V MAX XR<sup>MD</sup> (OUTIL SEULEMENT)

DCCG410B

**\$256<sup>45</sup>**

## LENOX

LENOX VARI-BIT  
7/8-IN. TO 1-3/8 IN.  
STEP DRILL BIT

FORET ÉTAGÉ  
LENOX VARI-BIT  
7/8 PO À 1-3/8 PO

30912VB12

**\$130<sup>45</sup>**



## LENOX

LENOX VARI-BIT  
3/16-IN. TO 7/8-IN.  
STEP DRILL BIT

FORET ÉTAGÉ  
LENOX VARI-BIT  
3/16 PO À 7/8 PO

30908VB8

**\$100<sup>25</sup>**



## LENOX

LENOX VARI-BIT  
1/2-IN. TO 1-IN.  
STEP DRILL BIT

FORET ÉTAGÉ  
LENOX VARI-BIT  
1/2 PO À 1 PO

30882VB2


**\$86<sup>95</sup>**





# SUNEX<sup>®</sup> TOOLS

THE EPITOME OF  
POWER & EFFICIENCY  
IN A LIGHTWEIGHT DESIGN



## 3/8", 1/2", 3/4" & 1" DRIVE IMPACT WRENCHES

- Crafted with a magnesium alloy clutch housing, these impact wrenches offer reduced fatigue, superior durability, improved heat dissipation, and enhanced resistance to corrosion and impact damage
- The innovative 7 spring-loaded rotor blades ensure smoother operation and increased efficiency, leading to continuous high performance and a longer tool lifespan
- The durable, high-impact resistant handle, crafted from 40% glass-filled nylon, offers a reliable grip with superior impact and wear resistance

**SUN-SXSN6P01**  
3/16" ORBITAL PALM  
SANDER WITH  
6" PAD

Free Speed:  
12,000  
RPM



**\$280.15**

**SUN-SXSW1001**  
AIR BODY SAW



Includes 2  
Saw Blades

**\$167.65**

**SUN-SXBG01K**  
BLOW  
GUN KIT

Includes Blow Gun  
and 4 Tips



**\$34.95**

**SUN-SX3802**  
3/8" DR. COMPACT  
COMPOSITE IMPACT  
WRENCH

Breakaway Torque: 600 Ft.-Lbs.  
Weight: 2.3 Lbs.

**\$259.95**



**SUN-SX1202**  
1/2" DR. COMPOSITE  
IMPACT WRENCH

Breakaway Torque:  
1,650 Ft.-Lbs.  
Weight: 3.6 Lbs.

**\$299.95**



**SUN-SX3402**  
3/4" DR. COMPOSITE  
IMPACT WRENCH

Breakaway Torque:  
2,400 Ft.-Lbs.  
Weight: 6.7 Lbs.

**\$599.95**



**SUN-SX0102**  
1" DR. COMPOSITE  
IMPACT WRENCH

Breakaway Torque:  
2,700 Ft.-Lbs.  
Weight: 12.7 Lbs.

**\$949.95**



**SUN-SX01026**  
1" DR. COMPOSITE IMPACT WRENCH  
WITH 6" EXTENDED ANVIL

Breakaway Torque:  
3,200 Ft.-Lbs.  
Weight: 15.8 Lbs.

**\$1013.55**



**SUN-SX2302**  
LONG BARREL  
AIR HAMMER

Blows per Minute:  
2,300 BPM

**\$326.65**



**SUN-SX2302K**  
LONG BARREL  
AIR HAMMER KIT  
Includes Long Barrel  
Air Hammer and  
5 Chisels

**\$361.55**



# NEW Products and more!

Page 18



SRR-AC1387 **\$1089<sup>65</sup>**

### 43-Pc Deluxe A/C Line Repair Kit

- Make instant on-the-car repairs to A/C lines on hundreds of vehicles
- Repair damaged rubber and aluminum lines including pinholes, cracks, kinks and more
- Make connections easily by hand; no specialty tools required
- Covers common line sizes including 3/8", 1/2", 5/8" and 3/4" (5/16" also available, sold separately)
- Pressure rated up to 600 PSI

Page 23



FLU-4393789 **\$198<sup>85</sup>**

### 59 MAX+ 10:1 Ratio Infrared Thermometer

- Temperature range: -30°C to 500°C (-20°F to 932°F)
- Precise laser targeting
- Large, backlit LCD display
- Small, lightweight design

Page 25



TIT-85522 **\$152<sup>25</sup>**

### Handheld Tubing Straightener

- Tube Cap.: 1/4"
- Straightens bent or coiled tubing
- Works on aluminum and copper tubing
- 4 sets of precision-aligned steel roller dies
- Compact for use in tight spaces

Page 28



AUL-ULTRAS2 **Passenger & Light Duty Vehicle Scan Tool Tablet**



AUL-ULTRAS2	
Another Leap Forward	
<b>HARDWARE</b>	
Wireless Vehicle Connection	MaxiFlash VCMI2 incl. Latest Protocols
Colour Touchscreen	13.7" LCD
Processor	2.7G Octa-Core
Memory / RAM	512GB SSD / 12GB RAM
Accessory Ports / Docking Station	HDMI / 2 USB + Fast Charge Docking Station
Non-OBDII Connectors	Optional (#MSOBD2KIT)
<b>SOFTWARE</b>	
Operating System	ANDROID 13.0
Software Updates	1 Year FREE
Automatic Detection	SCANVIN / Auto-VIN / Auto-SCAN / Plate Scan
Split Screen Display	View Multiple Functions At Once
VCI / J2534	<b>6-IN-1 DEVICE:</b> VCI with Advanced Comm. Protocols, J2534 Pass-Thru, 4-Channel Oscilloscope, Multimeter, Waveform Generator, CAN Bus Check, Remote Expert Device
MOTOR TruSPEED Repair Data	1 Year FREE Access
Topology Module Mapping	Colour Coded All System Status Screen on supported vehicles
Secure Gateway Access	Stellantis, Nissan & Mercedes-Benz with AutoAuth Account. VW & Audi with subscription.
License Plate Reader	Available on Supported Vehicles
<b>FEATURES</b>	
Basic & Special Functions	Domestic, Asian & Euro 1996+
OBDII Test Modes	All 10 Test Modes Live & Freeze Frame/Enhanced Mode 6
TPMS Service Modes	Register Sensor IDs
Service Resets	48+ Service Features
Diesel (Light + Medium Duty)	Reset Diesel Emissions
System Diagnostics	Access All Modules in All Systems
Component Activations	Bi-Directional Control
Enhanced Functions	Coding + Adaptations





# NEW Products and more!

Page 36



COJ-70002031

### Jaltest OHW USA Cable Kit

- Includes: JDC504A, JDC509A, JDC523A, JDC216A9, JDC505A, JDC533A, JDC538A



Page 38



CDO-HDCODEIII **\$927<sup>35</sup>**

### HD Truck Code Reader with 5" Touch Screen

- Heavy duty, medium duty, and light duty truck coverage
- OE-level coverage for Detroit, Cummins, International, Isuzu, Mack/Volvo, Hino/UD, Fuso, Paccar, Caterpillar and more
- Perform injector cutoffs, speed limiter adjustments and ABS and Transmission code scanning with live data
- Emissions coverage including DPF / DEF / SCR and Soot level resets
- ECU data and ECU resets to clear emission codes
- NOX, NOX sensor/ Doser valve/ DPF pressure sensor test and resets
- EGR test and reset • Detroit: register new DPF filter
- CLEAR all emissions related codes
- Light duty regeneration: GM, FORD, CHRYSLER, NISSAN and more
- Light duty DPF / Reductant / SCR / Soot level resets
- Fuel trim / Fuel content resets
- Oil & Maintenance reset for heavy duty through light duty
- Wireless Bluetooth Android platform



Page 44



FLU-4401595

### Digital Multimeter



Model Description	Fluke 3000FC Wireless Multimeter
<b>BASIC FEATURES</b>	
Counts	6,000
Auto/Manual Ranging	■
True-RMS	AC
<b>MEASUREMENTS</b>	
Voltage AC/DC	1,000 V
Current AC/DC	400 mA
Resistance	50 MΩ
Frequency	99.99 kHz
Capacitance	10,000 μF
Diode Test	■
<b>DIAGNOSTICS &amp; DATA</b>	
Min./Max. Recording	■
<b>SAFETY</b>	
CAT III	1,000 V
CAT IV	600 V

Page 45



PWP-DM300AUTO **\$445<sup>45</sup>**

### True RMS Digital Multimeter

- AC/DC voltage: 1000V
- AC/DC current: 30A
- Safety category: CAT IV 600V, CAT III 1000V
- Counts: 6000
- Cranking voltage test: 12V/24V starter
- Alternator cranking test: 12V normal/smart alternator 24V normal/smart alternator
- In-line DC current: 10A
- In-line DC current with 30A probe: 30A
- Fuse DC current measurement: 2A-80A (MINI/ATC/MAXI fuse)
- Resistance: 40 MΩ
- Frequency: 20 kHz
- Duty cycle: 1-99%
- Continuity & diode test



Page 47



PWP-PPFUSE **\$219<sup>95</sup>**

### Fuse Monitor

- Top of the unit displays either inactive, active or open when measuring across a fuse for quick diagnosis
- Accurately measures current without removing the fuse
- Perfect for locating circuits with a parasitic draw
- Ability to read MAXI, MINI & ATC fuses
- USB-C rechargeable




Page 50



ESI-616-2 **\$42<sup>15</sup>**

### Dual Radius Spoon Probes

- Designed for back probing round pin connectors
- 2 sets: large radius and smaller radius spoon probes



# NEW Products and more!

Page 59



DEW-DCF897B **\$437<sup>25</sup>**  
**20V MAX\* 3/4" Impact Wrench (Bare Tool)**

Page 59



W7153-K22



**IQV20™ 1/2" Drive DXS™ Drive Xchange System™ Impact Wrench**

- Breakaway torque: 1,500 ft-lb
- Forward torque: 1,000 ft-lb
- 1,900 RPM • 2,450 BPM
- **Kit includes:**  
 (2) 20V 5.0Ah batteries & (1) charger

Item #	Desc.
IRC-W7153-K22	Kit
IRC-W7153	Bare Tool

Page 59



IRC-IQV20-3W7D3 **\$999<sup>95</sup>**  
**9-Pc Cordless Kit**

- Kit includes:
- (1) W7153..... 20v 1/2" Drive DXS Impact Wrench, Bare Tool
- (1) D3141..... 20v 1/2" Compact Drill Driver, Bare Tool
- (1) D3411..... 20v 1/4" Hex Compact Screwdriver, Bare Tool
- (2) BL2022..... 20v 5.0 Amp Batteries
- (1) BL2012..... 20v 2.5 Amp Battery
- (1) BC1121..... 20v Universal Charger
- (1) DXSK2M15L..... 15-Pc DXS2 Impact Socket Set, Deep Metric
- (1) AK43H..... 3-Pc DXS2 Anvil Kit - 1/2" x 2", 1/2" x 4" & 3/4" Standard

Page 61



DEW-DCD470X1 **\$853<sup>25</sup>**

**60V MAX\* In-Line Stud and Joist Drill with E-CLUTCH® System Kit**

- 0 - 600/0 - 1320 RPM
- (1) Flexvolt® 20V/60V MAX\* 9.0 Ah battery
- (1) Flexvolt® 20V/60V MAX\* fast charger

Page 65



DEW-DCG410VSB **\$377<sup>15</sup>**  
**20V MAX\* XR® Brushless 4-1/2" - 5" Variable Speed Paddle Switch Grinder (Bare Tool)**  
 • 9,000 RPM

Page 68



MLW-48-59-1816 **\$349<sup>05</sup>**  
**M18™ Dual Bay Simultaneous Super Charger**

- Accepts all M18™ batteries
- Can charge M18™ FORGE™ XC6.0 batteries to 100% in just 25 minutes
- **Mounting:** Equipped with 4-point mounting designed to be mounted in vans or trailers for on-the-go charging





# NEW Products and more!

Page 68



MLW-48-59-1817 **\$434<sup>75</sup>**

### M18™ Six Bay Daisy Chain Rapid Charger

- Compatible with all M18™ batteries
- Dual charge modes for rapid daytime or overnight charging
- Daisy chain 10 chargers
- Charge up to 60 packs on a single circuit
- Charges 2 batteries simultaneously at a rapid charge rate
- PACKOUT™ compatible

Page 72



### 1/2" Drive Impact Wrenches

Item #	Special Features	Loosening Torque	Max. Torque Reverse	Weight	
ACA-1070	Angle	700 ft-lb	500 ft-lb	3.1 lbs	<b>\$276.95</b>
ACA-1120	Twin Hammer	750 ft-lb	650 ft-lb	4.8 lbs	<b>\$179.35</b>

Page 79



### 1/4" Composite Die Grinders

- 2-year warranty

Item #	Head	Features	Motor	RPM	
ACA-6225	Straight		1/2 HP	22,000	<b>\$93.45</b>
ACA-6245	90° Angle		1/2 HP	20,000	<b>\$133.95</b>

Page 81



MUK-EQ-290 300/KIT **\$999<sup>95</sup>**

### Heavy Duty Vibro-Impact® Air Hammer Kit

- Shank: 15mm Hex (.590")
- 2,500 BPM
- Kit includes: flat chisel & 20mm pin driver
- 1 year warranty



Page 87



### Low Vibration "Lube Free" Sanders

- Hook & loop pads • 2-year warranty

Item #	Pad	Motion	Central Vac	Orbit	RPM	
ACA-6700-6-338	6"	Orbital	No	3/8"	11,000	<b>\$278.85</b>
ACA-6700-6-338CV	6"	Orbital	Yes	3/8"	11,000	<b>\$295.55</b>

Page 88



### ACA-6281 **\$227<sup>75</sup>** 2" & 3" Angle Disc Sander with Spindle Lock

- 0.75 HP
- 18,000 RPM
- Spindle lock for easy accessory change
- Includes 2" & 3" Roloc style pads



Page 89



**\$196<sup>65</sup>**

CPT-873CK

### Low Speed Light Duty Tire Buffer Kit

- 3,000 RPM
- 11mm Hex quick change chuck



# NEW Products and more!

Page 98



LEG-HFZG575YW-E **\$99<sup>95</sup>**

### Flexzilla® Garden Hose Assemblies

- Extreme all-weather flexibility
- Won't kink under pressure
- Lightweight, coils easily
- Lays flat - no memory
- Length: 75 feet
- Hose I.D.: 5/8"
- Fittings: 3/4" x 11-1/2" GHT



Page 102

### TITAN



TIT-22206 **\$12<sup>75</sup>**  
**6-Pc Crimped Wire Brush Set**

- (5) Circular brushes: 1.5", 2", 2.5", 3"
- (1) Cup brush: 2"
- Brass coated carbon steel bristles
- 1/4" hex shank



Page 102

### TITAN



TIT-22209 **\$11<sup>75</sup>**  
**4-Pc Wire Brush Set**

- (1) 3" Circular brush
- (1) 2" Cup brush
- (1) 1" End brush
- (1) 10" Scratch brush
- Brass coated carbon steel bristles
- 1/4" hex shank



Page 115

### RPT™ SOCKET EXTRACTORS

GPE-XBM10S **\$313<sup>65</sup>**

- RPT™ Socket Extractors replace multiple sets of extractors
- Enables **EXTREME GRIP** on **up to 100% damaged fasteners**
- The included G-FORS™ pusher rod is threaded through the back of the socket to quickly and easily push out the extracted object

Drive	Length	Set	Range	Pusher Rod
3/8"	Standard	10-Pc	10-19mm	M9



Page 133



MLW-48-22-9486 **\$399<sup>75</sup>**  
**106-Pc 1/4" & 3/8" Drive Ratchet & Socket Set with PACKOUT™ Low-Profile Organizer**

- Standard: 5 to 15mm, 5/32" to 9/16"
- Deep: 5 to 15mm, 5/32" to 9/16"
- 90-Tooth ratchet
- 3" & 6" extensions & U-joint

Page 137



9011



9011M

9016D



### 6 Point Impact Socket Sets

Item #	Drive	Piece Count	Size Range	
<b>SHALLOW Length Sets</b>				
GRY-9020M	1"	20-Piece	45mm – 75mm	<b>\$1875.45</b>
GRY-9016	1"	16-Piece	2-1/16" – 3"	<b>\$1929.35</b>
GRY-9011M	1"	11-Piece	76mm – 115mm	<b>\$4810.05</b>
GRY-9011	1"	11-Piece	3-1/8" – 4-1/2"	<b>\$4158.75</b>
<b>DEEP Length Sets</b>				
GRY-9011MD	1"	11-Piece	76mm – 115mm	<b>\$6872.75</b>
GRY-9011D	1"	11-Piece	3-1/8" – 4-1/2"	<b>\$6075.95</b>
GRY-9020MD	1"	20-Piece	45mm – 75mm	<b>\$2713.95</b>
GRY-9016D	1"	16-Piece	2-1/16" – 3"	<b>\$2785.65</b>



# NEW Products and more!

Page 141



## Open Stock Shallow Impact Sockets



### 1-1/2" Drive

4"	GRY-6128R	\$765.95
4-1/16"	GRY-6130R	\$826.45
4-1/8"	GRY-6132R	\$826.45
4-3/16"	GRY-6134R	\$826.45
4-1/4"	GRY-6136R	\$826.45
4-5/16"	GRY-6138R	\$866.65
4-3/8"	GRY-6140R	\$967.65
4-7/16"	GRY-6142R	\$967.65
4-1/2"	GRY-6144R	\$967.65
4-5/8"	GRY-6148R	\$1046.65
4-3/4"	GRY-6152R	\$1046.65
4-7/8"	GRY-6156R	\$1091.35
5"	GRY-6160R	\$1385.15
5-1/8"	GRY-6164R	\$1824.25
5-1/4"	GRY-6168R	\$1901.15
5-3/8"	GRY-6172R	\$1911.25
5-1/2"	GRY-6176R	\$2366.85
5-5/8"	GRY-6180R	\$2388.55
5-3/4"	GRY-6184R	\$2422.25
5-7/8"	GRY-6188R	\$2518.05
6"	GRY-6192R	\$2602.25
6-1/8"	GRY-6196R	\$2722.35
6-1/4"	GRY-6200R	\$2958.95
6-3/8"	GRY-6204R	\$2994.65
6-1/2"	GRY-6208R	\$3155.05

### 2-1/2" Drive

3-1/2"	GRY-7112R	\$1316.75
3-5/8"	GRY-7116R	\$1316.75
3-3/4"	GRY-7120R	\$1492.05
3-7/8"	GRY-7124R	\$1492.05
4"	GRY-7128R	\$1755.55
4-1/8"	GRY-7132R	\$1755.35
4-1/4"	GRY-7136R	\$1843.35
4-3/8"	GRY-7140R	\$1990.95
4-1/2"	GRY-7144R	\$2055.95
4-5/8"	GRY-7148R	\$2175.85
4-3/4"	GRY-7152R	\$2434.55
4-7/8"	GRY-7156R	\$2629.25
5"	GRY-7160R	\$2629.25
5-1/8"	GRY-7164R	\$2629.25
5-1/4"	GRY-7168R	\$2824.25
5-3/8"	GRY-7172R	\$2824.25
5-1/2"	GRY-7176R	\$3116.15
5-5/8"	GRY-7180R	\$3213.65
5-3/4"	GRY-7184R	\$3408.35
5-7/8"	GRY-7188R	\$3408.35
6"	GRY-7192R	\$3505.65
6-1/8"	GRY-7196R	\$3700.45
6-1/4"	GRY-7200R	\$3700.45
6-3/8"	GRY-7204R	\$3895.25
6-1/2"	GRY-7208R	\$3992.55
6-5/8"	GRY-7212R	\$3987.85
6-3/4"	GRY-7216R	\$4173.45
6-7/8"	GRY-7220R	\$4730.05
7"	GRY-7224R	\$4730.05
7-1/2"	GRY-7240R	\$5471.85
7-5/8"	GRY-7244R	\$5471.95
8"	GRY-7256R	\$6028.45

Page 148




## Individual Hex Bit Impact Sockets, 4" Long



Item #	Size	Item #	Size
<b>3/4" Drive</b>			
GRY-3927M	27mm		<b>\$79.65</b>
GRY-3930M	30mm		<b>\$92.75</b>
<b>1" Drive</b>			
GRY-4914M	14mm	GRY-4920F	5/8" <b>\$89.55</b>
GRY-4917M	17mm	GRY-4924F	3/4" <b>\$89.55</b>
GRY-4919M	19mm	GRY-4926F	13/16" <b>\$89.55</b>
GRY-4922M	22mm	GRY-4928F	7/8" <b>\$89.55</b>
GRY-4924M	24mm	GRY-4932F	1" <b>\$89.55</b>
GRY-4927M	27mm	GRY-4934F	1-1/16" <b>\$89.55</b>
GRY-4930M	30mm	GRY-4936F	1-1/8" <b>\$89.55</b>
GRY-4933M	33mm	GRY-4938F	1-3/16" <b>\$96.05</b>
GRY-4936M	36mm	GRY-4940F	1-1/4" <b>\$114.45</b>
GRY-4938M	38mm	GRY-4942F	1-5/16" <b>\$120.95</b>
GRY-4941M	41mm	GRY-4944F	1-3/8" <b>\$141.15</b>
		GRY-4948F	1-1/2" <b>\$154.05</b>
		GRY-4952F	1-5/8" <b>\$174.45</b>
		GRY-4956F	1-3/4" <b>\$211.15</b>

Page 157

## TITAN



### Jumbo Crowfoot Wrench Sets

Item #	Piece Count	Drive	Range	
TIT-17678	8-Piece JUMBO	1/2"	24mm - 32mm	<b>\$63.95</b>
TIT-17676	6-Piece JUMBO	1/2"	1-5/8" - 2-1/4"	<b>\$95.95</b>

Page 171



VIM-PDMS100 **\$195<sup>15</sup>**

### 33-Pc Power Drive Master Impact Bit Set

- Phillips: (2) #2, (1) #3
- Torx®: T10-T30
- Torx Plus®: IP15-IP30
- Hex: 3mm, 4mm
- Bit holder with locking sleeve



Page 143



### GRY-104A \$55<sup>05</sup> 4-Pc Socket Adapter Set

- 1/4" (F) x 3/8" (M)
- 3/8" (F) x 1/4" (M)
- 3/8" (F) x 1/2" (M)
- 1/2" (F) x 3/8" (M)



# NEW Products and more!

Page 177



GWR-82183-06 **\$38<sup>05</sup>**

### Diagonal Cutting Pliers

- 20° head angle for flush cutting
- Reaming edges for deburring pipes
- Length: 7"
- Cut Capacity : AWG8



Page 192

### TITAN

TIT-63332 **\$36<sup>15</sup>**

### 32 Oz. Hi-Viz Ball Pein Hammer

- Face diameter: 2"
- Overall length: 13"
- Steel striking face
- Steel handle with thermoplastic overlay



Page 192

### TITAN

TIT-63412 **\$29<sup>05</sup>**

### 12 Oz. Double Face Rubber Mallet

- Face diameter: 1.2"
- Overall length: 12"
- Head material: cast iron
- Lightweight, durable hickory handle
- Spark resistant replaceable ends (#TIT-63402)



Page 205



MLW-48-22-8410

### PACKOUT™ Dolly

- 250 lbs load capacity
- Locking casters
- QUICKSTOP™ loading lever holds dolly securely during stacking
- Modular PACKOUT™ connectivity
- 24.4" L x 18.9" W x 7.6" H

Page 205



MLW-48-22-8428

### PACKOUT™ Rolling Tool Chest

- 250 lbs load capacity
- 35 gallon interior capacity
- Interior organization tray (20" x 12")
- Dual stack top
- 9" all-terrain wheels
- Modular PACKOUT™ connectivity
- 38" L x 24" W x 15.8" H



Page 206



MLW-48-22-8432

### PACKOUT™ Deep Organizer

- 50 lbs load capacity
- 3 large and 3 small quick-adjust dividers
- Modular PACKOUT™ connectivity
- Dim.: 19.7" W x 15.2" D x 7" H



Page 229



STK-STC50133 **\$328<sup>05</sup>**

### Ford 3.5L / 3.7L and EcoBoost Engine Lift Plate Hoist Tool

- Designed for Ford engines: specifically engineered for Ford 3.5L and 3.7L EcoBoost engines, both turbo and non turbo versions. It is compatible with models such as the Ford Transit, F-150, Navigator, Flex and more.
- Mounts directly to the left and right side of the cylinder head to make your next engine rebuild or swap hassle-free
- No need to remove the subframe
- Eliminates the risk of breaking chassis bolts, saving time and money
- Rated for over 2,500 lbs of lifting weight
- Limited lifetime warranty





# NEW Products and more!

Page 238




MLW-2940-20 **\$548<sup>05</sup>**

### Stick Water Transfer Pump (Bare Tool)

- 360° inlet maximizes flow in heavy debris
- HYDROPASS™ filter shields against clogs



Platform	M18®
GPM	25 GPM
Submersible Barrel	48"
Max. Head Hight	17 ft.
Threaded Outlet	1-1/4"
Threaded 3/4" Y-Adapter (for single/dual hose use)	✓



Page 253



ASM-FUN4EUROKIT **\$372<sup>75</sup>**

### 4-Pc German Car Engine Oil Funnel Set

- For all VW/Audi, BMW, Mercedes, Porsche and Mini (B motors) 1998-2024



Page 254



LIS-60740 **\$209<sup>15</sup>**

### 3-Pc 3/8" Drive Torque Adapter Set

- Helps prevent over tightening plastic and aluminum oil filter canisters and filters
- Turns any ratchet or breaker bar into a 25, 35, or 40 Newton-meter torque wrench. Can also be used with 21mm socket or wrench.
- Not for use with impact or pneumatic wrenches



Page 267



B3165HC



B3165HAGS



B4213HA

### Gas Pressure Washers – Cold Water

Item #	BEP-B3165HC	BEP-B3165HAGS	BEP-B4213HA
Series	COMMERCIAL	COMMERCIAL	COMMERCIAL
PSI	3,100 psi	3,100 psi	4,200 psi
Engine	196cc, Honda	196cc, Honda	389cc, Honda
Max. Flow	3.1 GPM	3.1 GPM	4.2 GPM
Hose	50 ft. (included)	50 ft. (included)	50 ft. (included)
Accessories	36" Insulated Spray Gun & Wand Nozzles: 0°, 15°, 40°, Soaper	36" Insulated Spray Gun & Wand Nozzles: 0°, 15°, 40°, Soaper	36" Insulated Spray Gun & Wand Nozzles: 0°, 15°, 40°, Soaper
Weight	105 lbs	105 lbs	140 lbs
	<b>\$1305.05</b>	<b>\$1661.35</b>	

# NEW Products and more!

Page 270

**GEARWRENCH**

GWAM1800

GWAM800



### Air Movers

- GWAM800:**
- 3 angles: 0°/45°/90°
  - 10 ft. power cord
- GWAM1800:**
- 30 ft. power cord

Item #	CFM	
GWR-GWAM800	800	<b>\$225.35</b>
GWR-GWAM1800	1800	<b>\$450.75</b>



Page 270

**Mastercool**  
"World Class Quality"

### Blower Fans

- 120 Volts, 60 Hz
- For indoor or outdoor use
- 3 speed switch (high, medium, low)
- Built-in overload protection
- (2) 11 Amp built-in grounded receptacles

Item #	CFM	
MTC-20300-A	300	<b>\$166.55</b>
MTC-21200-A	1200	<b>\$232.25</b>



Page 270

**GEARWRENCH**

GWSFAN20

GWSFAN24



### 3-Blade High-Velocity Shop Fans

- Adjustable tilting head for customized positioning
- All metal construction
- Built-in cord wrap

Item #	CFM	Speeds	
GWR-GWSFAN20	4500	3	<b>\$127.15</b>
GWR-GWSFAN24	7200	2	<b>\$268.25</b>

Page 270

**PORTACOOL**  
APEX™ SERIES



**APEX 500**  
PTC-PACA05001A1

**APEX 700**  
PTC-PACA07001A1

**APEX 1200**  
PTC-PACA12001A1

**APEX 2000**  
PTC-PACA20001A1

**APEX 4000**  
PTC-PACA40001A1

**APEX 6500**  
PTC-PACA65001A1

### Peak Cooling, Intelligent Control

The Portacool Apex™ series, where technology, innovation and simplicity join to shape the environment and breathe sustainable cooling into every space — be it your home, the workplace, the sports field, or any place where life unfolds.

- 1. Smart, Connected Cooling:** Enjoy effortless control and personalized comfort with the CoolSync™ app
- 2. Quiet, Efficient, and Far-Reaching**
- 3. Rugged, Portable, and Smartly Designed**

Part #	Cooling Up to (Sq. Ft.)	CFM	Velocity (Km/h)	Air Flow Reach (Feet)	Water Reservoir (Gallons)	Dimensions (H x W x D)
PTC-PACA05001A1	500	800	64	55	13	46" x 22" x 19.5"
PTC-PACA07001A1	700	1400	60	60	22	52" x 27" x 24"
PTC-PACA12001A1	1200	4000	40	40	40	58" x 42" x 26"
PTC-PACA20001A1	2000	6700	45	60	45	68" x 54" x 30"
PTC-PACA40001A1	4000	13250	40	50	55	77" x 63" x 33"
PTC-PACA65001A1	6500	22000	39	40	66	90" x 78" x 39"

Lifetime warranty on all molded housings. 3-year limited warranty on motor and electrical components.



# NEW Products and more!

Page 280



FBS-50020 **\$21<sup>65</sup>**  
**1L Trigger Sprayer**  
 • Adjustable nozzle  
 • Stable wide bottom design



Page 280



Made in Germany

**EPDM Pump & Spray Compression Sprayers**

- Provides excellent resistance to water-based chemicals, alkaline solutions, and high temps
- The 1.8L sprayer has the ability to be charged with compressed air

Item #	Capacity	
FBS-50101	1L	<b>\$76.95</b>
FBS-50401	1.8L	<b>\$126.55</b>



Page 283



PR88-100 ml



PR88-1L



PR88-1.6L

**pr88 Wash-Off Hand Protection**

- Apply to the hands before starting work
- Protects the skin when working with non water-based substances such as oil, fat, lacquer, graphite, soot, dust, (PU) glue, artificial resins, etc.
- The dirt is simply washed off with the protective film

Item #	Size	
RAH-PR88-100ML	100 ml	<b>\$8.55</b>
RAH-PR88-1L	1.0L	<b>\$31.95</b>
RAH-PR88-1.6L	1.6L	<b>\$49.05</b>



Page 283



**TKO Hand Cleaner With Pumice**

- Pumice scrubs away tough dirt, grease, and grime
- Solvent-free and enriched with lanolin
- Lemon-lime fragrance
- (1) 1 gallon/3.78 L bottle

Page 285



45204



45251

**Brake & Parts Cleaner Products**

Item #	Product Description	Size	Qty/Box	
EMZ-45204	G4 BRAKE & PARTS CLEANER INDUSTRIAL	390 g	12	<b>\$62.95</b>
EMZ-45251	BRAKE & PARTS CLEANER PAIL Threaded pail for use with a spigot	18.9 L	1	<b>\$141.45</b>

Page 296



GWR-86970 **\$332<sup>55</sup>**  
**4 Ton Professional Body Repair Hydraulic Power Kit**

- Pump: 8,000 psi
- Ram extended: 54"



Page 296



GWR-86972 **\$455<sup>25</sup>**  
**10 Ton Professional Body Repair Hydraulic Power Kit**

- Pump: 10,000 psi
- Ram extended: 60"



# NEW Products and more!

Page 302



### HVLV Gravity Feed Spray Guns

- Stainless steel needles for ultimate reliability
- Precision brass spray caps for perfect pattern
- Smooth/comfortable trigger pull
- Includes Gen 1 quick twist-lock spray gun cup adapter

Item #	Nozzle	
ACA-6900	1.3mm	<b>\$303.05</b>
ACA-6905	1.6mm	<b>\$303.05</b>

Page 302



### AST-EUROHE102 **\$208<sup>25</sup>** EuroPro High Efficiency Spray Gun with 600 ml Plastic Cup

- Compatible with solvent and waterborne paints
- Nozzle: 1.2mm

High Efficiency/  
High Transfer

Page 303



### ATD-6557 **\$498<sup>75</sup>** 300 Lbs Capacity Vehicle Door Jack Lift

- Support size: 30" L x 24" W
- Height adjusts from 7" to 30"
- Width adjusts from 8" to 20"

Page 313



### MAS-VMAX-550 **\$369<sup>45</sup>**

#### Versatile Propane Torch with Interchangeable Nozzles

- Great tool for: burning weeds and stumps, melting snow/ice, softening asphalt, shrink wrap packaging, searing meats and fish, lighting fires and charcoal grills, and more...
- Two-step trigger that gives you regular and MAX output on the long barrel nozzle
- Attaches directly to any standard sized portable propane canister, or to any 5 lb and up tank with a hose adapter (hose adapter and hose not included)
- Includes: 8" short barrel nozzle, 12" long barrel nozzle, circular propane tank stand for tall 14.1 oz cylinders

Page 315



### MAS-PI-40SIK **\$80<sup>55</sup>**

#### Butane-Powered Soldering Iron, Flameless Heat Tool and Torch Kit

- Adjustable soldering temp.: 635°F to 900°F (335°C to 482°C)
- Approx. hot air temp.: 930°F (500°C)
- Approx. torch temp.: 2370°F (1300°C)
- Power equivalent: 200 Watts • Max. 75 min. run time
- Includes: 2 pre-tinned solder tips, flameless heat shrink reflector, hot knife tip, lead-free solder

Page 317



### **\$2209<sup>65</sup>**

#### TIT-PLJRWPC45LT Razorweld 45A Plasma Cutter

- Single phase 230V
- 45 amp @ 35% duty cycle • Lightweight: 20 lbs
- Rated 1/2" clean cut • Pilot arc low frequency start
- Pre-set air adjustment • 4T function for automatic use
- Includes: 19.5 ft Suregrip torch, return lead, (2) plasma cutting nozzles & (2) plasma cutting electrodes



# NEW Products and more!

Page 328



BR-EZ14



BR-EZ316



### Brake Line Replacement Kits

- Replace numerous brake lines with one kit
- Covers up to 95% of repairs
- Metric and standard fittings
- Contains 25 ft. of brake tubing

Item #	Line	Kit	
SRR-BR-EZ316	3/16"	110-Pc	<b>\$290.85</b>
SRR-BR-EZ14	1/4"	40-Pc	<b>\$209.55</b>

Page 334



Astro

AST-3019B **\$167<sup>45</sup>**

### Professional Rechargeable Digital Tire Inflator

- Scale: 7-175 psi • Inflate and deflate
- Displays: PSI, BAR, kPA
- Dual orientation digital read-outs
- USB-C rechargeable



Page 342




LIS-13550 **\$111<sup>05</sup>**

### 2-Pc 33mm Damaged Truck Lug Nut Remover & Installer Impact Socket Set

- 3/4" square drive
- 6-point Hex socket grips fastener without damaging or rounding
- Left-hand twist socket firmly bites into stripped nuts



Page 357



SGT-61820 **\$70<sup>15</sup>**

### Magnetic Strut Alignment Level

- Allows to safely drive the vehicle before a more precise wheel alignment can be performed
- Use to restore a vehicle's camber setting after strut repair or installation
- Also useful for repairs on ball joints and tie rod ends
- Camber settings from -5° to +5° for additional adjustment
- Works on all vehicles equipped with MacPherson struts

Page 364



LIS-20250 **\$72<sup>45</sup>**

### Compression Tester for Gasoline Engines

- Gauge registers 0 - 300 P.S.I. and 0 - 2100 kpa
- Fits 14mm and 18mm thread sizes



Page 365



Made in USA

CTA-2800 **\$226<sup>35</sup>**

### Diesel Compression Test Kit

- **Glow plug applications:** GM 4.3L 6-cyl, 4.3L and 5.7L 8-cyl, GM 6.2L V8 10mm x 10, Ford/Navistar 6.9L and 7.3L, Int Harvester 6.9L 10mm x 10
- **Injector applications:** VW, Volvo, Audi, Dodge, Mercedes Benz and Cummins 5.9L (24mm x 20)



Page 365



OTC-5020 **\$1127<sup>15</sup>**

### Diesel Compression Tester

- Designed for medium-duty diesel engines equipped with glow plugs
- Measures compression to 1000 PSI and 7000 kPa
- **Applications:** Hino diesel truck engines with 12mm x 1.25 thread, Cummins B 3.9L 4 cyl. & 5.9L 6 cyl. '89-'98, Mitsubishi Fuso truck 4D & 6D engines with 10mm x 1.25 thread, Cummins C 8.3L 6 cyl. '88-'96, Ford/Navistar 6.9L & 7.3L, Detroit 6.2L & 6.5L with 10mm x 1.0 thread, Navistar DT466/DT360

Page 376



KP1200



KP1500


### Fuel Line Replacement Kits

- Works with domestic and foreign vehicles
- Cost-effective - save up to 70% vs. OEM fuel lines
- Safe - nylon lines hold up to 200 PSI
- Safe for use with multiple fuel types including gas, ethanol and diesel
- Typical installations can be done in under 5 minutes in just 3 simple steps

Item #	Kit	Repair Line Sizes	Nylon Tubing Length	
SRR-KP1200	52-Pc	5/16" & 3/8"	30 feet	<b>\$461.15</b>
SRR-KP1500	168-Pc	1/4", 5/16" & 3/8"	75 feet	<b>\$860.45</b>

# NEW Products and more!

Page 380



LIS-13340 **\$32<sup>15</sup>**  
**3/8" Drive 46mm DEF Filter Canister Socket**  
 • Fits Class 6-8 trucks

Page 385



DSR165



DSR166



**12V ProSeries Jump Starters**  
 • Reverse connection warning  
 • 1-Year warranty

Item #	Peak Amps	
SHM-DSR165	2,200 A	<b>\$283.15</b>
SHM-DSR166	4,400 A	<b>\$595.95</b>

Page 397



**Solar® Power Inverter Input Cable Accessory Sets**  
 • 5 ft. long cables



Item #	For Use With	Gauge	
SOL-PIA10	PI10000X	#2 AWG	<b>\$120.05</b>
SOL-PIA20	PI20000X	4/0	<b>\$395.05</b>
SOL-PIA30	PI30000X	2/0	<b>\$474.25</b>

Page 398



LIS-11410 **\$32<sup>85</sup>**  
**7" Cable Stripping Knife**  
 • Designed for slitting the outer sheath of wire loom without damaging inner wires  
 • Can also be used to strip large diameter cable

Page 403



MXN-00840 **\$119<sup>55</sup>**  
**WorkStar® CYCLAMP – Rechargeable Magnetic Clamp Light**  
 • Lumens: 1,000/500/250  
 • Runtime: 1.75/3.5/8 hrs  
 • Heavy duty clamp and strong magnetic base  
 • 360° rotatable with detents  
 • IP65 rated dust and water resistant  
 • Includes USB-C charge cable

Page 410



STM-88131 **\$293<sup>45</sup>**  
**10.5" Protac HL® 6 High-Lumen Rechargeable LED Flashlight**  
 • Lumens: 5,300/1,500/450  
 • Runtime: 2/3.75/12.5 hrs  
 • Aluminum body  
 • 120V AC adapter, "Y" USB-C charge cable