



October – December 2025

TOOLSHOP

g2stobeq.ca



NEW Products and more!

Page 4

M12™ Heated TOUGHSHELL™ Jackets with Hexon Heat Technology™

- HEXON Heat Technology™: Stays warmer for longer; Fastest heat-up time; Greatest heat coverage
- Washer & dryer safe
- Heated chest, back, and pocket zones
- TOUGHSHELL™ stretch polyester
- Adjustable cuffs & waist to keep heat in
- Wind and water resistant
- M12™ REDLITHIUM™ CP3.0 battery: 12 hrs Low, 6 hrs Med., 3 hrs High
- Includes: M12™ CP3.0 Battery, M12™ Top-Off™ Power Supply & Charger, and USB-C Cable



\$298⁰⁰

-21 Series

Size	BLACK	GRAY
S	MLW-M100B-21S	MLW-M100G-21S
M	MLW-M100B-21M	MLW-M100G-21M
L	MLW-M100B-21L	MLW-M100G-21L
XL	MLW-M100B-21XL	MLW-M100G-21XL



Milwaukee



M12™ Heated AXIS™ Hooded Jackets with Hexon Heat Technology™

- HEXON Heat Technology™: Stays warmer for longer; Fastest heat-up time; Greatest heat coverage
- Washer & dryer safe
- Heated chest, back, and shoulder zones
- AXIS™ ripstop polyester fabric prevents tears from spreading
- Lightweight durability
- Wind and water resistant
- M12™ REDLITHIUM™ CP3.0 battery: 12 hrs Low, 6 hrs Med., 3 hrs High
- Includes: M12™ CP3.0 Battery, M12™ Top-Off™ Power Supply & Charger, and USB-C Cable



\$298⁰⁰

-21 Series

Size	BLACK	GRAY
S	MLW-M102B-21S	MLW-M102G-21S
M	MLW-M102B-21M	MLW-M102G-21M
L	MLW-M102B-21L	MLW-M102G-21L
XL	MLW-M102B-21XL	MLW-M102G-21XL
2XL	MLW-M102B-212X	MLW-M102G-212X



M12™ Heated Hoodies with Hexon Heat Technology™

- HEXON Heat Technology™: Stays warmer for longer; Fastest heat-up time; Greatest heat coverage
- Washer & dryer safe
- Heated chest and back zones
- Fleece and warm jersey lining • Durable pockets
- 56% Cotton / 44% Polyester
- M12™ REDLITHIUM™ CP2.0 battery: 8 hrs Low, 4 hrs Medium, 2 hrs High
- -21 Series includes: M12™ CP2.0 Battery, Battery Holder & M12™ Charger
- -20 Series includes: M12™ Battery Holder



\$198⁰⁰ -20 Series

Size	GRAY
S	MLW-M200G-20S
M	MLW-M200G-20M
L	MLW-M200G-20L
XL	MLW-M200G-20XL



\$238⁰⁰ -21 Series

Size	BLACK	GRAY
S	MLW-M200B-21S	MLW-M200G-21S
M	MLW-M200B-21M	MLW-M200G-21M
L	MLW-M200B-21L	MLW-M200G-21L
XL	MLW-M200B-21XL	MLW-M200G-21XL



DEWALT

Page
5

A WORKSTATION BUILT TO MOVE.



TOUGHSYSTEM® 2.0 DXL™
5-IN-1 MODULAR
WORKSTATION

DWST60510

\$1378⁸⁵



20V MAX* CORDLESS
10,000 PSI VARIABLE
2-SPEED GREASE
GUN KIT

DCGG581GD1

\$420³⁵



20V MAX* CORDLESS
10,000 PSI VARIABLE
2-SPEED GREASE GUN
(TOOL ONLY)

DCGG581B

\$331⁶⁵



20V MAX* XR®
BRUSHLESS CORDLESS
HANDHELD BLOWER
(TOOL ONLY)

DCBL722B

\$247⁴⁵



20V MAX* XR® 1/2 IN.
BRUSHLESS HIGH TORQUE
IMPACT WRENCH WITH
HOG RING ANVIL
(TOOL ONLY)

DCF961B

\$496⁰⁵



ATOMIC™ 20V MAX*
1/2 IN. CORDLESS IMPACT
WRENCH WITH HOG RING
ANVIL (TOOL ONLY)

DCF921B

\$229⁵⁵



20V MAX* XR® BRUSHLESS
CORDLESS 4-1/2 - 5 IN.
ANGLE GRINDER
(TOOL ONLY)

DCG410B

\$278⁸⁵



20V MAX*
TRANSFER PUMP
(TOOL ONLY)

DCE050B

\$350²⁵



LENX
STRAIGHT CUT
AVIATION SNIPS

LXHT14340

\$43⁶⁵



LENX
LEFT CUT
AVIATION SNIPS

LXHT14341

\$36²⁵



LENX
RIGHT CUT
AVIATION SNIPS

LXHT14342

\$36²⁵



IRWIN
VISE-GRIP® ORIGINAL™
LOCKING PLIERS SET
10 PIECES

1078TRAY

\$293⁷⁵

NEW LIMITED TIME DEALS

High Strength Magnetic Tool Mats:

GWMAGMAT108
\$92.35



10" x 8"

GWMAGMAT126
\$84.65



12" x 6"

GWMAGMAT1812
\$188.15



18" x 12"

Ultra Comfort Kneeling Pads:

GWKPS
\$21.55



11" x 18"

GWKPL
\$29.25



15" x 22"

Pass-Thru™ Socket Sets:

GWPTAW8
\$50.45



GWX6PT25
\$58.85



Rechargeable Foldable Underhood Light:

GWUHL
\$240.75





M18 FUEL™ 1/2" High Torque Impact Wrench w/ Friction Ring Kit
(2967-22)



M18 FUEL™ 3/8" Mid-Torque Impact Wrench w/ Friction Ring - Tool Only
(2960-20)



M18™ Inflator - Tool Only
(2848-20)



M18™ Magnetic Extendable Boom Light - Tool Only
(2129-20)

\$381⁷⁵



M12™ Underhood Light - Tool Only
(2125-20)

\$306²⁵



M12™ Underbody Light - Tool Only
(2126-20)



M12 FUEL™ Low Speed Tire Buffer - Tool Only
(2409-20)

\$248⁹⁵



\$178⁰⁵

11PC SHOCKWAVE Impact Duty™ 1/2" Drive SAE & Metric Lug Nut Wheel Socket Set (49-66-7833)

DON'T FORGET YOUR HEATED JACKET



Page
9**NOCO**

Auto | Marine | RV | Powersport | Lawn & Garden

Genius® Battery Chargers™

- Charges fully drained batteries
- Maintains all battery sizes
- Spark proof technology
- 24/7 connection with zero overcharge
- Charges CANBUS systems
- Reverse polarity protection

Item #	Volts	Amps	Ah Rating (up to)	
NOC-GENIUS1	6V & 12V	1A	30Ah	\$48.45
NOC-GENIUS2D	12V Direct-Mount	2A	40Ah	\$64.55



GB500

Page
9**NOCO****UltraSafe® Jump Starters**

BOOST® – BOOST® SPORT™ – BOOST® X™ – BOOST® MAX™

Features:

- Ultra-safe, ultra-compact, rugged and portable
- Recharge virtually any USB device
- Recharge the unit from any USB port or 12V charger (included)
- Ultra-bright LED flashlight for visibility and 7 modes, including SOS and emergency strobe
- Spark proof technology
- Reverse polarity protection
- GB250, GB251 and GB500 come with a protective case



Item #	Volts	Amps	Engine Type	12V Output	USB In/Out	USB-C In/Out	
NOC-GB20	12V	500A	4.0L Gas		2.1A	2.1A	\$126.35

Page
9**NOCO****Battery Clamps**

Item #	Gauge	Cable Length	Jaw Span	Included Eyelets	Compatibility	
NOC-GC001	16 AWG	18.5"	1.25"	M6 6mm	GENIUS1, GENIUS2, GENIUS5, GENIUS10, GENIUS2X2, GENIUS2X4, G4, G750, G1100, G3500, G7200	\$30.85
NOC-GC014	16 AWG	21"	1.5"	M10 10mm	GENIUS1, GENIUS2, GENIUS5, GENIUS10, GENIUS2X2, GENIUS2X4, G4, G750, G1100, G3500, G7200	\$35.45
NOC-GPA002	8 AWG	65"	2"	M10 10mm	GENIUSPRO25, GPA001	\$150.95
NOC-GBC003	8 AWG	12"	2.1"		GB20, GB40, GB50, GBX45	\$38.55



NEW Products and more!

Page
13
LOKITHOR


J401X

JA301PRO
JA302PRO

J402PRO



APARTX-KIT

LO-LIPOX



LOK-LO-LIPOX \$236⁸⁵
12V 4000A
Lithium-Polymer Battery
 • For use with model
 #LOK-APARTX Jump Starter
 • 26500 mAh (98 Wh)



J10000HD

Jump Starters/Power Banks

- Equipped with short circuit prevention, reverse polarity protection, over/low voltage safeguarding, low/high temperature protection, spark-proof protection, over-current protection
- 1 year warranty

	LOK-J401X	LOK-JA301PRO	LOK-JA302PRO	LOK-J402PRO	LOK-APARTX-KIT	LOK-J10000HD
Description	Cold-Weather Jump Starter with Internal Battery Warmer/ Battery Booster/ Power Bank	Jump Starter/ Air Inflator/ Power Bank	Jump Starter/ Air Inflator/ Power Bank	Jump Starter/ Power Bank	Detachable Battery Jump Starter/ Air Inflator/ Power Bank	One-Click Switching Heavy-Duty Truck Jump Starter/ Power Bank
Starting Voltage	12V	12V	12V	12V	12V	12V / 24V
Peak Amps	2500A	2500A	3000A	3500A	4000A	12V: 10,000A / 24V: 5000A
Engine Rating (Up to)	8.5L Gas 6.5L Diesel	8.5L Gas 6.5L Diesel	9L Gas 7L Diesel	9.5L Gas 7.5L Diesel	10.0L Gas 8.0L Diesel	16L Gas 16L Diesel
Ultra-Low Temperature Start Technology	-40°C (-40°F)					
Battery Capacity	20000 mAh 74 Wh	74.37 Wh	76.59 Wh	88.8 Wh	26500 mAh 98 Wh	256 Wh
LED Light	300 Lumens Flashlight / Strobe / SOS Light	300 Lumens Flashlight / Strobe / SOS Light	300 Lumens Flashlight / Strobe / SOS Light	300 Lumens Flashlight / Strobe / SOS Light	500 Lumens Flashlight / Strobe Light / SOS Light	1000 Lumens Flashlight / Strobe Light / SOS Light
150 PSI Air Inflator with Air Hose & Adapters Kit	✗	✓ 35 L/min	✓ 35 L/min	✗	✓ 40 L/min	✗
Included Cables	12V Adapter; USB-C to USB-C; USB-A to USB-C	USB-C to USB-C; USB-A to USB-C	USB-C to USB-C; USB-A to USB-C	12V Adapter; USB-C to USB-C; USB-A to USB-C	USB-C to USB-C; USB-A to USB-C	DC Adapter; Power Cable; USB-A to USB-C; USB-C to USB-C; Car Charger to DC 5521; Car Charger Female to DC 5525
Dimensions	9.45" x 4.19" x 2.36"	9.8" x 5.6" x 4.1"	9.8" x 5.6" x 4.1"	9.46" x 4.19" x 2.4"	10.23" x 6.25" x 4.72"	17.6" x 5.6" x 17.14"
	\$349.35	\$319.95	\$399.95	\$359.95	\$499.95	\$1599.95

Page
21
MIDTRONICS

MID-MVT-100P

Battery & Electrical System Tester with Printer

- Conductance testing capabilities: 100-3000 CCA
- 12V battery testing, alternator testing and voltmeter starter testing
- Works with Flooded, AGM & EFB batteries
- Fast & accurate diagnostics for 6V/12V batteries
- Powered by MDX-AI: Leverages data from hundreds of millions of battery tests performed globally by connected Midtronics tools to create an advanced AI-based diagnostic algorithm
- Allows accurate in-vehicle battery testing without needing the CCA rating or specific chemistry, and works despite system noise and when testing at remote posts
- Features 30" cables

Page
24
NOCO

NCP2 Battery Corrosion Preventative

- Stops battery corrosion for the life of your battery
- Oil-based formula that does not dry or evaporate
- Eliminates battery corrosion for increased cranking ability
- Environmentally safe and resistant to reversion, moisture, shock and vibration

Item #	Size	
NOC-CB104	4 oz	\$20.35
NOC-A202	12 oz	\$16.45

A202

CB104



Page
24**NOCO****NOC-B603 \$23⁶⁵**
**NCP2 Battery Terminal
Protectors, 50 Pieces**

- Stops corrosion and extends battery life

Page
34**BAYCO**
NIGHTSTICK**BAY-USB-588XL \$336¹⁵**
**6" Rechargeable Dual-Light™
Tactical Flashlight**

- Spotlight: 1100 lumens, hrs
- Floodlight: 350 lumens, 5 hrs
- Dual-light: 850 lumens, 3 hrs
- Waterproof and 2m impact resistant
- Includes: USB-C charging cord (2 ft.), back-up CR123 battery carrier

Page
37**MAXXEON****MXN-00650 \$89⁰⁵**
**WorkStar® LightVisor™
Safety Rechargeable
Headlamp**

- Lumens: 700/350
- Runtime: 3 hrs/5.5 hrs
- Red LED: 33 lumens / 48 hrs runtime
- IP 65 water resistant
- IK07 impact resistant, up to 6 ft. (2m)

Page
67**MAYHEW**
TOOLS**MAY-17957 \$16⁷⁵**
12.25" Long Rectangular Inspection Mirror

- 2" x 3-1/2" rectangular scratch-resistant glass mirror
- 180° swivel, designed to hold its position

Page
67**MAYHEW**
TOOLS**Telescoping
Inspection Mirrors**

- 180° swivel, designed to hold its position



Item #	Mirror Description	Mirror Size	Telescoping Length	
MAY-17150	Polished Steel	3-3/4" x 2"	6-3/4" – 28-1/2"	\$40.45
MAY-17770	3X Magnified Glass Mirror	2-1/4" x 2-1/2"	7" – 28-1/2"	\$35.35

Page
67**MAY-17955 \$29⁹⁵**
**Telescoping Lighted
Inspection Mirror & Pick-Up**

- 2" diameter glass mirror
- Extends from 9" to 30"
- 3 lb magnet capacity
- 180° swivel, designed to hold its position
- Includes: 3 x LR41 batteries

**MAYHEW**
TOOLSPage
79**DREMEL****DRE-3100-1/15 \$126³⁵**
**3100 Series
Rotary Tool Kit, 120V**

- Includes: (1) attachment, (15) accessories

Page
79**Milwaukee****MLW-48-11-2450**
**12V M12™ Extended Capacity
XC5.0 Battery Pack**Page
95**AP Astro****AST-401K3 \$62³⁵**
**3-Pc .401 Shank
Heavy Duty Pneumatic
Round Hammer Bit Set**

- 1" diameter
- 4", 7", and 12" long

Page
95**AP Astro****AST-401K6 \$72⁹⁵**
**6-Pc .401 Shank Heavy Duty
Pneumatic Hammer, Chisel,
and Cutter Bit Set**

- 13/16" flat chisel
- 5/8" cold chisel
- Double cut body ripper
- Deluxe panel cutter
- 1" hammer, 7" long
- Tail pipe chisel



GRIPEDGE™**RPT™ (Rounding Prevention Technology™) Drivers**

- Delivers up to 50% more grip on new fasteners
- Provides up to **400% more torque on DAMAGED** fasteners

Page
121

HA20S



HAM7LS



HAS10LS



HB16S

RPT™ HEX ★ Chrome Sockets

Item #	Drive	Length	Set	Range	
GPE-HA20S	1/4"	Short	20-Pc	1.5mm – 7mm 1/16" – 9/32"	\$241.25
GPE-HAM7LS	1/4"	Long	7-Pc	2mm – 7mm	\$148.85
GPE-HAS10LS	1/4"	Long	10-Pc	5/64" – 9/32"	\$206.85
GPE-HB16S	3/8"	Short	16-Pc	4mm – 12mm 1/8" – 3/8"	\$275.75

Page
121**RPT™ HEX ★ Impact Sockets**

Item #	Drive	Length	Set	Range	
GPE-MIHC17S	1/2"	Short	17-Pc	10mm – 19mm 3/8" – 3/4"	\$468.85

RPT™ HEX ★ TORX® ★Page
122GPE-MHST62S **\$896²⁵****62-Pc Master RPT™
Hex & Torx® Bit Socket Set**

- 1/4", 3/8", 1/2" drive
- Short & Long Hex: 4mm – 10mm & 1/8" – 3/8"
- Torx®: T8 – T60
- Tamper Proof Torx®: T10H – T55H
- Female Torx®: E4 – E20

Page
122

SCST10S



STA9LS




MST45S



STP13S

RPT™ TORX® ★ Chrome Sockets

Item #	Drive	Length	Set	Range	
GPE-SCST10S	1/4", 3/8" TP Torx®	Short	10-Pc	T8H – T50H	\$206.85
GPE-STA9LS	1/4"	Long	9-Pc	T6 – T40	\$158.55
GPE-MST45S	1/4", 3/8", 1/2" Torx® TP Torx® Female Torx®	Short	45-Pc	T6 – T100 T8H – T55H E4 – E24	\$758.35
GPE-STP13S	1/4", 3/8", 1/2" Torx® Plus	Short	13-Pc	IP6 – IP60	\$275.75



Page
133**TITAN**

TIT-11036 **\$14⁷⁵**
**100-Pc #9 Standard
 Single Edge
 Razor Blades**

Page
135**FLUKE** FLUKE CONNECT

FLU-4977402 
**1550C FC – Fluke Connect®
 5 kV Digital Insulation Tester**

- Remote operation lets you spend as little time as possible in potentially hazardous zones
- Real-time live graph on your phone
- Automatic calculation of DAR/PI
- Selectable test voltages in 50V steps from 250V to 1000V, and 100V steps above 1000V
- CAT III 1000 V, CAT IV 600V safety rating
- Measurements can be stored in up to 99 memory locations
- Capacitance and leakage current measurement
- Ramp function for breakdown testing
- Resistance measurements up to 2 TΩ
- Timer settings up to 99 minutes for timed tests

Page
146**ASTRO**


AST-4111 **\$122¹⁵**
1/4" Drive 6 Pt. Extra Deep Socket Sets
 • 10-Piece
 • Range: 6-15mm

Page
147**GEARWRENCH**

GWR-GWGMTK185

185-Pc 1/4", 3/8", and 1/2" Drive General Mechanics Tool Kit in Foam Trays with Heavy Duty Tool Carrier

- Military-grade, IP-67 certified, heavy-duty tool carrier (#GWMP100)
- **Tray 1 (73 pieces):** features a comprehensive selection of 1/4" and 3/8" drive mechanic's hand tools, including 120XP and 90T ratcheting wrenches, extensions, adapters, speeder handles, chrome sockets, and bit sockets
- **Tray 2 (52 pieces):** features 1/2" drive mechanics tools that include 120XP™ ratcheting wrenches, flare nut wrenches, extensions, a flex handle, chrome sockets, and bit sockets
- **Tray 3 (27 pieces):** includes a 16 oz ball pein hammer, a punch & chisel set, a Phillips® and slotted screwdriver set, a 19-in-1 ratcheting screwdriver, 10" tongue and groove pliers, rolling head pry bar, and feeler gauge set
- **Tray 4 (30 pieces):** includes 12 point long pattern combination wrenches, long nose pliers with side cutting, and diagonal wire twist pliers
- **2-Piece** slip joint pliers and diagonal cutting pliers come neatly stored in a durable protective pouch

**NEW**

184-Pc 1/4", 3/8" and 1/2" Drive General Mechanics Tool Kit in Foam Trays

- Same as #GWGMTK185, but does not include the #GWMP100 Heavy Duty Tool Carrier

Page
147**GEARWRENCH****NEW**GWR-GWMSSTK01 

27-Pc Striking Tools & Screwdriver Set in Foam Storage Tray

- Includes a 16 oz ball pein hammer, a punch & chisel set, a Phillips® and slotted screwdriver set, a 19-in-1 ratcheting screwdriver, 10" tongue and groove pliers, rolling head pry bar, and feeler gauge set

Page
147**GEARWRENCH****NEW**GWR-GWMP100 

Heavy-Duty Compact Portable Rolling Tool Case

- Resistant to chemicals, dust, humidity, and harsh temps (-33°C / +90°C)
- Self-oiling, free running wheels
- 4 durable trays with additional built-in foam protections
- Trays measure 20-1/4" x 13-1/2" and can each accommodate 2 small GEARWRENCH modular sets or 1 large modular set



Page
148

Astro

NEW

78319

6 Point Low Profile Nano Impact Socket Sets on a Rail

- All sockets feature a outside hex for increased access when used with a wrench

Item #	Drive	Count	Range	Outside Hex	
AST-78113	1/4"	13-Pc	4mm – 15mm	11mm	\$63.35
AST-78110	1/4"	10-Pc	3/16" – 9/16"	11mm	\$50.55
AST-78319	3/8"	19-Pc	6mm – 24mm	17mm	\$109.55
AST-78215	1/2"	15-Pc	10mm – 24mm	22mm (7/8")	\$102.55
AST-78211	1/2"	11-Pc	3/8" – 1"	22mm (7/8")	\$81.85

Page
151

Astro

NEW**6**AST-78111 **\$186¹⁵****11-Pc 1/4" Drive 6 Pt. Magnetic Universal Impact Socket Set**

- 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm
- (1) 6" Quick release extension adaptor: 1/4" Dr. x 1/4" Hex Shank

Page
159**1/2" Sq. Drive TP50 Torx® Plus Bit Socket for Ford, GM, and Dodge Truck Bed Bolts****\$21³⁵****NEW**Page
161**10-Pc 1/4" & 3/8" Drive Metric Hex Bit Socket Set with Reduced Shank****\$107¹⁵**


- 5mm – 14mm

NEWPage
161

VIM S2

**13-Pc 4" Long XZN Bit Socket Set****\$171⁹⁵**

- XZN 4 – 18
- 1/4", 3/8", 1/2" square drives

NEWPage
162

Astro

NEW**20-Pc 3/8" Drive Nano Impact Bit Socket Set on Magnetic Rail**AST-78320 **\$154³⁵**

- 17mm outside Hex for increased access when used with a wrench
- Hex: 6-12mm • Torx®: T25-T55
- Triple Square: M6-M16

Page
165


Astro

NEW**12-Pc Super-Thin Ratcheting Wrench Set****\$145⁸⁵**

- 8mm-19mm
- 72-tooth high-torque ratcheting mechanism
- Up to 40% thinner than similar sets
- Offset angled open-end heads and slim profile ratcheting ends

Page
167**NEW**

6510

**NEW****12**

6509

Ratcheting Flexible Head Extra Long Double Box Wrench Sets

- Non-ratcheting 12-point zero-degree offset box-end
- Ratcheting 180° flexible head universal spline drive box-end
- 72-tooth ratchet

Item #	Kit	Range	Packaging	
ATD-6510	10-Pc	10mm-19mm	EVA Foam Tray	\$392.25
ATD-6509	9-Pc	5-1/6"-3/4"	EVA Foam Tray	\$339.25

Page
167 **Astro**AST-78301 **\$54⁷⁵****Stubby Ratcheting Flex Head
Double Box Wrench for Nano Sockets**

- For 1/4" drive (11mm outside hex) and 3/8" drive (17mm outside hex) Nano style sockets
- Includes Nano magnetic 1/4" Hex bit adapter



Page
211 Made in
USAMAY-60210F **\$353⁶⁵****21-Pc Metric Punch and
Chisel Set in Foam Tray**

- Includes: pin punches, line-up punches, solid punches, pilot punches, brass punches and cold chisels

Page
221 **Astro**

914VB

938VR


**V12 Series Locking Magnetic
Socket Organizers**

- Stores sockets at a 45° angle for a low-profile fit in drawers while allowing for twice the number of sockets plus space for a ratchet
- 1/8th turn twist lock design keeps sockets secure
- **Tools not included**

Item #	Color	Drive	Storage Capacity	
AST-914VB		1/4"	22 Sockets + 1 Ratchet	\$29.45
AST-914VR		1/4"	22 Sockets + 1 Ratchet	\$29.45
AST-938VB		3/8"	24 Sockets + 1 Ratchet	\$34.55
AST-938VR		3/8"	24 Sockets + 1 Ratchet	\$34.55

Page
224CTA-3035 **\$120⁵⁵****Mini Bearing
Separator Tool Kit**

- Includes bearing separator, yoke, extensions, and wiper arm puller for a wide range of mechanical and automotive applications
- Ideal for removing small bearings, gears, wheels, pulleys, steering pumps, and alternators from shafts

Page
234

SJ03500B

TBQ-SJ03500B **\$299⁹⁵****3.5-Ton Low Profile
Hydraulic Floor Jack**

- Min. height: 3-3/4"
- Max. height: 20-11/16"
- Dim.: 27.2" L x 14.3" W x 6.2" H
- Weight: 82.5 lbs

TBQ-SJL03500 **\$307⁴⁵****3.5-Ton Low Profile Long Reach
Hydraulic Floor Jack**

- Min. height: 3-3/4"
- Max. height: 20-11/16"
- Dim.: 31.5" L x 14.4" W x 6.5" H
- Weight: 82.5 lbs

Page
242

TR2010

**20-Ton Capacity Pair of
Truck Ramps**

- Telescopic 33" T-handle

Item #	Max. Tread Width	Frame L x W x H	Weight	
OTC-TR2010	10"	47" x 13.5" x 9.25"	230 lbs	\$1588.85
OTC-TR2016	16"	47" x 18.25" x 9.25"	312 lbs	\$2250.85

Page
275 ENR-F105501 **\$496⁸⁵****Forced Air Kerosene
Industrial Heater**

- 80,000 BTU per hour
- Heats up to 2,000 sq. ft.
- Runs up to 10 hrs with a 6 gallon fuel tank
- Use with Biodiesel, Kerosene, Diesel 1 & 2, Fuel Oil 1 & 2, Jet A or JP8
- Electrical rating: 115V, 3.5A
- 32.25" x 14.25" x 17"



Page
277**MILWAUKEE****NEW**

MLW-3036-22HD

**M18 FUEL™ 21" Auger Propelled
Dual Battery Single Stage Snow Blower Kit**

- Startup: under 1 second
- Clearing Width x Height: 21" x 12"
- Throw distance: 35 ft. front; 30 ft. side
- (2) M18™ REDLITHIUM™ FORGE™ HD12.0 batteries
- (1) M18™ dual bay simultaneous rapid charger

Page
277**DEWALT****NEW**

DEW-DCSNP2142Y2-CA

**60V MAX* 21" Single
Stage Snow Blower Kit**

- 3 Auger speed settings: Eco / Standard / Max Power
- Two-way electric chute rotation • LED dashboard
- Throw distance: up to 40 ft.
- (2) FLEXVOLT® 20/60V MAX* 12Ah batteries
- (2) 12V MAX*/20V MAX*/FLEXVOLT® chargers

Page
292**TITAN****TIT-15200 \$16⁶⁵
Precision Oiler, 15 ml**


- For precision oiling in tight and hard-to-reach places and machines
- Protective screw-on cover prevents leakage
- Convenient pocket clip for convenience on the go
- Overall length is 5-5/8"

Page
298**GEARWRENCH****NEW****GWR-GWKPL \$29²⁵
15" x 22" Ultra Comfort
Kneeling Pad**

- 1-1/2" thick, made to retain its shape through repeated use
- Superior oil and water resistance

Page
316**STECK****STK-STC21870 \$284³⁵
E-Z Rest Adjustable
Door Hanger**

- Enables a single person to quickly remove and/or install vehicle doors
- Padded, removable side rails
- Adapts to most floor jacks with removable saddles
- Fits jacks with saddle hole dimensions 30mm
- Allows you to hang bumpers, store glass, and more
- Car jack not included

Page
316**STECK****STK-STC35900 \$682²⁵
Adjustable Vehicle Panel Tree**

- Allows painting of car panels, hoods, doors, fenders and hoods
- Panels load easily and quickly
- Hold one or two panels securely
- Adjustable arms to accommodate any size panel

Page
316**GEARWRENCH****STECK****STK-STC35950 \$902⁰⁵
Heavy Duty Adjustable & Folding
Parts & Tool Cart, 396 Lbs Capacity**

- Heavy-duty tight-mesh shelves hold up to 132 lbs
- Each shelf measures 32.6" W x 18.9" D x 1.2" H
- Custom configuration
- Telescopic legs adjustable from 29.7" to 45.7"
- Overall dimensions: 32.6" W x 18.9" D
- Lightweight at 100 lbs




Page
332

ESB-0700600860

\$659⁵⁵**SENTINEL™ A60 –
Auto-Darkening Welding Helmet
with a Huge Panoramic View**

- ADF viewing area: 118 x 71mm (4.65" x 2.80")
- Shade range: DIN 3/5–13, adjustable in 0.5 increments
- On-board memory for up to 9 settings
- Arc sensors: 4
- Low battery, grind mode and shade lock LEDs

Page
334

FOW-72-008-007-0

\$208⁵⁵**0-6" Inch Dial Caliper**

- Graduation: 0.001"
- 4-way measurement

Page
335**4-Pc Outside
Micrometer Sets**

Item #	Reading	Range	Graduations
FOW-72-229-220-0	Metric	0-100mm	.01mm

\$635.35Page
335

FOW-74-880-001-0

\$329⁶⁵**0-1"/0-25mm XTRA-MIC PLUS
Electronic Micrometer**

- Range: 0 - 1"/0 - 25mm
- Resolution: 0.00005"/0.001mm
- Accuracy: 0.00016"/0.004mm • Super large LCD display, 14mm height
- IP54 protected against fluid and dust

Page
335

FOW-74-585-075-0

\$481⁸⁵**Fine Adjust Magnetic Base Set
with Indi-X Blue Electronic
Indicator Set**

- Direct Inch/Metric conversion
- Travel: 1"/25mm
- Resolution: .0005"/.01mm • Floating zero • Tolerance indicators
- Magnetic V-bottom base with fine adjustment and 85 lb pull

Page
335

FOW-72-520-700-0

\$477⁷⁵**Disc & Rotor/Ball Joint
Gauge with "Anyform"
Magnetic Base Combo Kit**

- Checks ball joint wear, brake and disc rotor runout, tire and wheel runout, gear backlash, valve guide wear, etc.
- Travel: 1" • Graduations: 0.001"
- The magnetic base with segments conforms to virtually any shape or form metallic surface

Page
335

FOW-72-585-015-0

\$228⁷⁵**Flex-Arm Magnetic V-Base**


- 85 lb pull
- Holds rigidly in any position desired
- V-base for placing on round surfaces
- On-Off lever release magnet

Page
336

FOW-72-225-226-0

\$525⁸⁵**0-6" Digit Counter
Depth Micrometer
with 4" Base**

- Graduations: .001"
- 6 Rods (.176" diam.)
- Ratchet thimble

Page
336

FOW-72-470-006-0

\$171⁵⁵**6-Pc Telescoping
Gauge Set**


- Range: 5/16" - 6"
- Measurable depths: 4" - 5"

Page
336

FOW-72-646-300-0

\$307⁷⁵**6" Dial Bore Gauge Set**

- Range: 2" - 6"
- Graduation: .0005"
- Carbide tips



Page
343**Fowler****FOW-72-234-223-0 \$228⁷⁵**
Digit Counter Disc Brake Micrometer

- Range: 7mm-32mm
- Digit counter reads: .001"/.01mm
- Sleeve reads: .0001"/.01mm
- Jaw depth: 3.5"

Page
343**Fowler****FOW-74-860-434-0 \$737³⁵**
Electronic Disc Brake Micrometer

- Range: 0.3"-1.7"/7mm-44mm
- Resolution: .00005"/.001mm
- Jaw depth: 3.5" • IP54: Dust, water, oil resistant
- Absolute/Incremental measurement

Page
346**Astro****AST-3019B6 \$185¹⁵**
Professional Rechargeable Digital Truck Tire Inflator

- Scale: 7-175 psi
- Inflate and deflate
- 6 ft. hose & dual chuck
- Displays: PSI, BAR, kPa
- USB rechargeable

Page
356**AME****AME-51400 \$69⁰⁵**
TRUCK Wheel Weight Pliers

- Specifically designed for use on truck weights
- Includes a plier-type hook for removing weights and hammerhead for installation
- "Clip Claw" design ideal for removing weights with minimum tire/wheel flange clearance
- Extra-heavy hammer weight simplifies the installation of large weights

Page
356**AME****AME-51400 \$69⁰⁵**
TRUCK Wheel Weight Pliers

- Specifically designed for use on truck weights
- Includes a plier-type hook for removing weights and hammerhead for installation
- "Clip Claw" design ideal for removing weights with minimum tire/wheel flange clearance
- Extra-heavy hammer weight simplifies the installation of large weights

Page
363**ATA****\$154⁰⁵ GM ProShear 2.0" Nut Socket**

CTA-8922

- Designed for GM 10.5" dual rear wheel (DRW) rear axles on 2022+ Chevrolet Express and GMC Savana vans

**\$154⁰⁵ GM ProShear 2-1/8" Nut Socket**

CTA-8923

- Designed for GM 11.5" and 12.0" single rear wheel (SRW) rear axles on 2022+ Chevrolet Silverado and GMC Sierra trucks

Page
363**OTC****OTC-5098 \$148¹⁵**
Cone Washer Removal Adapter

- To be used with an air hammer to break loose cone washers on floating axle dual rear wheel setups
- It slides over the stud, making direct contact with the cone washer to vibrate it free

Page
367**ATA****CTA-7530 \$543⁷⁵**
Jaguar/Land Rover Ball Joint Separator Tool

- **Applications:** Land/Range Rover (L405), Sport (L494), Defender (L663), Discovery 5 (L462), and select Jaguar models (F-Type, XE, XF) from 2013+
- Comparable to factory tool #204-793A

Page
372**AST** **ASSENMACHER**
SPECIALTY TOOLS**ASM-INT100 \$133⁹⁵**
66" Coolant Drain Hose for International®/Freightliner® Cascadia Trucks

- Comparable to #09-146-01 and #KL5007NAV-282



Page
380

LANG

LAN-3079 **\$126⁹⁵****Master Feeler Gauge Set for HD Truck Valve Adjustment**

- Includes:
#3074 Generic,
#3072 Cummins Diesel, #3075 Detroit Diesel

Page
381CTA-1049 **\$479⁷⁵****GM Flywheel Holder**

- Securely holds the flywheel for servicing the balancer and flywheel bolts
- Essential for achieving the required 150 lb-ft +180° torque specification
- Installs in place of the starter and engages flywheel ring gear teeth for a secure hold
- Services: ATS, Camaro, CT6, and more with LD4, LTG, LKW, or LCV engines
- Compares to factory tool #EN-51760

Page
384CTA-8988 **\$93⁷⁵****Mercedes-Benz Stubby T100 Torx Cam Adjuster Socket**

- 1/2" square drive, tamper-resistant T100 Torx® bit socket
- Designed for servicing Mercedes-Benz camshaft adjuster central valves, this socket is required for proper removal and installation during timing work
- The stubby design provides clearance in tight engine bays, reducing the need to remove additional components during service
- Fits security-style fasteners found on Mercedes-Benz camshaft adjusters
- Services: M256 engine in S-Class (W222), S-Class (W223), E-Class (W213), CLS (C257), GLE (V167), GLS (X167) and AMG GT 4-door (X290) from 2017-2025
- Compares to Mercedes factory tool #W256589002300

Page
385CTA-5476 **\$133⁹⁵****Camshaft Turning Tool for Volkswagen EA888 2.0L Gen-4**

- Designed to rotate and position camshafts on EA888 Gen IV 2.0L TFSI engines during service or installation
- Services: 2.0L TSI/TFSI engines from 2019-present
- Applications: VW Arteon, Golf VIII GTI, Tiguan II (including R), Audi A3, A4, A5, Q5, S3, TTS, and Porsche Macan models
- For best results, use in conjunction with CTA camshaft lock kits 1023, 2889, and 7910
- Comparable to Volkswagen factory tool #T40271

Page
386CTA-6541 **\$107¹⁵****Ford & Lincoln Cam Alignment Tool 2.0L & 2.3L EcoBoost 2019+**

- Designed for locking the cam gears in place during timing belt service to ensure accurate alignment
- Services: 2019+ Ford and Lincoln vehicles with 2.0L and 2.3L EcoBoost engines
- Applications: Ford Edge, Ranger, Mustang, Escape, and the Lincoln Nautilus and Corsair
- Comparable to Ford Factory Tool #303-1685

Page
386OTC-5881 **\$386⁶⁵****Cam Gear Alignment Fixture**

- This tool pulls the cam drive gear hub and thrust plate forward for camshaft and/or thrust plate seal removal and installation
- Application: Detroit Diesel Series 60
- Similar to: J-35906 and J-35906-6A

Page
386CTA-5085 **\$1247¹⁵****Cummins Front & Rear Crankshaft Seal Remover & Installer Master Kit**

- Services Paccar PX-6, PX-8 as well as Cummins engines including ISB, ISC, ISL, QSB, and B & C Series models from 1989 to current
- Comparable to Cummins factory tools #3937111, #3904353, #3802820, #3934486, #3926126, #3925529, #4890833, #5259499, #5405392 & #68444256AA

Page
386CTA-3880 **\$454¹⁵****Cummins Rear Crankshaft Seal Remover & Installer Tool – 3.5L, 3.9L, 5.9L & 6.7L**

- Use to remove and install seals without wear sleeves such as: #3934486, #3926126 & #3925529
- Services Cummins 3.5L, 3.9L, 5.9L & 6.7L (1989-2016)

Page
386

CTA-6650 **\$1497⁸⁵**
**4.5L/6.0L/6.4L Powerstroke
 Front & Rear Crankshaft
 Seal & Wear Rings Remover/
 Installer Set**


Page
386

CTA-4044 **\$1184⁵⁵**
**6.6L Duramax Front & Rear
 Crankshaft Seal Service Kit**
 • Works on 2001-2016 6.6L Duramax
 diesel engines

Page
386

CTA-6015 **\$276⁴⁵**
**Cummins B & C Series
 Rear Crankshaft Seal &
 Wear Sleeve Installer**

- Designed for use on Cummins 4BT 3.9L, ISC 8.3L, B Series 5.9L, ISB, ISL 5.9L 6.7L, QSB 5.9L 6.7L and ISL9 L9 9.0L engines found in Paccar PX-6, Paccar PX-8, and 1989 and newer applications
- Installer services the following seals: 5259499, 3926126, 3934486, 5405392, 68444256AA & MAHLE-67857
- Comparable to Cummins factory tool: #3824078, #5395259, #2063800090, #3163734, #3163628 & #3163741

Page
386

CTA-5039 **\$505³⁵**
**Cummins ISB Paccar PX-6
 Front Crankshaft Seal
 Remover & Installer Tool**

- Compatible with OE Cummins seals numbered 3955214, 4890832, 5338295 and 5319364
- It is recommended to pair this tool with CTA 3880, 5041, 5046 and 6015

Page
386

CTA-5041 **\$133⁹⁵**
**Cummins Crankshaft Seal Installer
 - 3.9L, 5.9L & 6.7L**

- Installs factory front seal #3937111, #3904353 and the seal found in kit #3802820
- Note: CTA #5046 is required if the seal has a wear sleeve
- Applications: Paccar PX-6, 1989-2016 Cummins 4BT 3.9L, B Series 5.9L, ISB 5.9L 6.7L and QSB 5.9L 6.7L

Page
386

CTA-5046 **\$80³⁵**
**Cummins Front Crankshaft
 Wear Sleeve Installer Tool**

- Note: CTA #5041 is required for installing factory seal #3937111, #3904353 and the seal found in kit #3802820
- Applications: Paccar PX-6, 1989-2016 Cummins 4BT 3.9L, B Series 5.9L, ISB 5.9L 6.7L and QSB 5.9L 6.7L

Page
390**STEELMAN^{PRO}**

STE-61249 **\$44¹⁵**
**Diesel Fuel Filter Wrench for
 use with PACCAR Fuel Filters**

Page
395

STK-STC32908-KIT **\$84¹⁵**
LittleEasy™ Compact Unlocking Tool Kit

- 30" total length
- Smaller and more compact for easier storage
- Works on 98% of vehicles, including smaller imports and pickups
- Smaller diameter enables tool insertion into tighter openings

Page
395**AccessTools**
"The undisputed leader in specialty tools"

AET-ASL3 **\$61¹⁵**
**Access Smart Light 3 –
 2000 Lumens Multi-Purpose
 Windshield Mounted
 Rechargeable LED Light**

- 5 lighting modes:
 High/Low/Steady Red/
 Strobing Red/S.O.S. Red
- Adjustable hanger arm/stand
- Impact resistant
- Includes USB-C charging cable

Page
409

UVW-488016P **\$29⁰⁵**
A/C PAG Oil

- Bottle with A/C Dye & eBOOST • Spotgun cartridge-type PAG oil utilize the Spotgun injection system to inject a precise measured amount of A/C Oil

